
วิธีการติดตั้งและ Run Project ฝ่าน Nodejs

- Frontend
 - O Yarn install
 - O Yarn dev
- Backend
 - O Yarn install
 - O Yarn db:seed-post && yarn db:seed-user
 - O Yarn dev

วิธีการติดตั้งและ Run Project ฝ่าน Docker

- Extract Zip file



- เปิด Terminal บน Dir และสั่ง docker compose up -d -build เพื่อ compose image

```
supakornemchananon@supakorns-MacBook-Pro skinx-test % docker compose up -d --build
[+] Building 26.0s (18/21)

□ [backend internal] load build context

□ 0.0s

□ transferring context: 7.62kB

□ [frontend 1/8] FROM docker.io/library/node:18@sha256:aa329c613f0067755c0787d2a3a9802c7d95eecdb927

□ 0.0s

□ [frontend internal] load build context

□ 0.0s

□ [frontend internal] load build context

□ 0.0s

□ CACHED [frontend 2/6] WORKDIR /app

□ 0.0s

□ [frontend 3/6] COPY .

□ 0.0s

□ CACHED [backend 2/8] WORKDIR /usr/src/app

□ 0.0s

□ CACHED [backend 4/8] RUN yarn install

□ 0.0s

□ CACHED [backend 4/8] RUN yarn install

□ 0.0s

□ [frontend 4/6] RUN yarn install

□ 0.0s

□ [frontend 4/6] RUN yarn install

□ 0.0s

□ 1/2 [2/4] Fetching packages...

□ # warning " > @testing-library/user-event@14.5.2" has unmet peer dependency "@testing-library/dom@=□ □ # 7.21.4"

□ □ # warning "react-document-meta > react-side-effect@1.2.0" has incorrect peer dependency "react@^0.13

□ # # .0 || ^0.14.0 || ^15.0.0 || ^16.0.0"

□ || 5.8s

□ [backend 6/8] RUN yarn build

□ 5.8s

□ [backend 6/8] RUN yarn build

□ 5.8s

□ [backend 8/8] RUN chmod +x /usr/src/app/start.sh

□ 0.0s

□ backend 8/8] RUN chmod +x /usr/src/app/start.sh

□ 0.1s

□ ≈ exporting layers

□ 0.1s


□ ≈ writing image sha256:98d89e8c8239c8eac28bc2e87e2cafc09ee99b83487384cac8702563ee6b2844

□ 0.0s

□ naming to docker.io/library/skinx-test-backend
```

Port VOI APP

O 3000 Frontend



O 8000 Backend

