

SIAM MITSUI PTA CO., LTD.

3

24 NOV 1998

NO.1 PTA PLANT

TECHNICAL DATA PACKAGE

9. INSTRUMENTATION

9.2 BASIC DESIGN

(4 / 4)



**MITSUI ENGINEERING &
SHIPBUILDING CO., LTD.**

LIST OF TECHNICAL DATA PACKAGE

9. INSTRUMENTATION

CATEGORY NO.	MES'S DOC. NO.	DOC. TITLE	ISSUE DATE	VOL. NO.
9.2.5	041AS3214	INSTRUMENT LIST OSBL		4/4
	041AS3216	INSTRUMENT LIST GAUGES		
	041AS3217	INSTRUMENT LIST FOR LABORATORY SECTION		
9.2.6	ALARM LEVEL LIST			
	041AD1408	ALARM LIST FOR DCS ANNUNCIATING LAMPS (A RANK AND B RANK ALARM)		
	041AD1409	LIST FOR DCS ALARM SET POINT (C RANK ALARM)		
9.3	CONTROL SYSTEM			
9.3.1	SPECIFICATION			1/23
	043AS0501	SPECIFICATION FOR PANEL AND RACK		
	043AS0511	SPECIFICATION FOR TERMINAL RACK		
	043AS0521	SPECIFICATION FOR DI/DO RELAY RACK		
	043AS0531	SPECIFICATION FOR POWER DISTRIBUTION BOARD		
	043AS0541	SPECIFICATION FOR CONVERTER RACK		
	043AS0551	SPECIFICATION FOR GAS MONITOR RACK		
	043AS1011	SPECIFICATION FOR DISTRIBUTED CONTROL SYSTEM (INCLUDING PI SYSTEM)		
	043AS2011	SPECIFICATION FOR INTERLOCK RELAY PANEL		
	043AS5411	SPECIFICATION FOR CLOSED CIRCUIT TELEVISION SYSTEM		
	043AS6221	SPECIFICATION FOR METERING STATION STEAM		
	043AS6222	SPECIFICATION FOR METERING STATION STEAM CONDENSATE (VORTEX METER)		
	043AS6223	SPECIFICATION FOR METERING STATION STEAM CONDENSATE (PRESSURE TRANSMITTER/RTD)		
	043AS6224	SPECIFICATION FOR METERING STATION NITROGEN (TURBINE METER)		
	043AS6225	SPECIFICATION FOR METERING STATION NITROGEN (PRESSURE TRANSMITTER/RTD)		
	043AS6226	SPECIFICATION FOR METERING STATION HYDROGEN (VORTEX FLOW)		
	043AS6227	SPECIFICATION FOR METERING STATION HYDROGEN (PRESSURE TRANSMITTER/RTD)		
	043AS8111	SPECIFICATION FOR LOCAL PANEL		
9.3.2	VENDOR DOCUMENT			
	043AG0501	DCS PANEL AND RACK		
	043AG0502	DCS STANDARD ACCESSORIES FOR PANELS/CONSOLES		
	043AG0503	DCS FAN-STOP ALARM WIRING CONNECTION		
	043AG0511	DCS TERMINAL RACK (TA) TR-231		
	043AG0512	DCS TERMINAL RACK (TA) TR-232		
	043AG0513	DCS TERMINAL RACK (PTA) TR-233		
	043AG0514	DCS TERMINAL RACK (PTA) TR-234		
	043AG0515	DCS TERMINAL RACK (OSBL) TR-235		
	043AG0521	DCS DI/DO RELAY RACK (TA) DPR-271		2/23
	043AG0522	DCS DI/DO RELAY RACK (TA) DRR-272		
	043AG0523	DCS DI/DO RELAY RACK (TA) DRR-273		

CLIENT : SIAM MITSUI PTA CO., LTD.
 CONTRACT NO. :
 PROJECT : SMPC PROJECT
 LOCATION : RAYONG, THAILAND

TOTAL SHEET 20
 (Including Cover)

DISTRIBUTION
 (配布先)

SMPC/RYG
 SMPC/TKY
 MPC/IWK

ALARM LIST

FOR

DCS ANNUNCIATING LAMPS

(A RANK AND B RANK ALARM)

プロ
 機設
 装設
 計電 A
 計電 B
 土建
 調
 品
 建
 A
 B
 C
 D
 PM
 EM
 SMPC
 F. S

< >				
< 0 >	<i>Sm</i>	97-05-06	<i>Sm</i>	97.5.6
REV	PM	DATE	EM	DATE

< >							PURPOSE
< >							INFORMATION
< >							PRELIMINARY
< >							APPROVAL
< >							CONSTRUCTION
< >							☐ AS BUILT
<1>	T. Kiyama	1998-6-16	<i>[Signature]</i>	98-6-17	<i>[Signature]</i>	98-6-17	REVIEW
<0>	T. Kiyama	1997-5-6	Ishii	97-5-6	Ishii	97-5-6	CONFIRMATION
REV	BY	DATE	CHKD	DATE	APPD	DATE	



MITSUI ENGINEERING & SHIPBUILDING CO., LTD
 PLANT ENGINEERING & CONSTRUCTION DIVISION

DEPARTMENT INSTRUMENTATION	JOB NO. HC2344	DOCUMENT NO. (SPEC OR DWG NO.) REV. NO. 041AD1408 < 1 >	ISSUE DATE
-------------------------------	-------------------	--	------------



MITSUI ENGINEERING &
SHIPBUILDING CO., LTD.

JOB NO. HC2344
DOC.NO. 041AD1408

REVISION LIST

REV	NO.	PAGE	DESCRIPTION
0	1	ALL	First issue to OWNER.
1	1	ALL	Issue for As Built

GENERAL**A RANK ALARM**

LAMP SIZE : 60 mmW x 30 mmH

COLOR : LETTER BLACK
: BACK WHITE
: LAMP RED

LOCATION : PAGING CONSOLE (TA , PTA CORNER CONSOLE)
: I/L & ANN CONSOLE (OSBL)

NO. OF POINTS : TA 30 pts
: PTA 30 pts
: OSBL 10 pts

B RANK ALARM

LAMP SIZE : 60 mmW x 30 mmH

COLOR : LETTER BLACK
: BACK WHITE
: LAMP WHITE

LOCATION : SWITCH CONSOLE (TA , PTA)
: I/L & ANN CONSOLE (OSBL)

NO. OF POINTS : TA 112 pts
: PTA 112 pts
: OSBL 60 pts

ELECTRICAL ANNUNCIATOR

LAMP SIZE : 60 mmW x 30 mmH

COLOR : LETTER BLACK
: BACK WHITE
: LAMP RED

LOCATION : CCTV CONSOLE

NO. OF POINTS : 16 pts

A RANK ALARM LIST

This list shows the setting values of alarms which indicated on Switch Console with annunciating Lamps.

A RANK ALARM LIST (TA)

JOB NO. : HC2344
DOC.NO. : 041AD1408

5

NO.	DESCRIPTION	LCT	ANN TAG	SD-No.	REMARKS
1	PA COMP TRAIN SHUT DOWN	1.1	1TANN01	SD-1000	
2	TP-102A/B STOP	1.2	1TANN02	SD-1102	
3	TD-203 RD ON	1.3	1TANN03	SD-1203	
4	TD-203 HIGH PRESS	1.4	1TANN04	SD-1203	
5	REACTOR LOW PRESS	1.5	1TANN05	SD-1202	
6	TA REACTOR SHUT DOWN	1.6	1TANN06	SD-1201	
7	TJ-201 SEAL LOW PRESS	2.1	1TANN07	SD-1205	
8	HPVGT SHUT DOWN	2.2	1TANN08	SD-1901	
9	TF-901 SHUT DOWN	2.3	1TANN09	SD-1901	
10	TE-201A HIGH LEVEL	2.4	1TANN10	SD-1220	
11	TE-201B HIGH LEVEL	2.5	1TANN11	SD-1220	
12	TE-201C HIGH LEVEL	2.6	1TANN12	SD-1220	
13	TM-300A HIGH/LOW PRESS	3.1	1TANN13	SD-1300A	
14	TM-300B HIGH/LOW PRESS	3.2	1TANN14	SD-1300B	
15	TM-300C HIGH/LOW PRESS	3.3	1TANN15	SD-1300C	
16	TM-301A HIGH LEVEL	3.4	1TANN16	SD-1301A	
17	TM-301B HIGH LEVEL	3.5	1TANN17	SD-1301B	
18	TD-302 HIGH LEVEL	3.6	1TANN18	SD-1302	
19	TM-301A HIGH/LOW PRESS	4.1	1TANN19	SD-1303A	
20	TM-301B HIGH/LOW PRESS	4.2	1TANN20	SD-1303B	
21	TA DRYER SHUT DOWN	4.3	1TANN21	SD-1304	
22	TT-301 HIGH LEVEL	4.4	1TANN22	SD-1305	
23	TA POWDER RECOVERY STOP	4.5	1TANN23	SD-1400B	
24	TA PNEUMATIC STOP	4.6	1TANN24	SD-1400A	
25	O2 ANA. ROOM FAN STOP	5.1	1TANN25		1TC1000
26	TC-302 STOP	5.2	1TANN26	SD-1306	
27	ANALYZER FEED STOP	5.3	1TANN27	SD-1100	
28	TM-501, TM-502 STOP	5.4	1TANN28	SD-1501	
29	TM-503 SHUT DOWN	5.5	1TANN29	SD-1503	
30	TD-1201 HIGH LEVEL	5.6	1TANN30	SD-3201	

A RANK ALARM LIST (PTA)

JOB NO. : HC2344
DOC.NO. : 041AD1408

NO.	DESCRIPTION	LCT	ANN TAG	SD-No.	REMARKS
1	PTK-101 OVER CHARGE	1.1	1PANN01	SD-2101	
2	PP-102 A,B,C STOP	1.2	1PANN02	SD-2102	
3	PP-102A STOP	1.3	1PANN03	SD-2103A	
4	PP-102B STOP	1.4	1PANN04	SD-2103B	
5	PP-102C STOP	1.5	1PANN05	SD-2103C	
6	RECYCLE SOLVENT ON	1.6	1PANN06	SD-2201	
7	PJ-301 SEAL LOW PRESS	2.1	1PANN07	SD-2301	
8	PJ-302 SEAL LOW PRESS	2.2	1PANN08	SD-2301	
9	PJ-303 SEAL LOW PRESS	2.3	1PANN09	SD-2301	
10	PJ-304 SEAL LOW PRESS	2.4	1PANN10	SD-2301	
11	PJ-401 SEAL LOW PRESS	2.5	1PANN11	SD-2301	
12	PD-402 ABNORMAL	2.6	1PANN12	SD-2410	
13	PM-401A SHUT DOWN	3.1	1PANN13	SD-2401A	
14	PM-401B SHUT DOWN	3.2	1PANN14	SD-2401B	
15	PM-401C SHUT DOWN	3.3	1PANN15	SD-2401C	
16	PM-402A HIGH LEVEL	3.4	1PANN16	SD-2402A	
17	PM-402B HIGH LEVEL	3.5	1PANN17	SD-2402B	
18	PD-405 HIGH LEVEL	3.6	1PANN18	SD-2403	
19	PM-402A HIGH/LOW PRESS	4.1	1PANN19	SD-2420A	
20	PM-402B HIGH LOW PRESS	4.2	1PANN20	SD-2420B	
21	PTA DRYER SHUT DOWN	4.3	1PANN21	SD-2404	
22	PT-401 HIGH LEVEL	4.4	1PANN22	SD-2405	
23	PT-501 LOW PRESS	4.5	1PANN23	SD-2510	
24	PT-501 HIGH PRESS	4.6	1PANN24	SD-2510	
25	PD-501 HIGH LEVEL	5.1	1PANN25	SD-2501	
26	PF-601 SHUT DOWN	5.2	1PANN26	SD-2601	
27	MAIN BURNER STOP	5.3	1PANN27	SD-2601	
28	PTK-800 PNEUMATIC STOP	5.4	1PANN28	SD-2802	
29	PC-810 STOP	5.5	1PANN29	SD-2821	
30	PC-402 STOP	5.6	1PANN30	SD-2406	

TA A BANK ALARM

	1	2	3	4	5	6
1	PA COMP TRAIN SHUT DOWN (SD-1000)	TP-102A/B STOP (SD-1102)	TD-203 RD ON (SDV-1206 OPEN) (SD-1203)	TD-203 HIGH PRESS (TZ-201 CLOSE) (SD-1203)	REACTOR LOW PRESS (SDV-1202 SHUT) (SD-1202)	TA REACTOR SHUT DOWN (SD-1201)
2	TJ-201 SEAL LOW PRESS (SD-1205)	HPVGT SHUT DOWN (SD-1901)	TF-901 SHUT DOWN (SD-1901)	TE-201 A HIGH LEVEL (SD-1220)	TE-201 B HIGH LEVEL (SD-1220)	TE-201 C HIGH LEVEL (SD-1220)
3	TM-300 A SHUT DOWN (SD-1300A)	TM-300 B SHUT DOWN (SD-1300B)	TM-300 C SHUT DOWN (SD-1300C)	TM-301 A HIGH LEVEL (SD-1301A)	TM-301 B HIGH LEVEL (SD-1301B)	TD-302 HIGH LEVEL (SD-1302)
4	TM-301A HIGH/LOW PRESS (SD-1303A)	TM-301B HIGH/LOW PRESS (SD-1303B)	TA DRYER SHUT DOWN (SD-1304)	TT-301 HIGH LEVEL (SD-1305)	TA POWDER RECOVERY STOP (SD-1400B)	TA PNEUMATIC STOP (SD-1400A)
5	O ₂ ANA. ROOM FAN STOP (TC-1000)	TC-302 STOP (SD-1306)	ANALYZER FEED STOP (SD-1100)	TM-501, TM-502 STOP (SD-1501)	TM-503 SHUT DOWN (SD-1503)	TD-1201 HIGH LEVEL (SD-3201)

PTA A RANK ALARM

	1	2	3	4	5	6
1	PTK-101 OVER CHARGE (SD-2101)	PP-102 A,B,C STOP (SD-2102)	PP-102A STOP (SD-2103A)	PP-102B STOP (SD-2103B)	PP-102C STOP (SD-2103C)	RECYCLE SOLVENT ON (SD-2201)
2	PJ-301 SEAL LOW PRESS (SD-2301)	PJ-302 SEAL LOW PRESS (SD-2301)	PJ-303 SEAL LOW PRESS (SD-2301)	PJ-304 SEAL LOW PRESS (SD-2301)	PJ-401 SEAL LOW PRESS (SD-2301)	PD-402 ABNORMAL (SD-2410)
3	PM-401 A SHUT DOWN (SD-2401A)	PM-401 B SHUT DOWN (SD-2401B)	PM-401 C SHUT DOWN (SD-2401C)	PM-402 A HIGH LEVEL (SD-2402A)	PM-402 B HIGH LEVEL (SD-2402B)	PD-405 HIGH LEVEL (SD-2403)
4	PM-402A HIGH/LOW PRESS (SD-2420A)	PM-402B HIGH/LOW PRESS (SD-2420B)	PTA DRYER SHUT DOWN (SD-2404)	PT-401 HIGH LEVEL (SD-2405)	PT-501 LOW PRESS (SD-2510)	PT-501 HIGH PRESS (SD-2510)
5	PD-501 HIGH LEVEL (SD-2501)	PF-601 SHUT DOWN (SD-2601)	MAIN BURNER STOP (SD-2601)	PTK-800 PNEUMATIC STOP (SD-2802)	PC-810 STOP (SD-2821)	PC-402 STOP (SD-2406)

B RANK ALARM LIST

This list shows the setting values of alarms which indicated on Corner Console with annunciating Lamps.

B rank ANN List (TA)

No.	Description	ANN tag	Instrument	Set Value	BDSET tag	BDSET No.	Remarks
1	PA COMP DIS HIGH PRESS	TBNN001	PC1260	13.7 kg/cm 2G	BC01F0002A	DT01	DESIGN PRESS 15.0K
2	TB-1132 EXHAUST HIGH PRESS	TBNN002	PI3255	-600 mmHg	BC01F0002A	DT02	
3	PA COMP L.O LOW PRESS	TBNN003	PI1262	1.8 kg.cm2G	BC01F0002A	DT03	I/L 0.5K
4	MOTOR COIL TEMP HIGH	TBNN004	TI1290	115 degC	BC01F0002A	DT04	
			TI1291	115 degC	BC01F0002A	DT05	
			TI1292	115 degC	BC01F0002A	DT06	
5	MOTOR B.R.G TEMP HIGH	TBNN005	TI1281	85 degc	BC01F0002A	DT07	
			TI1282	85 degc	BC01F0002A	DT08	
6	PA COMP TRAIN VIBRAT. HIGH	TBNN006	VI1260	103 mm	BC01F0002A	DT09	
			VI1261	103 mm	BC01F0002A	DT10	
			VI1262	66 mm	BC01F0002A	DT11	
			VI1263	38 mm	BC01F0002A	DT12	
			VI1264	47 mm	BC01F0002A	DT13	
			VI1265	42 mm	BC01F0002A	DT14	
7	PA COMP TRAIN AXIAL.MOVE HIGH	TBNN007	ZI1260	0.2 mm	BC01F0002B	DT01	I/L +0.3mm
				-0.45 mm	BC01F0002B	DT02	I/L -0.55mm
			ZI1261	0.2 mm	BC01F0002B	DT03	I/L +0.25mm
				-0.65 mm	BC01F0002B	DT04	I/L -0.70mm
			ZI1262	0.2 mm	BC01F0002B	DT05	I/L +0.25mm
				-0.65 mm	BC01F0002B	DT06	I/L -0.70mm
			ZI1263	0.2 mm	BC01F0002B	DT07	I/L +0.25mm
				-0.65 mm	BC01F0002B	DT08	I/L -0.70mm
8	TB-1132 ROTAT.ABNORMAL	TBNN008	XI1260	4211 rpm	BC01F0002B	DT09	
				2500 rpm	BC01F0002B	DT10	
9	TB-1132 3S LOW PRES	TBNN009	PC3203	2.5 kg/cm2G	BC03F0002A	DT01	
10	TE-1134 HIGH LEVEL	TBNN010	LC3135	65%	BC01F0002B	DT11	71.4 % Spare Auto Start
11	TE-1134 LOW LEVEL	TBNN011	LC3135	35%	BC01F0002B	DT12	EMPTY PROTECT
12	GET FEED HIGH PRESS	TBNN012	PI3107	9.5 kg/cm2G	BC01F0002B	DT13	SV SET 9.9k
13		TBNN013	-	-			(SPARE)
14		TBNN014	-	-			(SPARE)
15	TD-101 HIGH LEVEL	TBNN015	LC1101A	80%	BC01F0002B	DT14	
16	TD-101 LOW LEVEL	TBNN016	OC1101A	40%	BC01F0002B	DT15	
17	TD-192 A HIGH/LOW LEVEL	TBNN017	LI1102Q	90%	BC01F0002C	DT01	
				40%	BC01F0002C	DT02	
18	PX FEED LOW FLOW	TBNN018	FC1101	25 T/H	BC01F0002C	DT03	
19	RQ FEED LOW FLOW	TBNN019	FC1102	120 T/H	BC01F0002C	DT04	
20	AIR FEED LOW FLOW	TBNN020	FC1201	50 kNm3h	BC01F0002C	DT05	
21	SI-OIL FEED LOW FLOW	TBNN021	FI1107	0.9 kg/h	BC01F0002C	DT06	
22	HFQ PURGE LOW FLOW	TBNN022	FC1103	0.7 T/H	BC01F0002C	DT07	
			FC1104	0.3 T/H	BC01F0002C	DT08	
			FC1105	0.3 T/H	BC01F0002C	DT09	
23	TP-102 A VIBRATION HIGH	TBNN023	VI1102	7.5 mm/S	BC02F0002A	DT01	
24	TP-201 A VIBRATION HIGH	TBNN024	VI1200	6 mm/S	BC02F0002A	DT02	
25	TP-201 D VIBRATION HIGH	TBNN025	VI1201	0.75	BC01F0002C	DT10	
26	TD-201 HIGH 02	TBNN026	AS1201	6%	BC01F0002C	DT11	
27	TD-201 HIGH 02	TBNN027	AS1202	6%	BC01F0002C	DT12	
28	TD-201 HIGH 02	TBNN028	AS1203	6%	BC01F0002C	DT13	
29	TD-201 HIGH PRESS	TBNN029	PC1202	12.5 kg/cm2G	BC01F0002C	DT14	
30	TD-201 HIGH LEVEL	TBNN030	LC1201B	45%	BC01F0002C	DT15	
31	TD-201 DP HIGH PRESS	TBNN031	PD1204	1460 mmH2O	BC01F0002C	DT16	
32	TD-201 REFLUX HIGH/LOW FLOW	TBNN032	FI1220	190 T/H	BC01F0002D	DT01	
				100 T/H	BC01F0002D	DT02	
33	TT-201 HGIH LEVEL	TBNN033	LC1211	80%	BC01F0002D	DT03	
34	TT-201 LOW LEVEL	TBNN034	LC1211	10%	BC01F0002D	DT04	
35	TT-201 DP HIGH PRESS	TBNN035	PD1210	1000 mmH2O	BC01F0002D	DT05	
36	TT-201 REFLUX HIGH/LOW FLOW	TBNN036	FC1202	190 T/H	BC01F0002D	DT06	
				100 T/H	BC01F0002D	DT07	
37	TP-101 AB STOP	TBNN037	TP101A&B	STOP			
38	TP-104 AB STOP	TBNN038	TP104A&B	STOP			
39	TP-201 AB STOP	TBNN039	TP201A&B	STOP			
40	TP-201 CD STOP	TBNN040	TP201C&D	STOP			
41	TP-202 AB STOP	TBNN041	TP202AB	STOP			
42	TP-202 CD STOP	TBNN042	TP202CD	STOP			
43	TD-202 HIGH LEVEL	TBNN043	LC1202	80%	BC01F0002D	DT08	
44	TD-202 LOW LEVEL	TBNN044	LC1202	10%	BC01F0002D	DT09	
45	TT-202 WATER HIGH LEVEL	TBNN045	LC1206B	90%	BC01F0002D	DT10	
46	TT-202 FDQ HIGH LEVEL	TBNN046	LC1206A	90%	BC01F0002E	DT01	
47	TE-201 ABC LOW LEVEL	TBNN047	LC1221	55%	BC01F0002E	DT02	
			LC1222	55%	BC01F0002E	DT03	
			LC1223	40%	BC01F0002E	DT04	
48	O2 SAMPLE GAS LOW FLOW	TBNN048	FC1210	100 Nm3/h	BC01F0002E	DT05	
49		TBNN049	-	-			(SPARE)

No.	Description	ANN tag	Instrument	Set Value	BASET tag	BASET No.	Remarks
50	HPVGT FEED LOW FLOW	TBNN050	FC1901	60 kNm3/h	BC03F0002A	DT02	
51	TF-901 FG LOW ORESS	TBNN051	PS1909	0.5 kg/cm2G	BC03F0002A	DT03	
52	TD-901 DT HIGH TEMP	TBNN052	TS1906	100 degC	BC03F0002A	DT04	
53	TD-901 OUTLET HIGH TEMP	TBNN053	TH1905	500 degC	BC03F0002A	DT05	
54	TD-901 DP HIGH PRESS	TBNN054	PD1905	0.2 kg/cm2G	BC03F0002A	DT06	
55	TT-901 SCRUBB.HIGH LEVEL	TBNN055	LC1901A	90%	BC03F0002A	DT07	
56	TT-901 QUENCH. HIGH LEVEL	TBNN056	LC1901B	90%	BC03F0002A	DT08	
57	TT-901 OUTLET LOW PRESS	TBNN057	PC1910	7.0 kg/cm2G	BC03F0002A	DT09	
58	TD-1900 LOW LEVEL	TBNN058	LI3900	10%	BC03F0002A	DT10	
59		TBNN059	-	-			(SPARE)
60	TP-901 AB STP	TBNN060	TP901	STOP			
61	TP-902 AB STP	TBNN061	TP902	STOP			
62	TP-1900 A STOP	TBNN062	TP1900A	STOP			
63		TBNN063	-	-			(SPARE)
64	TD-203 HIGH/LOW LEVEL	TBNN064	LC1203A	90%	BC01F0002E	DT06	
				3%	BC01F0002E	DT07	
65	TD-203 HIGH PRESS	TBNN065	PS1205	0.13 kg/cm2G	BC01F0002E	DT08	
66	TD-204 HIGH/LOW LEVEL	TBNN066	LC1204A	90%	BC01F0002E	DT09	
				10%	BC01F0002E	DT10	
67	TD-207 HIGH LEVEL	TBNN067	LC1207	80%	BC01F0002E	DT11	
68	TD-208 HIGH/LOW LEVEL	TBNN068	LC1208	80%	BC01F0002E	DT12	
				20%	BC01F0002E	DT13	
69	TJ-201 HIGH CURRENT	TBNN069	II1201	484 A	BC01F0002E	DT14	
70	TJ-201 VIBRATION HIGH	TBNN070	VI1211	60 u/S	BC02F0002A	DT03	
71	TJ-203 HIGH CURRENT	TBNN071	II1203	23.8 A	BC01F0002E	DT15	
72	TD-300 HIGH/LOW LEVEL	TBNN072	LC1300A	90%	BC01F0002F	DT01	
				2%	BC01F0002F	DT02	
73	TD-301 HIGH/LOW LEVEL	TBNN073	LC1301	90%	BC01F0002F	DT03	
				2%	BC01F0002F	DT04	
74	TM-300 GEAR OIL LOW PRESS	TBNN074	PS3523A	2.0 kg/cm2G	BC03F0002A	DT11	
			PS3523B	2.0 kg/cm2G	BC03F0002A	DT12	
			PS3523C	2.0 kg/cm2G	BC03F0002A	DT13	
75	TM-300 SC OIL LOW PRESS	TBNN075	PS3524A	0.6 kg/cm2G	BC03F0002A	DT14	
			PS3524B	0.6 kg/cm2G	BC03F0002A	DT15	
			PS3524C	0.6 kg/cm2G	BC03F0002A	DT16	
76		TBNN076	-	-			(SPARE)
77		TBNN077	-	-			(SPARE)
78	DRYER HIGH O2	TBNN078	AI1300A	6%	BC01F0002F	DT05	
			AI1300B	6%	BC01F0002F	DT06	
79	DRYER STEAM HIGH FLOW	TBNN079	FI1304	3 T/H	BC01F0002F	DT07	
80	DRYER OUT TA LOW TEMP	TBNN080	TI1310	131 degC	BC01F0002F	DT08	
81	DRYER CIRC. GAS LOW FLOW	TBNN081	FI1306	3000 Nm3/h	BC01F0002F	DT09	
82	DRYER TRANS. GAS LOW FLOW	TBNN082	FC1305	1500 Nm3/h	BC01F0002F	DT10	
83		TBNN083	-	-			(SPARE)
84		TBNN084	-	-			(SPARE)
85	TZ-304 ROTATION ABNORMAL	TBNN085	XA1305	-			
86	TM-304 -2 HIGH CURRENT	TBNN086	II1304B	13A	BC01F0002F	DT11	
87	TM-304 -2 STOP	TBNN087	TM3042	STOP			
88	TM-304 -1 STOP	TBNN088	TM3041	STOP			
89	TC-301 AB STOP	TBNN089	TC301	STOP			
90		TBNN090	-	-			(SPARE)
91		TBNN091	-	-			(SPARE)
92	TTK-400 V. HIGH LEVEL	TBNN092	LA1402A	-			
			LA1402B	-			
93	TTK-401 V. HIGH LEVEL	TBNN093	LA1401A	-			
94	TM-403 DP HIGH PRESS	TBNN094	PD1403	200 mmH2O	BC01F0002F	DT12	
95	TC-302 SUCTION LOW PRESS	TBNN095	PC1310	100 mmH2O	BC01F0002F	DT13	
96	TA--->PTA TRNS. GAS LOW FLOW	TBNN096	FC1401	1500 Nm3/h	BC01F0002F	DT14	
97	TD-505/506/507 HIGH LEVEL	TBNN097	LC1505	90%	BC02F0002A	DT04	
			LI1506	90%	BC02F0002A	DT05	
			LI1507	90%	BC02F0002A	DT06	
98	PD-901 HIGH LEVEL	TBNN098	LC2911	90%	BC02F0002A	DT07	
99	CCW MAIN LOW FLOW	TBNN099	FI3340	5 kT/H	BC03F0002B	DT01	
100	CCW MAIN HIGH TEMP	TBNN100	TI3340	42 degC	BC03F0002B	DT02	
101	TW-1331 LOW LEVEL	TBNN101	LC1331	40%	BC03F0002B	DT03	
102		TBNN102	-	-			(SPARE)
103		TBNN103	-	-			(SPARE)
104		TBNN104	-	-			(SPARE)
105		TBNN105	-	-			(SPARE)
106	TD-1201 HIGH LEVEL	TBNN106	LC3201	75%	BC03F0002B	DT04	
107	TD-1201 LOW LEVEL	TBNN107	LC3201	25%	BC03F0003B	DT05	
108	TD-1203 LOW LEVEL	TBNN108	LC3203	25%	BC03F0004B	DT06	

B rank ANN List (TA)

12

No.	Description	ANN tag	Instrument	Set Value	BDSET tag	BDSET No.	Remarks
109	TD-1210 LOW LEVEL	TBNN109	LC3210	25%	BC03F0005B	DT07	
110	TD-1201 1BW CONDUCT. HIGH	TBNN110	AI3203	6 ucs/cm	BC03F0006B	DT08	
111	TU-801 HIGH LEVEL	TBNN111	LC1801	90%	BC02F0002A	DT08	
112	TU-803 HIGH LEVEL	TBNN112	LC1803	90%	BC02F0002A	DT09	

No.	Description	ANN tag	Instrument	Set Value	BDSET tag	BDSET No.	Remarks
1	IA MAIN LOW PRESS	PBNN001	PI3600	4.5 kg/cm2G	BC03F0002C	DT01	
2	25S MAIN LOW PRESS	PBNN002	PI3200	20 kg/cm2G	BC03F0002C	DT02	
3	15S MAIN LOW PRESS	PBNN003	PI3215	12 kg/cm2G	BC03F0002C	DT03	
4	10S MAIN LOW PRESS	PBNN004	PI3210	8 kg/cm2G	BC03F0002C	DT04	
5	3S MAIN LOW PRESS	PBNN005	PI3220	2.5 kg/cm2G	BC03F0002C	DT05	
6		PBNN006	-	-			(SPARE)
7		PBNN007	-	-			(SPARE)
8	PTK-101 HIGH LEVEL	PBNN008	LA2100	-			
9	PTK-101 LOW WEIGHT	PBNN009	WS2101	5 TON	BC04F0002A	DT01	
10	PM-104 DP HIGH PRESS	PBNN010	PD2104	200 mmH2O	BC04F0002A	DT02	
11	PD101 DENSITY HIGH	PBNN011	AI2101	1.130 g/cm3	BC04F0002A	DT03	
12	RECYCLE SOLVENT LOW FLOW	PBNN012	FC2102	50 T/H	BC04F0002A	DT04	
			FC2103	15 T/H	BC04F0002A	DT05	
			FC2104	15 T/H	BC04F0002A	DT06	
			FC2105	15 T/H	BC04F0002A	DT07	
13	PD-101 HIGH/LOW LEVEL	PBNN013	LI2101	90%	BC04F0002A	DT08	
				40%	BC04F0002A	DT09	
14	PP-101 OUTLET LOW PRESS	PBNN014	PC2101	10 kg/cm2G	BC04F0002A	DT10	
15	PE-10F OUTLET LOW TEMP	PBNN015	TC2101	275 deg C	BC04F0002A	DT11	
16		PBNN016	-	-			(SPARE)
17	PP-101 OUTLET LOW TEMP	PBNN017	PP101	STOP			
18	PM-102 ROTATION ABNORMAL	PBNN018	XA2102				
19	PP-103 AB STOP	PBNN019	PP103	STOP			
20	PP-102 ABC HIGH CURRENT	PBNN020	II2102A	54A	BC04F0002A	DT12	
			II2102B	54A	BC04F0002A	DT13	
			II2103C	54A	BC04F0002A	DT14	
21	PP-102 ABC HIGH CURRENT	PBNN021	VI2101A	60 um	BC04F0002B	DT01	
			VI2101B	60 um	BC04F0002B	DT02	
			VI2101C	60 um	BC04F0002B	DT03	
22	PE-101 ABCD SHELL H. LEVEL	PBNN022	LC2102	90%	BC04F0002B	DT04	
			LC2103	90%	BC04F0002B	DT05	
			LC2104	90%	BC04F0002B	DT06	
			LC2105	90%	BC04F0002B	DT07	
23	PD-201 FEED LOW FLOW	PBNN023	FC2201	75 T/H	BC04F0002B	DT08	
24	PD-201 HIGH LEVEL	PBNN024	LC2201	90%	BC04F0002B	DT11	
25	PD-201 HIGH PRESS	PBNN025	PC2201	80 kg/cm2G	BC04F0002B	DT12	
26	PD-201 BTM LOW TEMP	PBNN026	TI2201	277 deg C	BC04F0002B	DT13	
27	PD-202 H2 INLET HIGH LOW	PBNN027	FI2203	145 Nm3/h	BC04F0002B	DT14	
28	PC-201 OUT H2 HIGH PRESS	PBNN028	PC2202	108 kg/cm2G	BC04F0002B	DT15	
29	PD-301 HIGH LEVEL	PBNN029	LC2301	69%	BC05F0002A	DT01	
30	PD-302 HIGH LEVEL	PBNN030	LC2302	60%	BC05F0002A	DT02	
31	PD-303 HIGH LEVEL	PBNN031	LC2303	60%	BC05F0002A	DT03	
32	PD-304 HIGH LEVEL	PBNN032	LC2304A	60%	BC04F0002B	DT16	
33		PBNN033	-	-			(SPARE)
34		PBNN034	-	-			(SPARE)
35		PBNN035	-	-			(SPARE)
36	PD-301 HIGH PRESS	PBNN036	PC2301	49 kg/cm2G	BC04F0002C	DT01	
37	PD-302 HIGH PRSS	PBNN037	PC2302	23 kg/cm2G	BC04F0002C	DT02	
38	PD-303 HIGH PRESS	PBNN038	PC2303	10.5 kg/cm2g	BC04F0002C	DT03	
39	PD-304 HIGH PRESS	PBNN039	PC2304	6 kg/cm2G	BC04F0002C	DT04	
40		PBNN040	-	-			(SPARE)
41		PBNN041	-	-			(SPARE)
42		PBNN042	-	-			(SPARE)
43	PM-401 GEAR OIL LOW PRESS	PBNN043	PS3503A	6 kg/cm2G	BC04F0002C	DT05	
			PS3503B	6 kg/cm2G	BC04F0002C	DT06	
			PS3503C	6 kg/cm2G	BC04F0002C	DT07	
44	PM-401 SC OIL LOW PRESS	PBNN044	PS3502A	0.6 kg/cm2G	BC04F0002C	DT08	
			PS3502B	0.6 kg/cm2G	BC04F0002C	DT09	
			PS3502C	0.6 kg/cm2G	BC04F0002C	DT10	
45	PM-401 SP OIL LOW PRESS	PBNN045	PS3504A	0.6 kg/cm2G	BC04F0002C	DT11	
			PS3504B	0.6 kg/cm2G	BC04F0002C	DT12	
			PS3504C	0.6 kg/cm2G	BC04F0002C	DT13	
46	PD-401 HIGH LEVEL	PBNN046	LC2401	80%	BC04F0002C	DT14	
47	PD-403 HIGH/LOW LEVEL	PBNN047	LC2403A	80%	BC04F0002C	DT15	
				10%	BC04F0002C	DT16	
48	PD-404 HIGH/LOW LEVEL	PBNN048	LC2404A	90%	BC04F0002D	DT01	
				10%	BC04F0002D	DT02	
49		PBNN049	-	-			(SPARE)
50	DRYER HIGH O2	PBNN050	AI2400	6%	BC04F0002D	DT03	
51	DRYER STEAM HIGH LOW	PBNN051	FI2404	4 T/H	BC04F0002D	DT04	
52	DRYER OUT PTA LOW TEMP	PBNN052	TI2410	120 deg C	BC04F0002D	DT05	
53	DRYER CARRIER GAS LOW FLOW	PBNN053	FC2411	600 Nm3/h	BC04F0002D	DT06	

No.	Description	ANN tag	Instrument	Set Value	BDSET tag	BDSET No.	Remarks
54	DRYER TRANS GAS LOW FLOW	PBNN054	FC2405	2000 Nm3/h	BC04F0002D	DT07	
55		PBNN055	-	-			(SPARE)
56		PBNN056	-	-			(SPARE)
57	PM-404-2 STOP	PBNN057	II2404B	30A	BC04F0002D	DT08	
58		PBNN058	-	-			(SPARE)
59	PM-404-1 STOP	PBNN059	PM4042	STOP			
60		PBNN060	PM4041	STOP			
61		PBNN061	-	-			(SPARE)
62		PBNN062	-	-			(SPARE)
63		PBNN063	-	-			(SPARE)
64	PM-803 A DP HIGH PRESS	PBNN064	PD2803A	200 mmH2O	BC05F0002A	DT04	
65	PM-803 B DP HIGH PRESS	PBNN065	PD2803B	200 mmH2O	BC05F0002A	DT05	
66	PM-803 C DP HIGH PRESS	PBNN066	PD2803C	200 mmH2O	BC05F0002A	DT06	
67	PTK-800A V. HIGH LEVEL	PBNN067	LA2801A	-			
68	PTK-800B V. HIGH LEVEL	PBNN068	LA2801B	-			
69	PTK-800C V. HIGH LEVEL	PBNN069	LA2801C	-			
70	PC-402 SUCTION LOW PRESS	PBNN070	PC2413	100 mmH2O	BC04F0002D	DT09	
71	PTK 810 A V. HIGH LEVEL	PBNN071	LA4811A	-			
72	PTK 810 B V. HIGH LEVEL	PBNN072	LA4811B	-			
73	PTK 820 A V. HIGH LEVEL	PBNN073	LA4821A	-			
74	PTK 820 B V. HIGH LEVEL	PBNN074	LA4821B	-			
75		PBNN075	-	-			(SPARE)
76		PBNN076	-	-			(SPARE)
77		PBNN077	-	-			(SPARE)
78	PD-501 LOW LEVEL	PBNN078	LC2501A	40%	BC04F0002D	DT10	
79	PD-502 HIGH LEVEL	PBNN079	LC2502	95%	BC05F0002A	DT07	
80	PD-502 LOW LEVEL	PBNN080	LC2502	50%	BC05F0002A	DT08	
81	PT-501 HIGH LEVEL	PBNN081	LC2510	90%	BC05F0002A	DT09	
82		PBNN082	-	-			(SPARE)
83		PBNN083	-	-			(SPARE)
84		PBNN084	-	-			(SPARE)
85	PP-501 AB STOP	PBNN085	PP501A&B	STOP			
86	PP-502 AB STOP	PBNN086	PP502A&B	STOP			
87	PP-503 AB STOP	PBNN087	PP503	STOP			
88	PP-504 AB STOP	PBNN088	PP504	STOP			
89		PBNN089	-	-			(SPARE)
90		PBNN090	-	-			(SPARE)
91		PBNN091	-	-			(SPARE)
92	HOT OIL MAIN LOW FLOW	PBNN092	FC2601	300 T/H	BC05F0002A	DT10	
93	HOT OIL MAIN HIGH TEMP	PBNN093	TC2601	330 degC	BC05F0002A	DT11	
94	HOT OIL MAIN LOW TEMP	PBNN094	TC2601	305 degC	BC05F0002A	DT12	
95	HOT OIL MAIN HIGH/LOW PRESS	PBNN095	PI2601	5.5 kg/cm2G	BC05F0002A	DT13	
				2.5 kg/cm2G	BC05F0002A	DT14	
96	PD-601 HIGH LEVEL	PBNN096	LI2601	90%	BC05F0002A	DT15	
97	PD-601 LOW LEVEL	PBNN097	LI2601	20%	BC05F0002A	DT16	
98		PBNN098	-	-			(SPARE)
99	PP-601 ABC HIGH CURRENT	PBNN099	II2601A	250A	BC04F0002D	DT11	
			II2601B	250A	BC04F0002D	DT12	
			II2601C	250A	BC04F0002D	DT13	
100	PF-601 FG LOW PRESS	PBNN100	PS2611	0.5 kg/cm2G	BC05F0002B	DT01	
101		PBNN101	-	-			(SPARE)
102		PBNN102	-	-			(SPARE)
103		PBNN103	-	-			(SPARE)
104		PBNN104	-	-			(SPARE)
105		PBNN105	-	-			(SPARE)
106	OIL SEPARATOR HIGH LEVEL	PBNN106	LC1800	97%	BC04F0002D	DT14	
107	OIL SEPARATOR LOW LEVEL	PBNN107	LC1800	15%	BC04F0002D	DT15	
108	TU-802 HIGH LEVEL	PBNN108	LC1802	90%	BC04F0002D	DT16	
109		PBNN109	-	-			(SPARE)
110		PBNN110	-	-			(SPARE)
111		PBNN111	-	-			(SPARE)
112		PBNN112	-	-			(SPARE)

TA B BANK ALARM

	1	2	3	4	5	6	7
1	PA COMP DIS HIGH PRESS (PC1260)	TB-1132 EXHAUST HIGH PRESS (PI3255)	PA COMP LO LOW PRESS (PI1262)	MOTOR OIL TEMP HIGH (TI-1290~1292)	MOTOR B.R.G TEMP HIGH (TI1281,1282)	PA COMP TRAIN VIBRAT.HIGH (VI1260~1265)	PA COMP TRAIN AXIAL.MOVE HIGH (ZI1261~1263)
2	TB-1132 ROTAT. ABNORMAL (XI1260)	TB-1132 3S LOW PRESS (PC3203)	TE-1134 HIGH LEVEL (LC3135)	TE-1134 LOW LEVEL (LC3135)	GET FEED HIGH PRESS (PI3107)		
3	TD-101 HIGH LEVEL (LC1101A)	TD-101 LOW LEVEL (LC1101A)	TD-102 A HIGH/LOW LEVEL (LI1102A)	PX FEED LOW FLOW (FC1101)	RQ FEED LOW FLOW (FC1102)	AIR FEED LOW FLOW (FC1201)	Si-OIL FEED LOW FLOW (FI1107)
4	HFQ PURGE LOW FLOW (FC1103~1105)	TP-102 A VIBRATION HIGH (VI1102)	TP-201 A VIBRATION HIGH (VI1200)	TD-201 D VIBRATION HIGH (VI1201)	TD-201 HIGH O ₂ (AS1201)	TD-201 HIGH O ₂ (AS1202)	TD-201 HIGH O ₂ (AS1203)
5	TD-201 HIGH PRESS (PC1202)	TD-201 HIGH LEVEL (LC1201B)	TD-201 Δ P HIGH PRESS (PD1204)	TD-201 REFLUX HIGH/LOW FLOW (FI1220)	TT-201 HIGH LEVEL (LC1211)	TT-201 LOW LEVEL (LC1211)	TT-201 Δ P HIGH PRESS (PD1210)
6	TT-201 REFLUX HIGH/LOW FLOW (FC1202)	TP-101 AB STOP	TP-104 AB STOP	TP-201 AB STOP	TP-201 CD STOP	TP-202 AB STOP	TP-202 CD STOP
7	TD-202 HIGH LEVEL (LC1202)	TD-202 LOW LEVEL (LC1202)	TT-202 WATER HIGH LEVEL (LC1206B)	TT-202 FDQ HIGH LEVEL (LC1206A)	TE-201 ABC LOW LEVEL (LC1221~1223)	O ₂ SAMPLE GAS LOW FLOW (FC1210)	
8	CATOX FEED LOW FLOW (FC1901)	TF-901 FG LOW PRESS (PS1909)	TD-901 Δ T HIGH TEMP (TD1906)	TD-901 OUTLET HIGH TEMP (TI1905)	TD-901 Δ P HIGH PRESS (PD1905)	TT-901 SCRUBB. HIGH LEVEL (LC1901A)	TT-901 QUENCH. HIGH LEVEL (LC1901B)
9	TT-901 OUTLET LOW PRESS (PC1910)	TD-1900 LOW LEVEL (LI3900)		TP-901 AB STOP	TP-902 AB STOP	TP-1901 AB STOP	
10	TD-203 HIGH/LOW LEVEL (LC1203A)	TD-203 HIGH PRESS (PS1205)	TD-204 HIGH/LOW LEVEL (LC1204A)	TD-207 HIGH LEVEL (LC1207)	TD-208 HIGH/LOW LEVEL (LC1208)	TJ-201 HIGH CURRENT (II1201)	TJ-201 VIBRATION HIGH (VI1211)
11	TJ-203 HIGH CURRENT (II1203)	TD-300 HIGH/LOW LEVEL (LC1300A)	TD-301 HIGH/LOW LEVEL (LC1301)	TM-300 GEAR OIL LOW PRESS (PS3523ABC)	TM-300 SC OIL LOW PRESS (PS3524ABC)		
12	DRYER HIGH O ₂ (AI1300A,B)	DRYER STEAM HIGH FLOW (FI1304)	DRYER OUT TA LOW TEMP (TI1310)	DRYER CIRC. GAS LOW FLOW (FI1306)	DRYER TRANS.GAS LOW FLOW (FC1305)		
13	TZ-304 ROTATION ABNORMAL (XA1305)	TM-304-2 HIGH CURRENT (II1304B)	TM-304-2 STOP	TM-304-1 STOP	TC-301 AB STOP		
14	TTK-400 V.HIGH LEVEL (LA1402AB FIX)	TTK-401 V.HIGH LEVEL (LA1401A FIX)	TM-403 Δ P HIGH PRESS (PD1403)	TC-302 SUCTION LOW PRESS (PC1310)	TA→PTA TRNS. GAS LOW FLOW (FC1401)	TD-505/506/507 HIGH LEVEL (L1505/1506/1507)	PD-901 HIGH LEVEL (LC2911)
15	CCW MAIN LOW FLOW (FI3340)	CCW MAIN HIGH TEMP (TI3340)	TW-1331 LOW LEVEL (LC1331)				
16	TD-1201 HIGH LEVEL (LC3201)	TD-1201 LOW LEVEL (LC3201)	TD-1203 LOW LEVEL (LC3203)	TD-1210 LOW LEVEL (LC3210)	TD-1201 1BW CONDUCT.HIGH (AI3203)	TU-801 HIGH LEVEL (LC1801)	TU-803 HIGH LEVEL (LC1803)

PTA B RANK ALARM

	1	2	3	4	5	6	7
1	IA MAIN LOW PRESS (PI3600)	25S MAIN LOW PRESS (PI3200)	15S MAIN LOW PRESS (PI3215)	10S MAIN LOW PRESS (PI3210)	3S MAIN LOW PRESS (PI3220)		
2	PTK-101 HIGH LEVEL (LA2100 FIX)	PTK-101 LOW WEIGHT (WS2101)	PM-104 ΔP HIGH PRESS (PD2104)	PD-101 DENSITY HIGH (AI2101)	RECYCLE SOLVENT LOW FLOW (FC2103~2105)	PD-101 HIGH/LOW LEVEL (LI2101)	PP-101 OUTLET LOW PRESS (PC2101)
3	PE-101F OUTLET LOW TEMP (TC2101)		PP-101AB STOP	PM-102 ROTATION ABNORMAL (XA2102)	PP-103 AB STOP	PP-102 ABC HIGH CURRENT (II2102ABC)	PP-102 ABC VIBRATION HIGH (VI2101A1,B1,C1)
4	PE-101 ABCD SHELL H.LEVEL (LC2102~2105)	PD-201 FEED LOW FLOW (FC2201)	PD-201 HIGH LEVEL (LC2201)	PD-201 HIGH PRESS (PC2201)	PD-201 BTM LOW TEMP (TI2201)	PD-202 H ₂ INLET HIGH FLOW (FI2203)	PC-201 OUT H ₂ HIGH PRESS (PC2202)
5	PD-301 HIGH LEVEL (LC2301)	PD-302 HIGH LEVEL (LC2302)	PD-303 HIGH LEVEL (LC2303)	PD-304 HIGH LEVEL (LC2304A)	PD-301 HIGH PRESS (PC2301)	PD-302 HIGH PRESS (PC2302)	PD-303 HIGH PRESS (PC2303)
6	PD-301 HIGH PRESS (PC2301)	PD-302 HIGH PRESS (PC2302)	PD-303 HIGH PRESS (PC2303)	PD-304 HIGH PRESS (PC2304)			
7	PM-401 GEAR OIL LOW PRESS (PS3503ABC)	PM-401 SC OIL LOW PRESS (PS3502ABC)	PM-401 SP OIL LOW PRESS (PS3504ABC)	PD-401 HIGH LEVEL (LC2401)	PD-403 HIGH/LOW LEVEL (LC2403A)	PD-404 HIGH/LOW LEVEL (LC2404A)	
8	DRYER HIGH O ₂ (AI2400)	DRYER STEAM HIGH FLOW (FI2404)	DRYER OUT PTA LOW TEMP (TI2410)	DRYER CARRIER GAS LOW FLOW (FC2411)	DRYER TRANSFER GAS LOW FLOW (FC2405)		
9	PM-404-2 HIGH CURRENT (II2401B)		PM-404-2 STOP	PM-404-1 STOP			
10	PM-803A ΔP HIGH PRESS (PD2803A)	PM-803B ΔP HIGH PRESS (PD2803B)	PM-803C ΔP HIGH PRESS (PD2803C)	PTK-800 A V.HIGH LEVEL (LA2801A FIX)	PTK-800 B V.HIGH LEVEL (LA2801B FIX)	PTK-800 C V.HIGH LEVEL (LA2801C FIX)	PC-402 SUCTION LOW PRESS (PC2413)
11	PTK-810 A V.HIGH LEVEL (LA4811A FIX)	PTK-810 B V.HIGH LEVEL (LA4811B FIX)	PTK-820 A V.HIGH LEVEL (LA4821A FIX)	PTK-820 B V.HIGH LEVEL (LA4821B FIX)			
12	PD-501 LOW LEVEL (LC2501A)	PD-502 HIGH LEVEL (LC2502)	PD-502 LOW LEVEL (LC2502)	PT-501 HIGH PRESS (LC2510)			
13	PP-501 AB STOP	PP-502 AB STOP	PP-503 AB STOP	PP-504 AB STOP			
14	HOT OIL MAIN LOW FLOW (FC2601)	HOT OIL MAIN HIGH TEMP (TC2601)	HOT OIL MAIN LOW TEMP (TC2601)	HOT OIL MAIN HIGH/LOW PRESS (PI2601)	PD-601 HIGH LEVEL (LI2601)	PD-601 LOW LEVEL (LI2601)	
15	PP-601 ABC HIGH CURRENT (II2601ABC)	PF-601 FG LOW PRESS (PS2611)					
16	OIL SEPARATOR HIGH LEVEL (LC1800)	OIL SEPARATOR LOW LEVEL (LC1800)	TU-802 HIGH LEVEL (LC1802)				

B rank ANN List (OSBL)

No.	Description	ANN tag	Instrument	Set Value	BDSET tag	BDSET No.	Remarks
1	IA MAIN LOW PRESS	OANN01	PC4125	3	BC06F0002A	DT01	A Rank
2	FLW MAIN LOW PRESS	OANN02	PI4230	2	BC06F0002A	DT02	A Rank
3	DIW MAIN LOW PRESS	OANN03	PC4350	3	BC06F0002A	DT03	A Rank
4	DIW QUALITY ABNORMAL	OANN04	AI4340	10	BC06F0002A	DT04	A Rank
5	DIW QUALITY ABNORMAL	OANN05	AI4560	11	BC06F0002A	DT05	A Rank
				4	BC06F0002A	DT06	
			AI4561	0.3	BC06F0002A	DT07	
			AI4562	25	BC06F0002A	DT08	
			AI4563	5	BC06F0002A	DT09	
			AI4564	50	BC06F0002A	DT10	
6	X-150 RUN	OANN06	X14150	100	BC06F0002A	DT11	A Rank
7	P-280 OR P-290	OANN07	P280	RUNNING			OR
			P290	RUNNING			A Rank (SPARE)
8		OANN08	-	-			A Rank (SPARE)
9		OANN09	-	-			A Rank (SPARE)
10		OANN10	-	-			AND
11	C-100 AB STOP	OBNN01	C100A	STOP			
			C100B	STOP			OR
12	M-120 ABNORMAL	OBNN02	M120AAL				
			M120BAL				
13	C-130 ABNORMAL	OBNN03	C130AL				
14	DIW ABNORMAL	OBNN04	D130AL				
15	F-950 ABNORMAL	OBNN05	F950SA				
16	X-150 ABNORMAL	OBNN06	EA4201				
17		OBNN07	-	-			(SPARE)
18		OBNN08	-	-			(SPARE)
19		OBNN09	-	-			(SPARE)
20		OBNN10	-	-			(SPARE)
21	P-200 A/B STOP	OBNN11	P200	STOP			
22	P-210 A/B STOP	OBNN12	P210A	STOP			AND
			P210B	STOP			
23	P-230 A/B STOP	OBNN13	P230A	STOP			AND
			P230B	STOP			
24	P-255 A/B STOP	OBNN14	P255	STOP			
25		OBNN15	-	-			(SPARE)
26		OBNN16	-	-			(SPARE)
27		OBNN17	-	-			(SPARE)
28		OBNN18	-	-			(SPARE)
29	OF HINKLEY SYSTEM OF ONEM. WATER HOUSE IA LOW PRESS	OBNN19					SIGNAL FROM THE ALARM PANEL
30	OF HINKLEY SYSTEM OF ONEM. WATER HOUSE IA LOW PRESS	OBNN20					SIGNAL FROM THE ALARM PANEL
31	P-350 A/B STOP	OBNN21	P350A	STOP			AND
			P350B	STOP			
32	P-360 A/B STOP	OBNN22	P360A	STOP			AND
			P360B	STOP			
33	P-411 A/B STOP	OBNN23	P411	STOP			
34	P-421 A/B STOP	OBNN24	P421	STOP			
35	P-442 A/B STOP	OBNN25	P442	STOP			
36		OBNN26	-	-			(SPARE)
37		OBNN27	-	-			(SPARE)
38		OBNN28	-	-			(SPARE)
39		OBNN29	-	-			(SPARE)
40		OBNN30	-	-			(SPARE)
41	P-510 A/B STOP	OBNN31	P510	STOP			
42	P-511 A/B STOP	OBNN32	P511	STOP			
43	P-442 A/B STOP	OBNN33	C540A	STOP			AND
			C540B	STOP			
			C540C	STOP			
44	J-550 STOP	OBNN34	J550	STOP			
45	P-550 A/B STOP	OBNN35	P550	STOP			
46		OBNN36	-	-			(SPARE)
			C540B	STOP			
47		OBNN37	-	-			(SPARE)
48		OBNN38	-	-			(SPARE)
49		OBNN39	-	-			(SPARE)
50		OBNN40	-	-			(SPARE)
51	P-560 A/B STOP	OBNN41	P560	STOP			
52	P-562 A/B STOP	OBNN42	P-562	STOP			
53		OBNN43	-	-			(SPARE)
54	M-900 STOP	OBNN44	M900	STOP			
55		OBNN45	-	-			(SPARE)
56		OBNN46	-	-			(SPARE)
57		OBNN47	-	-			(SPARE)

B rank ANN List (OSBL)

No.	Description	ANN tag	Instrument	Set Value	BDSET tag	BDSET No.	Remarks
58		OBNN48	-	-			(SPARE)
59		OBNN49	-	-			(SPARE)
60		OBNN50	-	-			(SPARE)

OSBL A RANK/B RANK ALARM

	1	2	3	4	5	6	7	8	9	10
1	IA MAIN LOW PRESS (PC4125)	FLW MAIN LOW PRESS (PI4230)	DIW MAIN LOW PRESS (PC4350)	DIW QUALITY ABNORMAL (AI4340)	WWT QUALITY ABNORMAL (AI-4560-64)	X-150 RUN (XI4150)	P-280 OR P-290 RUN			
2	C-100 AB	M-120	C-130	DIW	F-950	X-150				
3	STOP	ABNORMAL	ABNORMAL	ABNORMAL	ABNORMAL	ABNORMAL				
4	P-200 A/B	P-210 A/B	P-230 A/B	P-255 A/B					SPRIKNLER SYSTEM of CHEM. WAREHOUSE	SPRIKNLER SYSTEM PROD. WAREHOUSE
5	STOP	STOP	STOP	STOP					IA LOW PRESS	IA LOW PRESS
6	P-350 A/B	P-360 A/B	P-411 A/B	P-421A/B	P-442 A/B					
7	STOP	STOP	STOP	STOP	STOP					
8	P-510 A/B	P-511 A/B	C-540 A/B/C	J-550	P-550 A/B					
9	STOP	STOP	STOP	STOP	STOP					
10	P-560 A/B	P-562 A/B		M-900						
11	STOP	STOP		STOP						
12	M-950	C-951 A/B								
13	STOP	STOP								

Electric Annunciator

	1	2	3	4	5	6	7	8
1	ELEC.POWER FAILURE (115kV INCOME)	ELEC.FACILITY ABNORMAL (115kV S/S)	ELEC.FACILITY ABNORMAL (C-ZONE)	ELEC.FACILITY ABNORMAL (D-ZONE)	ELEC.FACILITY ABNORMAL (E-ZONE)	ELEC.FACILITY ABNORMAL (F-ZONE)		
2	UPS INST.ELCTRIC POWER FAILURE	NON-UPS INST.ELCTRIC POWER FAILURE	UPS INST.ELCTRIC POWER GROUND	NON-UPS INST.ELCTRIC POWER GROUND				