

APPROVED EXEMPLAR / PREFLIGHT PASS / RULE FREEZE

Vector batch rule v1

The client confirmed that the exemplar matches and requested one bounded correction: remove noisy nodes from the small curved corners without changing approved geometry or colors. That curve-only cleanup passed preflight, so the batch rule below is now frozen.

CLIENT MATCH CONFIRMATION: RECORDED

CURVE-ONLY PREFLIGHT: PASS

BATCH RULE v1: FROZEN

Applied delta

Target	Result
Changed path	ORBIT COFFEE display-outline path
Anchor nodes	220 in v0 to 165 in v1 (25.0% fewer)
Non-target artwork	Geometry and colors verified unchanged
Geometry tolerance	0.2033 mm p95 against source; limit 0.30 mm

Freeze record

Rule SHA-256: 6aac6729277eeaf4f9768379aadadf478eaa17e5fd14787a8cf56de2d9adea39. Acceptance thresholds and manual-review triggers are unchanged from v0. No batch items were generated or released in this step.

Frozen automatic-trace acceptance

Every hard gate and numeric threshold must pass. One failure routes the item to manual review.

Gate / metric	Frozen requirement
Wording	Exact OCR and operator match for wording, punctuation, spacing, and weight labels.
Raster dependency	Zero embedded raster images in SVG, EPS, and PDF masters.
Geometry	Silhouette IoU at least 0.985; p95 edge distance no more than 0.30 mm.
Color	Median Delta E 2000 no more than 2.0; p95 no more than 4.0.
Node economy	Logo no more than 3.0 nodes/mm; display outlines no more than 8.0 nodes/mm.
Path integrity	Zero unintended open fills, self-intersections, lost counters, duplicates, or path-count changes.
Small detail	All intended strokes and gaps remain at least 0.20 mm at nominal size.
Noise	Zero micro-islands smaller than 0.05 mm2 after cleanup.

Required scale renders

Render every item at small-use, nominal print, and large inspection scales before export hashes are recorded.

Frozen manual-review triggers

These trigger codes are unchanged from v0 and are part of the frozen rule fingerprint.

Code	Trigger
OCR_MISMATCH	Any wording, punctuation, spacing, or weight label differs.
INTERWEAVE_OR_OCCLUSION	Over-under crossings, overlaps, masks, or occluded shapes are present.
UNKNOWN_DISPLAY_TYPE	A distinctive display face cannot be matched to an approved font file.
TRACE_COMPLEXITY	Node density exceeds the relevant automatic threshold.
PALETTE_DRIFT	Median or p95 Delta E exceeds the automatic threshold.
GEOMETRY_DRIFT	Silhouette IoU or edge-distance threshold fails.
SMALL_DETAIL	A feature or stroke is below 0.20 mm at nominal size.
RASTER_NOISE	Texture, compression, antialiasing, or gradient noise creates false islands.
PATH_DEFECT	Lost counters, self-intersections, unintended open paths, or duplicate paths occur.
LOW_SOURCE_RESOLUTION	Effective source resolution is below 150 ppi at nominal size.

Change control

Any later rule change requires a new version, preflight, and explicit client approval.

Batch status

The approved rule is eligible for the controlled queue. Batch execution was not started by this task.