



浙江大学爱丁堡大学联合学院


ZJU-UoE Institute

Sampling Distribution & The Central Limit Theorem

Nicola Romanò - nicola.romano@ed.ac.uk


Based on slides by Duncan McGregor

What's up with normal distributions?



We talk about normal distributions a lot.



What's up with normal distributions?



We talk about normal distributions a lot. **But why, actually?**

This lecture is about...

- Properties of sampling distributions.
- The normal distribution...
- ...its properties...
- ...and why it is special.



At the end of this lecture, you should be able to:


- Define the standard error of the mean
- Compare sampling distributions and underlying population distributions
- Describe a normal distribution and explain its importance
- Explain the Central Limit Theorem



Examining normal distributions

From Problem Set 2 (Probability)

Create a “virtual class” of 100 exam grades with a mean of 86 and standard deviation of 5.




How would you read this?

$$X \sim \mathcal{N}(\mu, \sigma^2)$$

“X follows a normal distribution with mean μ (mu) and standard deviation σ (sigma).”


“X is normally distributed with mean μ and variance σ^2 (sigma squared).”

What are the properties of a normal distribution?



- “Bell-shaped” curve
- Symmetric around the mean
- Mean, median, and mode are all equal


What are the properties of a normal distribution?



In the problem set, we asked:

- How many students are more than one standard deviation away from the mean (less than 81 or more than 91)?
- How many students are more than 2 standard deviations away?

The 68 - 95 - 99.7 Rule




Sampling distributions

“Take samples of size 5 from a normal distribution, record mean and standard deviation.”


- Is our sample likely to have a higher or lower standard deviation than the population?
- Why?
- How does this relate to sample size?

We are unlikely to sample from the “edges”



From Problem Set 3 (Sampling)

Take samples of size 5 from a normal distribution, record the **mean**




If you do this repeatedly, the distribution of sample means is called the **sampling distribution**.

Sampling distribution

Where is the sampling distribution centred? How much spread is there?

Population

Population - Mean: 100, SD: 5



Sampling distribution (n=5)


?

Sampling distribution

Where is the sampling distribution centred? How much spread is there?


Population

Population - Mean: 100, SD: 5



Sampling distribution (n=5)

Sampling distribution of the mean
(2 samples)




Sampling distribution

Where is the sampling distribution centred? How much spread is there?


Population

Population - Mean: 100, SD: 5



Sampling distribution (n=5)

Sampling distribution of the mean
(3 samples)




Sampling distribution

Where is the sampling distribution centred? How much spread is there?


Population

Population - Mean: 100, SD: 5



Sampling distribution (n=5)

Sampling distribution of the mean
(4 samples)




Sampling distribution

Where is the sampling distribution centred? How much spread is there?


Population

Population - Mean: 100, SD: 5



Sampling distribution (n=5)

Sampling distribution of the mean
(5 samples)




Sampling distribution

Where is the sampling distribution centred? How much spread is there?


Population

Population - Mean: 100, SD: 5



Sampling distribution (n=5)

Sampling distribution of the mean
(6 samples)




Sampling distribution

Where is the sampling distribution centred? How much spread is there?


Population

Population - Mean: 100, SD: 5



Sampling distribution (n=5)

Sampling distribution of the mean
(7 samples)




Sampling distribution

Where is the sampling distribution centred? How much spread is there?


Population

Population - Mean: 100, SD: 5



Sampling distribution (n=5)

Sampling distribution of the mean
(8 samples)




Sampling distribution

Where is the sampling distribution centred? How much spread is there?


Population

Population - Mean: 100, SD: 5



Sampling distribution (n=5)

Sampling distribution of the mean
(9 samples)




Sampling distribution

Where is the sampling distribution centred? How much spread is there?


Population

Population - Mean: 100, SD: 5



Sampling distribution (n=5)

Sampling distribution of the mean
(10 samples)




Sampling distribution

Where is the sampling distribution centred? How much spread is there?


Population

Population - Mean: 100, SD: 5



Sampling distribution (n=5)

Sampling distribution of the mean
(100 samples)




Sampling distribution

Where is the sampling distribution centred? How much spread is there?


Population

Population - Mean: 100, SD: 5



Sampling distribution (n=5)

Sampling distribution of the mean
(1000 samples)




Sampling distribution

Where is the sampling distribution centred? How much spread is there?


Population

Population - Mean: 100, SD: 5



Sampling distribution (n=5)

Sampling distribution of the mean
(10000 samples)




Sampling distribution

Where is the sampling distribution centred? How much spread is there?

Population

Population - Mean: 100, SD: 5



Sampling distribution (n=100)


?

Sampling distribution

Where is the sampling distribution centred? How much spread is there?


Population

Population - Mean: 100, SD: 5



Sampling distribution (n=100)

Sampling distribution of the mean
(10000 samples)



Fine, but all we (usually) have is a few samples...

How do we know how good a guess our sample mean is for the true population mean?

The **Standard Error of the Mean** (SEM) is a measure of how well your sample mean estimates the true population mean.

$$SEM = \frac{\sigma}{\sqrt{n}}$$

Where

σ is the standard deviation of the population

n is the sample size

Fine, but all we (usually) have is a few samples...

How do we know how good a guess our sample mean is for the true population mean?

The **Standard Error of the Mean** (SEM) is a measure of how well your sample mean estimates the true population mean.

$$SEM = \frac{\sigma}{\sqrt{n}}$$

Where

σ is the standard deviation of the population

n is the sample size

What happens if n increases?

What happens if σ increases?

What is the difference between Standard Error of the Mean and Standard Deviation?

They are different numbers

$$SEM = \frac{\sigma}{\sqrt{n}}$$

What is the difference between Standard Error of the Mean and Standard Deviation?

They are different numbers

$$SEM = \frac{\sigma}{\sqrt{n}}$$

More importantly, they are **different concepts**.



Standard deviation measures variability in a dataset

Standard error of the mean measures how good your estimate of the population mean is

Where do normal distributions come from?



Why do we like normal distributions so much?

Let's recap:



Why do we like normal distributions so much?

Let's recap:



But what happens if we are not sampling from a normal distribution?

The central limit theorem



Source: creaturecast.org

The central limit theorem

For sample means

Even if a population is not normally distributed, the sampling distribution (for large enough samples) will tend to be normal

The central limit theorem

For sample means

Even if a population is not normally distributed, the sampling distribution (for large enough samples) will tend to be normal

More in general

If we take n independent random variables from any distribution, and take their (normalised) sum, then that sum will tend towards a normal distribution with increasing n .

The central limit theorem

For sample means

Even if a population is not normally distributed, the sampling distribution (for large enough samples) will tend to be normal

More in general

If we take n independent random variables from any distribution, and take their (normalised) sum, then that sum will tend towards a normal distribution with increasing n .

Maybe you have seen this in real life before?

The central limit theorem

For sample means

Even if a population is not normally distributed, the sampling distribution (for large enough samples) will tend to be normal

More in general

If we take n independent random variables from any distribution, and take their (normalised) sum, then that sum will tend towards a normal distribution with increasing n .

Maybe you have seen this in real life before?



Try it yourself!



So...why do we love normal distributions so much?

Because it comes up all the time. Even when things are not normally distributed, a normal distribution often “comes out” of parameter combinations, such as taking the mean.

Now you should be able to:

- Define the standard error of the mean
- Compare sampling distributions and underlying population distributions
- Describe a normal distribution and explain its importance
- Explain the Central Limit Theorem

