

MAR 03, 2020

BCL-05: RESIDUAL PESTICIDE ANALYSIS BY LC-MS/MS ESI // MAR 03, 2020

ANALYTE	LIMIT	AMOUNT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL
ABAMECTIN	0.1 µg/g	ND	0.03/0.05	PASS
ACEPHATE	0.1 µg/g	ND	0.03/0.05	PASS
ACEQUINOCYL	0.1 µg/g	ND	0.03/0.05	PASS
ACETAMIPRID	0.1 µg/g	ND	0.03/0.05	PASS
ALDICARB	Any amount	ND	0.03/0.05	PASS
AZOXYSTROBIN	0.1 µg/g	ND	0.03/0.05	PASS
BIFENAZATE	0.1 µg/g	ND	0.03/0.05	PASS
BIFENTHRIN	3 µg/g	ND	0.03/0.05	PASS
BOSCALID	0.1 µg/g	ND	0.03/0.05	PASS
CARBARYL	0.5 µg/g	ND	0.03/0.05	PASS
CARBOFURAN	Any amount	ND	0.03/0.05	PASS
CHLORANTRANIL-IPROLE	10 µg/g	ND	0.03/0.05	PASS
CLOFENTEZINE	0.1 µg/g	ND	0.03/0.05	PASS
COUMAPHOS	Any amount	ND	0.03/0.05	PASS
DAMINOZIDE	Any amount	ND	0.03/0.05	PASS
DIAZINON	0.1 µg/g	ND	0.03/0.05	PASS
DIMETHOATE	Any amount	ND	0.03/0.05	PASS
DIMETHOMORPH	2 µg/g	ND	0.03/0.05	PASS
ETHOPROPHOS	Any amount	ND	0.03/0.05	PASS
ETOFENPROX	Any amount	ND	0.03/0.05	PASS
ETOXAZOLE	0.1 µg/g	ND	0.03/0.05	PASS
FENHEXAMID	0.1 µg/g	ND	0.03/0.05	PASS
FENOXYCARB	Any amount	ND	0.03/0.05	PASS
FENPYROXIMATE	0.1 µg/g	ND	0.03/0.05	PASS
FIPRONIL	Any amount	ND	0.03/0.05	PASS
FLONICAMID	0.1 µg/g	ND	0.03/0.05	PASS
FLUDIOXONIL	0.1 µg/g	ND	0.03/0.05	PASS
HEXYTHIAZOX	0.1 µg/g	ND	0.03/0.05	PASS
IMAZALIL	Any amount	ND	0.03/0.05	PASS

BCL-13: PESTICIDE TESTING BY GC/MS // MAR 03, 2020

ANALYTE	LIMIT	AMOUNT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL
CAPTAN	0.7 µg/g	ND	0.03/0.05	PASS
CHLORDANE	Any amount	ND	0.03/0.05	PASS
CHLORFENAPYR	Any amount	ND	0.03/0.05	PASS
CHLORPYRIFOS	Any amount	ND	0.03/0.05	PASS
CYFLUTHRIN	2 µg/g	ND	0.03/0.05	PASS

ANALYTE	LIMIT	AMOUNT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL
IMIDACLOPRID	5 µg/g	ND	0.03/0.05	PASS
KRESOXIM-METHYL	0.1 µg/g	ND	0.03/0.05	PASS
MALATHION	0.5 µg/g	ND	0.03/0.05	PASS
METALAXYL	2 µg/g	ND	0.03/0.05	PASS
METHIOCARB	Any amount	ND	0.03/0.05	PASS
METHOMYL	1 µg/g	ND	0.03/0.05	PASS
MEVINPHOS	Any amount	ND	0.03/0.05	PASS
MYCLOBUTANIL	0.1 µg/g	ND	0.03/0.05	PASS
NALED	0.1 µg/g	ND	0.03/0.05	PASS
OXAMYL	0.5 µg/g	ND	0.03/0.05	PASS
PACLOBUTRAZOL	Any amount	ND	0.03/0.05	PASS
PERMETHRIN	0.5 µg/g	ND	0.03/0.05	PASS
PHOSMET	0.1 µg/g	ND	0.03/0.05	PASS
PIPERONYLBUTOXIDE	3 µg/g	ND	0.03/0.05	PASS
PRALLETHRIN	0.1 µg/g	ND	0.03/0.05	PASS
PROPICONAZOLE	0.1 µg/g	ND	0.03/0.05	PASS
PROPOXUR	Any amount	ND	0.03/0.05	PASS
PYRETHRINS	0.5 µg/g	ND	0.03/0.05	PASS
PYRIDABEN	0.1 µg/g	ND	0.03/0.05	PASS
SPINETORAM	0.1 µg/g	ND	0.03/0.05	PASS
SPINOSAD	0.1 µg/g	ND	0.03/0.05	PASS
SPIROMESIFEN	0.1 µg/g	ND	0.03/0.05	PASS
SPIROTETRAMAT	0.1 µg/g	ND	0.03/0.05	PASS
SPIROXAMINE	Any amount	ND	0.03/0.05	PASS
TEBUCONAZOLE	0.1 µg/g	ND	0.03/0.05	PASS
THIACLOPRID	Any amount	ND	0.03/0.05	PASS
THIAMETHOXAM	5 µg/g	ND	0.03/0.05	PASS
TRIFLOXYSTROBIN	0.1 µg/g	ND	0.03/0.05	PASS



BCL-07: FOREIGN MATERIAL TESTING BY MICROSCOPY // FEB 28, 2020

ANALYTE	LIMIT	AMOUNT (%)	PASS/FAIL
CINDERS	25 %	ND	PASS
DIRT	25 %	ND	PASS
IMBEDDED FOREIGN MATERIAL	25 %	ND	PASS
INSECT FRAGMENTS	1 Unit	ND	PASS
MAMMAL EXCREMENT	1 Unit	ND	PASS
MOLD	25 %	ND	PASS
RODENT HAIR	1 Unit	ND	PASS
SAND	25 %	ND	PASS
SOIL	25 %	ND	PASS

BCL-020: HEAVY METAL TESTING BY ICP-MS // MAR 01, 2020

ANALYTE	LIMIT	AMOUNT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL
ARSENIC	0.2 µg/g	< LOQ	0.001/0.05	PASS
CADMIUM	0.2 µg/g	< LOQ	0.0002/0.05	PASS
LEAD	0.5 µg/g	< LOQ	0.0003/0.05	PASS
MERCURY	0.1 µg/g	< LOQ	0.0001/0.01	PASS

BCL-02: MOISTURE CONTENT BY GRAVIMETRY // MAR 01, 2020

ANALYTE	LIMIT	AMOUNT (%)	PASS/FAIL
MOISTURE		7.1	N/A

BCL-06: MICROBIOLOGICAL ANALYSIS BY QPCR // MAR 02, 2020

ANALYTE	LIMIT	AMOUNT (CFU)	PASS/FAIL
ASPERGILLUS FLAVUS	Any amount in 1 gram	ND	PASS
ASPERGILLUS FUMIGATUS	Any amount in 1 gram	ND	PASS
ASPERGILLUS NIGER	Any amount in 1 gram	ND	PASS
ASPERGILLUS TERREUS	Any amount in 1 gram	ND	PASS
ESCHERICHIA COLI	Any amount in 1 gram	ND	PASS
SALMONELLA SPP.	Any amount in 1 gram	ND	PASS

BCL-11: MYCOTOXIN TESTING BY LC-MS/MS // MAR 03, 2020

ANALYTE	LIMIT	AMOUNT (µg/kg)	LOD/LOQ (µg/kg)	PASS/FAIL
AFLATOXIN B1		ND	1.476/4.472	N/A
AFLATOXIN B2		ND	1.683/5.101	N/A
AFLATOXIN G1		ND	1.559/4.723	N/A
AFLATOXIN G2		ND	1.585/4.804	N/A
AFLATOXINS	20 µg/kg	ND	6.303/19.1	PASS
OCHRATOXIN A	20 µg/kg	ND	3.312/10.037	PASS

BCL-12: WATER ACTIVITY BY HUMIDITY EQUILIBRIUM // MAR 01, 2020

ANALYTE	LIMIT	AMOUNT (Aw)	PASS/FAIL
WATER ACTIVITY	0.65 Aw	0.6	PASS

