




1		PLATE	8302544	1
2		PLATE	8302544	1
3		PLATE	8302544	1
4		PLATE	8302544	1
5		PLATE	8302544	1
6		PLATE	8302544	1
7		PLATE	8302544	1
8		PLATE	8302544	1
9		PLATE	8302544	1
10		PLATE	8302544	1
11		PLATE	8302544	1
12		PLATE	8302544	1
13		PLATE	8302544	1
14		PLATE	8302544	1
15		PLATE	8302544	1
16		PLATE	8302544	1
17		PLATE	8302544	1
18		PLATE	8302544	1
19		PLATE	8302544	1
20		PLATE	8302544	1
21		PLATE	8302544	1
22		PLATE	8302544	1
23		PLATE	8302544	1
24		PLATE	8302544	1
25		PLATE	8302544	1
26		PLATE	8302544	1
27		PLATE	8302544	1
28		PLATE	8302544	1
29		PLATE	8302544	1
30		PLATE	8302544	1
31		PLATE	8302544	1
32		PLATE	8302544	1
33		PLATE	8302544	1
34		PLATE	8302544	1
35		PLATE	8302544	1
36		PLATE	8302544	1
37		PLATE	8302544	1
38		PLATE	8302544	1
39		PLATE	8302544	1
40		PLATE	8302544	1
41		PLATE	8302544	1
42		PLATE	8302544	1
43		PLATE	8302544	1
44		PLATE	8302544	1
45		PLATE	8302544	1
46		PLATE	8302544	1
47		PLATE	8302544	1
48		PLATE	8302544	1
49		PLATE	8302544	1
50		PLATE	8302544	1
51		PLATE	8302544	1
52		PLATE	8302544	1
53		PLATE	8302544	1
54		PLATE	8302544	1
55		PLATE	8302544	1
56		PLATE	8302544	1
57		PLATE	8302544	1
58		PLATE	8302544	1
59		PLATE	8302544	1
60		PLATE	8302544	1
61		PLATE	8302544	1
62		PLATE	8302544	1
63		PLATE	8302544	1
64		PLATE	8302544	1
65		PLATE	8302544	1
66		PLATE	8302544	1
67		PLATE	8302544	1
68		PLATE	8302544	1
69		PLATE	8302544	1
70		PLATE	8302544	1
71		PLATE	8302544	1
72		PLATE	8302544	1
73		PLATE	8302544	1
74		PLATE	8302544	1
75		PLATE	8302544	1
76		PLATE	8302544	1
77		PLATE	8302544	1
78		PLATE	8302544	1
79		PLATE	8302544	1
80		PLATE	8302544	1
81		PLATE	8302544	1
82		PLATE	8302544	1
83		PLATE	8302544	1
84		PLATE	8302544	1
85		PLATE	8302544	1
86		PLATE	8302544	1
87		PLATE	8302544	1
88		PLATE	8302544	1
89		PLATE	8302544	1
90		PLATE	8302544	1
91		PLATE	8302544	1
92		PLATE	8302544	1
93		PLATE	8302544	1
94		PLATE	8302544	1
95		PLATE	8302544	1
96		PLATE	8302544	1
97		PLATE	8302544	1
98		PLATE	8302544	1
99		PLATE	8302544	1
100		PLATE	8302544	1



SECTION C-C



SECTION B-B



BREAK ALL SHARP CORNERS
UNLESS OTHERWISE SPECIFIED.
COUNTERSINK ALL TAPPED HOLES
118° X ONE THIRD DEEP.
SURFACE FINISH SPECS ARE IN
ACCORDANCE WITH G.M. ENGR. STDS.
PERMISSIBLE VARIATION ON COMMON
FRACTION DIMENSIONS TO MACHINED
SURFACES TO BE ±.010 UNLESS
OTHERWISE SPECIFIED.
FABRICATION TOLERANCE: ±.012
CASTING TOLERANCE:
FORMING TOLERANCE: