




GRIND LOCALLY
WHERE REQUIRED




INSIDE VIEW OF CORNER
IT. 7 NOT SHOWN



VIEW D-D



SECTION H-H



SECTION L-L



1	BRACKET	8365950	41
2	STRIP	8365878	40
1	SHEET	8365951	39
1	ANGLE-STIFFENER	8332104	38
1	ANGLE-STIFFENER	8332103	37
1	ANGLE-ASSEMBLY	8388408	36
1	ANGLE-SIDE	8388407	35
1	ANGLE-SIDE	8294154	34
1	ANGLE-TOP	8154817	33
2	STRIP-FILLER	8332105	32
1	ANGLE-SIDE	8332146	31
1	PIPE	8361005	30
12	SCREW-1/4-20 RD 5/16P	171601	29
2	GASKET	8262700	28
2	COVER-CLEANOUT	8323164	27
1	SHEET-BOTTOM	8388406	26
1	ANGLE-BOTTOM	8388405	25
2	ANGLE-CORNER ASM	8332143	24
4	FLANGE	8059061	23
1	BASE ANGLE	8332140	22
2	PLATE-BACKING	8265686	21
1	CHANNEL-SUPPORT	8332144	20
1	ANGLE	8351615	19
1	ANGLE	8351616	18
1	SHEET	8-98404	17
1	SHEET-CORNER	8388403	16
1	ANGLE-STIFFENER	8388402	15
1	ANGLE-STIFFENER	8332101	14
1	SUPPORT-HOOD SHEET	8332047	13
1	SUPPORT-HOOD SHEET	8332046	12
1	SUPPORT-HOOD SHEET	8332049	11
1	SUPPORT-HOOD SHEET	8332048	10
2	SHEET-CORNER	8332045	9
4	STRIP-HOOD SH BACKING	8332044	8
2	STRIP-BACKING	8332043	7
1	SHEET-HOOD	8388401	6
2	BUSHING-1 FEMALE	8038596	5
2	STRIP	8351531	4
1	POST CENTER	8360792	3
1	SAND BOX ASM--1 END	8388466	2
1	PLATE ASSEMBLY	8398400	1

REVISIONS






DATE BY CR LVS

DATE OF PRINT


12388394




8388394



.228 DIA. - 12 HOLES IN IT. 2
LOCATE FROM ITEM 27
AT ASSEMBLY.



SECTION C-C



BREAK ALL SHARP CORNERS
UNLESS OTHERWISE SPECIFIED.
COUNTERSINK ALL TAPPED HOLES
1/8" X ONE THIRD DEEP.
SURFACE FINISH SPECS. ARE IN
ACCORDANCE WITH G. M. ENGR. STDS.
TOLERANCES ON ALL DIMENSIONS NOT
OTHERWISE SPECIFIED.