


SECTION A=A


PLARE TUBINA PER ITEM 35. WELD PIPE CLAMPS PER ITEM 34. APPLY GOSHMETS PER ITEM 37. APPLY & CLEAN TUBINAS PER ITEM 36. SEAL HOLES PER ITEM 38.

X	A.1. 1793	SEALING OF HOLES		38
X	A.1. 1743	APPLIC. OF GROMMETS		37
X	A.1. 1697	APPLICATION AND CLEANING OF ALR PIPING		36
X	A.1. 1675	FLAPING OF TUBING		35
X	A.1. 1576	RELDING OF PIPE CLAMPS		34
7		CLIP-1/4 DIA.	120521	33
15		SCHEW-174-20 RD, HD. SELF TAPPING	171599	35
10		CLIP-3/8 DIA.	120523	31
2	****	SCREW-174-20 RD.HD. SELF TAPPING	171603	30
2		PAD	8305943	29
8		SCREW-1/4-20 RD. HD.	1 (3955	28
8		WASHER-1/4 PLAIN	103339	27
4		SUM VISOR	8059524	26
4	 	PAD - TAPPING	821359^	25
<u> </u>	h	MUT-3/8 TUBE	118539	24
1		CLAMP ASSEMBLY	9108203	23
ī	<u> </u>	GROWNET	8159852	22
ì		TUBE ASSEMBLY	8219372	21
i		UNION-3/8-X 1/4 TURE PET	8509909	20
ī		TUBE ASSEMBLY	8304869	19
1		TUBE ASSEMBLY	8304853	18
2		EVENTURE X 1/8 PT	119753	17
2		TER-1/8 PT	121761	is
4	BRASS-EX. HVY.	NIPPLE-1/8 PT SHORT	8061465	15
4		VALVE-CONTROL	8295087	14
5		CONNECTOR- L/B PT X L/A TUBE	i18748	13
2		TURE ASSEMBLY	8155978	1.5
2		HOSE	8155981	11
9		SCREW-1/4-20 RD. HD.	120563	10
17		LOCKWASHER-1/4	120390	9
6		SCREW-FIO MD. HO.	135830	8
-		LOCKWASHER-110	120217	7
3		PLATE-BEARING HTG.	8148134	8
3		BEARING - OLITER	8128523	5
3		PLATE	8148135	
3		SIPER BLADE	8148148	3
3		WIPER ARM ASSEMBLY	8148136	5
3		MOTOR-WINDOW WIPER	8148133	귀
لت	121011	WANT OF PERT	PAPT 100	7
H	I	BLECTRO-MOTIVE	 .	

BLECTRO-MOTIVE DIVING MARKET BUTTON OF THE PROPERTY OF THE PRO

19294 TOME 2 0F3





RP CORNERS
WISE SPECIFIED.

LL TAPPED HOLES
D. BEEP.
SPECS. ARE: A
ITH G.M. ENGR. STDS.
RIATION ON COMMON
SHOWS TO MACHINED
E = .010 UNLESS
CHITED.
DLERANCE: ±52
ANCE:

18319294 TRAVE 3 OF 3