Myoxus · User guide

Documents, data and collaboration

Myoxus
2026-09-23

Contents

01 Getting started and finding your way around 3
Sign in and choose a workspace 3
Read the interface 3
Show and hide document details 3
02 Create and edit documents 4
Pages, titles and blocks 4
Insert blocks and format text 4
Images, files, tables and references 4
Templates and journals 4
03 Organize and find content 5
Folders: build your own structure 5
Collections: combine selection and rules 5
Tags: label your documents 6
Favourites, search and the overview 6
04 Work with data and visual content 6
Create a database 6
Edit records and fields 7
Choose a view 7
Edgeless and diagrams 7
05 Collaborate and share content 8
Edit together and discuss changes 8
Check access in the sharing dialog 8
Internal links and public access 9
06 Import and export content 9
Choose an import and check the result 9
Export a document as PDF 10
Other output formats 11
07 Review changes and recover content 11
Undo an edit 11
Inspect earlier document versions 11
Recover an item from Trash 12
Limits of history and exports 12
08 Clients, updates and help 12
Browser and desktop app 12
Install and update 13
When content or actions are missing 13
Find help 13

Myoxus · User guide


01 Getting started and finding your way around

Myoxus brings documents, databases and visual workspaces together. This guide explains the interface and the main tasks you can carry out in it. It covers the browser application; differences in the desktop app are explained in the final chapter. Screenshots use the light theme and example content.

Sign in and choose a workspace

Open the Myoxus address supplied by your organization and sign in with the intended account. The operator controls which sign-in methods are available and whether you can create workspaces yourself. An invitation applies to the server and workspace it names. If expected content is missing, first check the server address, account and selected workspace.

To switch workspaces, open the workspace name at the top of the left sidebar and choose the one you need. Documents, folders, tags and collections belong to their workspace, so switching can show a different set of content.



1 Navigation
2 Document and blocks
3 Document panels

Document view: navigation on the left, content in the centre and document panels on the right.

Read the interface

New doc in the left sidebar creates a document. All content opens the overview, and the magnifying glass opens Search. Journals, Databases and Diagrams have their own entries. Library contains Collections, Tags and Templates, followed by the folder tree. Use the sidebar icon to collapse or expand navigation.

The navigation path and document actions sit above the content. The star marks a favourite. The document menu contains sharing, history, import and export actions. The framed information icon at the top right shows or hides the right sidebar, which can contain panels such as the outline and tags.

Show and hide document details

The arrow beside a panel heading collapses or expands that panel. The × removes it from the sidebar; it does not delete the document. Use the arrow when you only want to

collapse the contents. Document actions such as View Info and Links & references open the corresponding information. The panels shown depend on your current layout.

Properties such as status or document type may appear below the title. They describe the document, but are neither its body text nor an access grant. Use the sharing dialog to check who may open it.

02 Create and edit documents

Pages, titles and blocks

Choose New doc, enter a title and press Enter. The title belongs to the document and appears in navigation. Below it, content is made of blocks: every paragraph, heading, image and individual task has its own block. A heading inside the content is therefore different from the page title.

Enter starts a new paragraph. Inside a list it continues the list; in a task list it creates another item with its own checkbox. Click a task checkbox to mark that item complete. Changes are saved or synchronized as you work. If the connection fails, check the application’s messages before closing the window.

Insert blocks and format text

Type / on an empty line to open the block menu. Choose a heading, list, table, image or attachment, or search for the entry you need. Escape closes the menu. It also contains actions and formatting: Bold changes text, while Heading 2 changes the block type.

Select words to open the formatting toolbar, then apply emphasis or add a link. To work with a whole block, use its selection and associated menu, which includes actions such as Duplicate and copying a block link. When arranging blocks, the insertion marker shows the destination; check the order after moving them.

Images, files, tables and references

To insert an image or attachment, choose its entry in the block menu and select a file. Wait for the upload to finish. Images are displayed in the document; attachments remain downloadable files. The server can limit file sizes and accepted formats.

A document table holds content directly on the page. Edit its cells in the editor and use the table controls for rows, columns and presentation. Use a database when you need records with field types, filters and multiple views; see chapter 4.

A reference to an existing document opens its current content without duplicating its text. A block link points to a particular part of a document. Neither kind of link adds access rights: its recipient must be allowed to open the target.

Templates and journals

Templates lists the templates available in the workspace. Create a document from a template, then edit the resulting working copy. The operator may control the central selection. A PDF template is separate: it determines how an exported file looks, rather than creating editor content.


Journals associate notes with a day. Open Journals in navigation and choose the required date. Check the date before adding entries. Personal calendar and journal preferences are available through the account menu and settings.

03 Organize and find content

Folders: build your own structure

Folders appears below Library in the left sidebar. Open the context menu of the workspace root or an existing folder. Choose the create-subfolder action, enter a name and press Enter. Use Rename later to change the name.

Add docs in the folder menu adds existing documents. Search for the documents, select them and confirm. New doc creates a document from within that folder. Add others offers additional supported content types, so a folder can group access to related items.




Folder menu: create a subfolder, add existing documents or rename the folder.

A folder entry is a link. Removing the entry does not automatically delete its target document. Use the document's trash action to delete the document itself. Read folder confirmations carefully: removing a folder and deleting its contents are different operations.

Collections: combine selection and rules

Open Collections under Library, choose New collection, enter a name and save. An empty collection offers actions to add documents or rules. Rules opens the editor again when you want to change an existing collection.

In the Docs tab, search for documents and select the entries to include. In Rules, add filters for properties such as tags, title or modification date. Matching documents are included automatically; explicitly selected documents can remain included as well. Check the preview and save. A collection does not change the content of its documents.



1 Choose docs or rules
2 Select a document
3 Save your selection

Collection editor: Docs selects documents directly; Rules includes matching documents automatically.

Tags: label your documents

Open the document's right sidebar and its Tags panel. Add tag opens the picker. Choose an existing tag, or enter a new name and choose Create. The tag appears on the document; Done closes the picker. To remove an assignment, remove that tag from this document's selection.

Tags in the left sidebar opens the workspace catalogue instead. Changing a tag's name or appearance changes the shared tag, not just one document's assignment. Removing a tag from a document is therefore different from managing or archiving it in the catalogue.

Favourites, search and the overview

Use the star on a document to mark it as a favourite; click again to remove the mark. The magnifying glass opens quick search. Enter a title or search term, then open the matching result.

View options, filters and sorting help narrow an overview. A hidden result has not been deleted. If a document is missing, check filters, workspace, access rights and Trash. Folders, collections, tags and favourites provide complementary ways to reach the same content.

04 Work with data and visual content

Create a database

Open Databases and choose New database. In the wizard, select a blank database or an offered template. Enter a name and description, optionally select a folder, and decide whether to include example rows. Check the summary and choose Create database.

A row is a record, a field describes a property, and a cell contains its value. Field types determine the accepted input, such as text, number, date or selection. Fields belong to the database; opening another view does not create a new set of fields.



1 Switch views

2 Edit values in cells

3 Add a record

Database view: view tabs above records and fields. Names supplied by a template can differ from the interface language.

Edit records and fields

In a table, edit values through their cells. Add row creates another record. For more room, open a record's details through its title and expand Details. Select a status, for example; the saved change also appears in the overview after you close the panel.

Add field creates a field. The menu at a column heading opens its configuration. Changing a field type affects the values in that field and may require conversion. Check the stated effects before changing a type or removing a field.

Choose a view


Tabs above the database show different views of the same records. Add view creates another presentation. Table and List support editing and browsing; other offered types can present status or dates. Date-based views need suitable date fields.

View settings provides the available filters, sorting and display options. Distinguish personal settings from saved defaults for the shared view. Search and filters can hide records without deleting them. An edited record remains the same record across views.

Edgeless and diagrams

The Page / Edgeless switch changes from the flowing document page to a free canvas where content can be arranged spatially. Selection tools, zoom and centring controls help you navigate. Changing modes does not make a backup copy of the document.

Open Diagrams, choose a diagram type and use its create button. Pay attention to Alpha and Beta labels. Inside the diagram, switch between View, Visual and Source. Visual offers tools for that diagram type; Source shows the Mermaid text. Edit the source only when you are familiar with its syntax.



1 Choose a mode
2 Diagram tools
3 Content on the canvas

A diagram inside a document: diagram modes and tools sit below the document navigation.

Choosing a diagram type does not imply that every modelling operation is available. Use the tools actually offered and inspect the result in View. If the rendering is unexpected, first check the source, selection and zoom.

05 Collaborate and share content


Edit together and discuss changes

People with the appropriate rights can work on the same document. Changes are synchronized through the server. If the connection is interrupted, check the displayed state before continuing to edit the same text in several places.

To discuss a passage, select its text and use the comment action. The mention picker in comments lets you address someone. Open an existing comment thread to reply or resolve a completed discussion. Notification delivery also depends on personal notification settings.

Check access in the sharing dialog

Open the document menu and choose Share. General access shows the access granted to workspace members. Offered levels include reading, editing, managing and no access. Your own permissions determine which settings you may change.



1 Workspace members
2 Access through a link
3 Copy the link

Sharing dialog: access for workspace members and access through a link are separate settings.

Manage members opens person-specific access management when available. Choose the intended people and permissions deliberately. A copied link uses the existing access rules; copying it alone neither invites someone nor grants access.

Internal links and public access

Copy link provides a route to the document. An internal link still requires the appropriate access rights. Anyone with the link addresses a different audience. Before changing that setting, check whether the content should be publicly reachable.

To publish a public reading page, open the globe icon above the document. It offers publication as a page or edgeless view and revocation of the public link. These actions remain disabled until the workspace allows public content. A document property labelled Public does not enable publication.

Revoke a public reading page through the globe menu. Also check the sharing dialog for any remaining link access. Files that someone has already downloaded or copied are not recalled. An exported PDF is also an independent file: later changes to the document's permissions do not automatically restrict that downloaded copy.

06 Import and export content

Choose an import and check the result


Import is available in the document menu. Select an offered format and follow the file picker. Documents, workspace archives and databases have different import paths. After

importing, check headings, tables, images, attachments and references; a completed import does not guarantee that every source feature was retained.

Import CSV data through the database area. Check column mapping and field types in the preview. Applying the import creates a new database. A database JSON snapshot can also carry structural database information; observe its version and format validation.

Export a document as PDF

Open the document menu, then Export and Export to PDF. First choose a PDF template available to the workspace. Next, check the document version, language, paper size, orientation and image quality. The language controls output labels and regional formatting; it does not translate the document's content.



1 Template and export step
2 Choose the document version
3 Locale and paper size

PDF export: choose a template, review the inputs and start the export. Available options depend on the template.

Depending on the template, you can configure a cover, table of contents, footer and page numbering. A useful table of contents requires suitable headings. Start the export, download the completed file and inspect it before sharing. Large documents can take longer to produce.

Other output formats

The export menu also offers formats such as HTML, Markdown, PNG and Snapshot. Use Markdown for text exchange and PDF for fixed page layout. Not every format preserves all editor features, attachments or interactive content. An export is therefore not necessarily a complete backup.

Databases have their own export actions. CSV exchanges tabular values; a database JSON snapshot can also include structure and saved views. Check the selected scope and any filters. Keep the original data until you have checked the output or reimport.

07 Review changes and recover content


Undo an edit

Use Undo, or the appropriate system keyboard shortcut, to reverse a recent edit. Redo reapplies an undone step. These editing operations are different from a saved document version or an item in Trash.

Inspect earlier document versions

Choose View history version in the document menu. The history shows available saved versions. Select an entry and inspect its preview before confirming a restore. A new document, or one without saved versions, can show an empty history.

The current document and an earlier version are different states. Restoring replaces the current content with the selected version. The confirmation explains that the previous content is kept as an unnamed recovery snapshot and document attributes remain unchanged. Coordinate with collaborators and preserve the current state separately if needed. Opening a preview alone does not restore anything.



1 Choose a saved version
2 Inspect the preview
3 Start restoration

Version history: inspect the selected document version before restoring its content.

Recover an item from Trash

Move to trash in the document menu removes a document from the normal working view. Open Trash in the left sidebar, find the item and choose Restore. Check that the document appears in the overview again. A removed folder link may need to be added separately.

Permanent deletion is a separate action. Afterwards, normal recovery through Trash is no longer available. Do not permanently delete content when you only want to tidy the workspace or hide something temporarily.

Limits of history and exports

Document history does not automatically protect all workspace data. PDF and Markdown exports are not complete backups either. For recovery after server failure or data loss, contact the operator. Their backup and retention procedures are separate from this user guide.

08 Clients, updates and help

Browser and desktop app

In the browser, you work with workspaces on the selected server. It does not create a local workspace for permanent offline use. A desktop release may offer local capabilities; these are different from synchronization with a server workspace.

The server address, signed-in account and workspace determine which content is visible. Check all three if the browser and desktop app show different documents. Switching servers does not transfer content automatically.

Install and update

Install an actually published release for your operating system and processor architecture, and read its release instructions. If no package is offered for your system yet, use the browser application.

The operator supplies the browser application. Follow an update prompt after ongoing edits have synchronized. Desktop updates use the source and capabilities supplied with that release. Ask your instance operator if you are unsure about an offered update.

Downloads and release notes

When content or actions are missing

No connection: check the server address, your session and any maintenance message. If edits are still pending, do not immediately clear browser storage or local app data.

Document not found: check the workspace, search, filters and Trash. Ask the responsible person to check access. Having a link does not prove that your account is authorized to open it.

Disabled action: a required selection, state or permission may be missing. Check the explanation at the control. A feature can also depend on the installed version or server configuration.

Failed export: check the selected template, inputs and error message. For help, note the affected document and time of failure. Share confidential content only through the intended internal support channel.

Find help

Contact your Myoxus operator first about sign-in, invitations, access, backups and server availability. To report a reproducible product issue, include the version, operating system, affected feature, steps and error message. Remove passwords, tokens and confidential content from screenshots.

Myoxus project and further information

Editorial review: 23 September 2026. This guide is updated when the documented behaviour changes; not every software release requires a new guide.