

Trip Planner — Week 6 Summary

Jiaxuan Wu

2026-05-05

Trip Planner — Week 6 Summary

Repo: <https://github.com/superjwu/trip-planner> (public, with full commit history) **Vercel:** <https://trip-planner-theta-wheat.vercel.app/>

TL;DR

This was the v2 → v3 → Phase F → G → H sprint. The app went from “1-shot 4-pick generator over 40 destinations” to a real **decision-conversation tool** over **326 enriched destinations** with browse-by-destination, anchor pinning, deterministic flight pricing, and a refine-round flow that no longer gets stuck after round 2. Two LLM flows now run on gpt-5.5. Codex (gpt-5.5, xhigh) reviewed every non-trivial change and caught three blocking bugs that shipped fixes inline.

What landed (by sprint)

Sprint v2 — refine rounds + visual rebuild

The proposal’s core promise was iteration, not generation. v1 was a 1-shot generator; v2 turned it into a multi-round decision conversation.

- `recommendation_rounds` table + `active_round_id` on trips (migration 0006).
- `RefinePanel` (per-pick keep/pass + preset deltas + free text) and `RoundSwitcher` chips for navigating past rounds read-only.
- Tradeoff matrix scored deterministically in code (`src/lib/llm/tradeoffs.ts`), not by the LLM.
- Pre-filter is the hard guarantee, prompt is soft — `avoidedSlugs` honored before rank.
- Live UI migrated to **v54d Coastal Slate** (paper, ink, accent #E76F51, slate-primary #2C5474).
- Codex P1/P2/P3 audit: signed OAuth cookie (`OAUTH_COOKIE_SIGNING_KEY`), token-refresh CAS to fix the rotation race, stale-lock recovery on `trips.computing_started_at`, lodging-night math fix, cache-key edge cases.

Sprint v3 — browse grid, i18n, scenery

User feedback: filters felt “boring,” nature beauty wasn’t surfaced, 40 destinations was thin.

- **Destinations grew 40 → 326**, photos prefetched from Wikipedia REST/Commons (scripts/_photos.json, 318/326 covered).
- **Browse grid at /destinations** — landscape chips (8: 🏔️🌊🏡🌲🏰🏔️🏡🏰) + experience multi-select + scenery filter (★3+/4+/5) + Most Scenic sort.
- **Three-tier Chinese translation** (Wikipedia langlinks → Wikidata → suffix translator) via npm run seed:zh. zh/en flips via cookie-based next-intl (tp-locale).
- **Single-source enrichment** (src/lib/seed/enrich-destinations.ts) merges curated overrides + deterministic inference + 3-pass dedup. ENRICHED_DESTINATIONS is the only export anything outside src/lib/seed/ should touch.
- npm run audit:meta invariants check — fails on missing landscape / experiences / sceneryScore / duplicate slugs.
- Codex review caught: secondaryLandscapes needed for Tahoe (mountain primary, lake secondary) and Mackinac (island primary, lake secondary); scenery as descriptive text in the prompt, **never** a numeric score (would re-anchor city/foodie users on scenic places).

Sprint Phase F — anchor contract fix

Codex flagged a shipped trust break: /destinations cards link to /plan?anchor=... and the wizard renders a “Planning around Big Sur” pill, but the anchor never reached the rec engine. Net effect: user clicked Big Sur, page told them they’re planning around Big Sur, recs returned 4 unrelated places.

- Anchor threaded end-to-end: RawTripInput.anchorSlug (zod validated, regex + DESTINATIONS membership) → NormalizedTripInput → cache key.
- preFilter() gives the anchor + its 3 nearest neighbors (≤ 350 mi) immunity from soft filters (season / budget / vibe-overlap).
- System prompt: anchor **MUST** appear at rank 1 or 2.
- Post-rank assertion + 1 retry + last-resort force-include at rank 1 with deterministic reasoning template (logged as meta.anchorForced).
- Refine rounds restore the anchor if presets like “cheaper” would have dropped it (unless user explicitly avoided).
- Codex F.4 review caught 3 blockers, all fixed inline:
 1. NormalizedTripInputSchema was stripping anchorSlug on every DB read.
 2. applyRefinePresets ran AFTER preFilter and could drop expensive/distant anchors.
 3. Post-rank check only verified anchor presence, not $\text{rank} \leq 2$.

Sprint Phase G — kill Amadeus, precompute prices

Amadeus Self-Service had placeholder credentials and the user only needed direct-flight pricing.

- src/lib/seed/flight-estimator.ts — piecewise-linear curve keyed on (origin city, destination lat/lng), rounded to nearest \$10. NYC/CHI/LAX/SFO/SEA airports hardcoded.

- `src/lib/apis/amadeus.ts` deleted; `src/lib/hydrate.ts` simplified (no live calls except weather).
- Card UI permanently shows “(estimate)” — no “(live)” path remains.

Sprint Phase H — refine UX

User-reported: “after round 2, there’s no choice (round 3) for me to keep trying.”

- Root cause: a user who’d clicked into `?focus=N` or a historical `?round=N` chip would land back in that view after refining and never see the `RefinePanel`.
- `RefinePanel.submit()` now does `router.replace('/trips/${tripId}')` BEFORE `router.refresh()` to strip stale query params.
- Historical-round banner upgraded to a coral CTA with a “Back to current round →” button.

gpt-5.5 switch

Both LLM flows moved to `gpt-5.5`: - Recommendation engine: medium reasoning. - Itinerary writer: low reasoning.

`REC_PROMPT_VERSION` and `ITIN_PROMPT_VERSION` bumped to invalidate `rec_cache`.

Commits this week

Hash	Subject
d3082ba	Phase G + H: deterministic flight pricing + refine UX fix
4d6c011	amadeus: filter to direct (nonStop) flights only
a0f47c0	config: switch both LLM flows to gpt-5.5, bump reasoning effort
62d726d	Phase F: anchor contract — <code>/destinations</code> → <code>/plan?anchor=...</code> actually pins the destination
0908a17	docs(claude.md): align with v2 + v3 reality
084f465	v2 + v3: browse grid, i18n, multi-stop deferred, landscape filters, scenery scoring
2918f02	gallery: add 10 Figma-palette variants v16–v25
b6e6a40	deploy: Vercel prep — <code>maxDuration</code> for slow routes + <code>DEPLOYMENT.md</code>
076e806	ux: progress bar + auto-poll while computing, real NP hero photos
6017931	v2 Track A+B: <code>TradeoffMatrix</code> , <code>RefinePanel</code> , <code>RoundSwitcher</code> (UI)

Hash	Subject
13f244f	v2 Track A+B: refine rounds + tradeoff scoring (server-side)
a5284c3	v2 Track C: migrate live flow to v3-pastel visual language
1497018	v2 Track D: enrich rank candidates + bump reasoning none→low
5687fcf	P2: correctness — token-refresh CAS, stale lock recovery, cache-key edges
72404e4	P1: security — sign OAuth cookie, harden SSE, drop debug route
e838da8	P1.2: SSE assembler — track terminal events, surface failures
b22a074	preFilter: budget gate now checks total trip cost, not just flight
a403498	wizard: replace dual date inputs with two-month range calendar
e345101	expand seed: 26 → 40 destinations, bump SEED_VERSION

(Plus ~12 smaller commits for gallery variants, photo prefetch wiring, and CLAUDE.md updates.)

Stats

- **326** destinations enriched (landscape, experiences, scenery score 1–5, scenic signals).
- **318/326** Wikipedia photos cached locally; 8 fall back to Picsum.
- **326/326** Chinese names + blurbs (3-tier translation pipeline).
- **2** LLM flows on gpt-5.5 (rec engine medium, itinerary low).
- **6** Supabase migrations applied (0001 init → 0006 recommendation rounds).
- **0** live committed secrets — verified via `git log --all -p regex` scan today.

Security review

Wrote a layered security audit covering secrets, RLS, AI inputs, env separation, CI/pre-commit gates, monitoring, and supply chain.

- **Critical: 0** — the SECURITY DEFINER + service-role + pgp_sym_encrypt + signed-cookie design holds up.
- **High: 1** — no `.github/workflows/` and no `.husky/`, so the CLAUDE.md “always do this” routine is a human checklist with nothing enforcing it.
- **Medium: 6, Low: 7** — full report in SECURITY_REVIEW.txt at the repo root.

Still pending

- **Phase B — multi-stop combos** (planned, deferred). Schema + ranker prompt + UI sketched in docs/sprints/v2-v3-plan.md. Biggest remaining feature.
- **Codex MCP review of v40-v51** (gallery variants).
- **8 photo gaps** still on Picsum fallback.
- **CI workflow + Husky pre-commit** (the “high” item from the security review).

How to run locally

```
npm install
cp .env.local.example .env.local          # fill in Clerk, Supabase,
      Codex keys
npm run dev                                # http://localhost:3000
```

Verification routine before committing:

```
npx tsc --noEmit
npm run lint
npm run audit:meta
npm run build
```

Generated 2026-05-05. See CLAUDE.md for the full project guide and docs/sprints/v2-v3-plan.md for sprint plans + codex review notes.