


Result 2 (fair protocol), four-panel spread-flagged view: persona-vector reads across evaluation regimes, hatched where the DV spread gate fails



Spearman rho of each predictor vs the judged behaviour-expression DV (graded 0-100 trait rubric; hallucination's in-distribution and completely-OOD cells instead score fabricated fraction x100 — a different construct, and the averaged panel mixes the two). All arms read CONTEXT-based representations (context_end) only — the prefix-mapping arm was not scored in this round (recorded user-directed deviation). Error bars: within-draw paired bootstrap CI over eval contexts (single replicate); an averaged bar carries the elementwise MEAN of its constituents' CI bounds — conservative, not a resampled CI of the mean. 'Completely OOD' = simple mean over the behaviour's OOD rungs: evil 2 (hh-rlhf red-team, ToxicChat), sycophancy 1 (held-out Reddit r/socialskills), hallucination 2 (NQ-Open, SimpleQA) — the average means different things per behaviour. Hatched muted groups FAIL the Result 1 spread gate (floor/ceiling mass ≤ 0.90 AND split-half reliability $r_{yy} \geq 0.50$ AND min detectable $\rho \leq 0.5 \times \sqrt{r_{yy}}$, per behaviour x setting): evil fails generic chat AND both OOD rungs, so those whole groups are untrustworthy (bars kept for completeness). Averaged panel EXCLUDES spread-failed cells — its generic-chat and OOD bars average 2 behaviours (sycophancy, hallucination), the rest 3. Per-bar n_{eval} — synthetic: 200 each; generic chat: 417/415/411 (evil/syco/hall); held-out ~20% WildChat split — spread verdicts were computed on the FULL rung; in-distribution: 6,468 / 16,000 / 16,000; OOD rungs: evil 1,868 + 519, sycophancy 1,304, hallucination 3,167 + 4,021.