

AI Candidate Screening & Shortlisting - Setup Guide (v1.0)

Overview

This template screens every job application in about 20 seconds, hands the recruiter a scored, evidence-backed summary, then runs the next steps after each human decision: decision emails, a scored Stage 2 questionnaire, and interview self-booking on the recruiter's calendar. A human makes every hiring decision. It runs as one n8n workflow, reads all its settings from one Google Sheet, and is set up by pasting one Sheet URL and connecting five accounts.

What happens when a candidate applies:

1. The candidate fills in the application form and uploads a PDF resume.
2. Yes/No knockout answers (shift, location, education, start date) are checked against your rules. A "No" is flagged for review, never auto-rejected.
3. The resume is saved to Google Drive and its text is extracted.
4. Re-applications from the same email within 90 days are marked as duplicates and not re-scored.
5. The candidate is saved to the Candidates tab immediately, so no application is ever lost.
6. AI scores each rubric criterion 0 to 5 and quotes the resume as evidence. Code, not AI, calculates the weighted score (0 to 100) and the band.
7. Every quote is checked against the resume text. Anything unverified is flagged "please verify".
8. The candidate receives an acknowledgment email. The recruiter receives a summary with the score, evidence table, strengths, concerns, and links.
9. The recruiter types Advance, Hold or Reject in the Candidates tab. After a short undo window, the matching Config email goes out. Advance carries a personal Stage 2 questionnaire link.
10. The candidate answers the Stage 2 questions. AI scores each answer with quotes, checks the claims against the resume, and code calculates a questionnaire score and a combined score.
11. The recruiter types Schedule Interview. The candidate gets a booking link, picks a free slot from the recruiter's Google Calendar, and a Calendar event with a Google Meet link is created.
12. Every step is written to the Audit Log. If anything fails, an alert email is sent.

The workflow is organized in labelled lanes:

Lane	Purpose	Trigger
Lane 1 - Application Intake	Form, knockouts, Drive, duplicates, Candidates row	Application form
Lane 1b - AI Scoring	Rubric scoring with evidence, weighted score, band	After intake
Lane 1c - Notifications	Candidate acknowledgment and recruiter summary	After scoring
Lane 2 - Recruiter Decisions	Advance / Hold / Reject and Schedule Interview, undo window, templated emails	Checks the Sheet every 2 minutes
Lane 3 - Stage 2 Questionnaire	Personal one-time link, AI-scored answers, claim check, combined score	Candidate opens their link
Lane 4 - Error Alerts	Alert email and audit entry on any failure	Any failed production run
Lane 5 - Interview Self-Booking	Free slots from Google Calendar, booking, Meet link, no double-booking	Candidate opens their booking link

Core principle: the AI recommends, a human decides. No candidate is ever rejected or told they were unsuccessful by the system.

What's included

File	What it is
AI_Candidate_Screening_v1.0_workflow.json	The n8n workflow (92 nodes, 5 lanes). Credentials and IDs are blank.
Google Sheet template	Five tabs: Config, Rubric, Questionnaire, Candidates, Audit Log
Setup Guide (this document)	Installation, configuration, daily use, troubleshooting
Test_Cases_v1.0_FINAL_RESULTS.xlsx	13 core test cases, 16 phase tests and the 12-test final regression, with n8n execution IDs

File	What it is
AI_Screening_Test_Data_v1.0.zip	12 fictional PDF resumes and a sample job description for your first test

The Google Sheet tabs:

- **Config** - one setting per row (job, thresholds, emails, AI model, decision emails, Stage 2 and interview settings). The yellow value column is the only part you edit.
- **Rubric** - the resume scoring criteria, weights, and score descriptions. Weights must total 100.
- **Questionnaire** - the Stage 2 questions, their weights and what a 5, 3, 1 and 0 answer looks like. Edit questions here, never in n8n.
- **Candidates** - one row per application, filled by the workflow. You type only in `recruiter_decision`, `decision_notes` and `interview_decision`.
- **Audit Log** - one row per event: application received, each score with evidence, decisions, emails, Stage 2 results, interview bookings, errors.

Before you start

You need three accounts (n8n, Google, OpenRouter) and about 60 minutes for the first setup.

Requirement	Why	Notes
n8n (self-hosted or n8n Cloud)	Runs the workflow and hosts the three forms	A recent version with the Form Trigger and Form nodes
Google account	Sheets (data), Drive (resumes), Gmail (emails), Calendar (interviews)	Use a recruitment mailbox, not a personal one
OpenRouter account with credit	AI scoring of resumes and Stage 2 answers	A few US dollars covers hundreds of applications (see Running costs)
One job opening with a job description	The AI scores against it	One workflow copy per job in Version 1

All resumes must be text-based PDFs. Scanned images are flagged "Resume text could not be read" for manual review.

Step 1: Copy the Google Sheet and create the Resumes folder

1. Open the Google Sheet template link you received.
2. Click **File > Make a copy**. Name it, for example, "Screening - CSR Voice - 2026".
3. Keep the five tab names exactly as they are (Questionnaire too): **Config, Rubric, Candidates, Audit Log**. The workflow finds tabs by name.
4. Do not rename, reorder, or delete any column headers in Candidates and Audit Log. You may add your own columns at the far right.
5. In Google Drive, create a folder for resumes, for example "Screening - Resumes".
6. Open that folder and copy its ID from the address bar. The ID is the long code after `/folders/`.
7. In the **Config** tab, paste that ID into the value of `resume_folder_id`.
8. Copy the full URL of your Sheet from the browser address bar. You need it in Step 3.

Step 2: Import the workflow into n8n

1. In n8n, open **Overview** and click **Create Workflow**.
2. Click the ... menu (top right) and choose **Import from File**.
3. Select `AI_Candidate_Screening_v1.0_workflow.json`.
4. The canvas shows the lanes with coloured sticky notes. Several nodes show a warning icon until credentials are connected in Step 4. This is expected.
5. Click **Save**.
6. Open the workflow **Settings** and set **Timezone** to your local timezone. It is set to Asia/Manila by default.

Step 3: Fill in the SETUP node

The SETUP node is the only node you edit. Every Google Sheets node, the email links, and the error alerts read from it.

1. Double-click the node **SETUP - Paste Your Sheet URL** (next to the Application Form, at the start of the workflow).
2. In `sheet_url`, replace `PASTE_YOUR_GOOGLE_SHEET_URL_HERE` with the Sheet URL you copied in Step 1.
3. In `fallback_alert_email`, enter the address that should receive error alerts if the Sheet itself cannot be read (for example, your IT or automation contact).
4. Close the node and click **Save**.

Why one node: the workflow needs the Sheet URL to find the Sheet, so the URL cannot live inside the Sheet. Everything else does.

Step 4: Connect the 4 credentials

Create each credential once, then select it in every node that uses it. A credential is a saved login that lets n8n act on your account.

Credential	n8n type	Nodes that use it
Google Sheets	Google Sheets OAuth2 API	Every Read / Save / Update / Write node (about 20)
Google Drive	Google Drive OAuth2 API	Upload Resume to Drive
Gmail	Gmail OAuth2	Every Send node: acknowledgment, recruiter summaries, decision emails, Stage 2 and booking summaries, alerts
OpenRouter	OpenRouter	AI Score Resume (OpenRouter), AI Evaluate Answers (OpenRouter)
Google Calendar	Google Calendar OAuth2 API	Get Busy Times, Recheck Slot Is Free, Create Interview Event

Google Calendar first: in Google Cloud Console, open the same project you use for Sheets and Gmail, go to **APIs & Services → Library**, search **Google Calendar API** and click **Enable**. Then create the credential in n8n with the same Client ID and Client Secret, and sign in with the recruiter's Google account.

For each node above:

1. Double-click the node.
2. In the **Credential to connect with** field, choose **Create new credential** (the first time) or select the one you already created.
3. For Google and Gmail, click **Sign in with Google** and allow access with the recruitment Google account.
4. For OpenRouter, paste your API key from openrouter.ai > Keys.
5. Close the node. The warning icon disappears.

Tip: if your Google Cloud app is in "Testing" mode, Google logins expire every 7 days. Publish the app (OAuth consent screen > Publish) for a login that lasts.

Step 5: Configure the job in the Config tab

Edit only the value column (column C). Changes apply to the next application; there is nothing to save or publish in n8n.

Key	What to enter	Example
job_id	A short unique code for the opening	CSR-VOICE-2026-01
job_title	The title candidates see in emails	Customer Service Representative - Voice
company_name	Your company name, used in emails	Halcyon Bay Contact Solutions
job_location	Where the role is based	Clark Freeport Zone, Pampanga (Onsite)
job_description	The full job description. The AI scores against it.	Paste the full text
shortlist_threshold	Weighted score (0-100) for the Shortlist band	75
review_threshold	Score for the Review band. Below it = Low match.	50
score_scale_max	Maximum score per criterion. Keep at 5 unless you rewrite the rubric.	5
rubric_weight_total	Automatic. Must show 100. Do not type here.	100
recruiter_name	Who reviews candidates	Ana Santos
recruiter_email	Receives every recruiter summary	recruitment@company.com
error_alert_email	Receives workflow error alerts	automation@company.com

Key	What to enter	Example
email_from_name	Sender name on candidate emails	Halcyon Bay Talent Team
duplicate_window_days	Days within which a repeat email counts as a duplicate	90
duplicate_match_on	Field used to detect duplicates. Keep as email.	email
ai_model	OpenRouter model ID used for scoring	openai/gpt-4.1-mini
ai_temperature	0 gives the most consistent scores. Keep at 0.	0
resume_folder_id	Drive folder ID from Step 1	1AbC...
knockout_1..4_question	The knockout question wording, for reference and emails	Are you willing to work night shift...?
knockout_1..4_required_answer	The answer needed to pass (Yes or No)	Yes
workflow_version	Written to every row for traceability	v1.0
privacy_notice	Your data privacy statement	By submitting, you consent...

All bands go to a human. The thresholds only sort the recruiter's attention; they never reject anyone.

Decision, Stage 2 and interview settings

These Config rows control Lanes 2, 3 and 5. The defaults work as they are; change the URLs and the calendar.

Key	Default	What it does
<code>decision_cooldown_minutes</code>	10	Undo window before a decision email goes out. Locked when the decision is first seen. 0 = send on the next check (demos only)
<code>email_advance_*</code> , <code>email_reject_*</code> , <code>email_hold_*</code>	Ready-made templates	Decision emails. Leave the Hold rows blank to send no email on Hold
<code>stage2_enabled</code>	TRUE	FALSE = no questionnaire link in the Advance email
<code>stage2_form_url</code>	Paste yours	Production URL of the Stage 2 Questionnaire Form node (ends in <code>/form/stage2</code>)
<code>stage2_link_expiry_days</code>	7	Days the questionnaire link stays valid; each link works once
<code>stage2_weight_resume</code> / <code>stage2_weight_questionnaire</code>	60 / 40	How the combined score mixes the two scores
<code>interview_calendar_id</code>	Paste yours	The recruiter's Gmail address (the calendar used for free/busy and events)
<code>interview_form_url</code>	Paste yours	Production URL of the Interview Booking Form node (ends in <code>/form/interview</code>)
<code>interview_duration_minutes</code> / <code>interview_buffer_minutes</code>	30 / 15	Interview length and the gap kept around other events
<code>interview_day_start</code> / <code>interview_day_end</code> / <code>interview_break</code>	09:00 / 17:00 / 12:00-13:00	Bookable hours and a daily break
<code>interview_weekdays</code> / <code>interview_days_ahead</code> / <code>interview_min_notice_hours</code>	Mon-Fri / 5 / 12	Which days, how far ahead, and the earliest slot offered
<code>interview_link_expiry_days</code>	5	Days the booking link stays valid

Step 6: Configure the scoring rubric in the Rubric tab

The rubric is the heart of the system: the AI scores each criterion 0 to 5 using your descriptions, and code turns the scores into a weighted total. Clear, specific descriptions produce consistent, fair scores.

Column	What it means
criterion_id	Short code (C1, C2...). Keep each one unique.
criterion	Name shown in the recruiter email
weight	Importance. All active weights must total 100.
what_to_look_for	The evidence the AI should search for in the resume
score_5 / score_3 / score_1 / score_0	What each score level looks like. The AI uses 4 and 2 for in-between cases.
active	TRUE to use the criterion, FALSE to switch it off without deleting it

How the weighted score is calculated, for each active criterion:

$$\text{weighted score} = \frac{\sum (\text{score} \div 5 \times \text{weight})}{\sum \text{active weights}} \times 100$$

Rules that keep scoring fair and useful, learned in testing:

- **Make 5 mean exceptional, not just "meets the requirement".** If every good candidate scores 5, the ranking stops separating good from excellent.
- **Remove ambiguity.** Say whether a below-target number still counts as "a specific metric". In testing, one unclear phrase moved a candidate from Review to Low match.
- **Describe evidence, not people.** Never write criteria about age, gender, appearance, religion, school prestige, or address.
- **Re-check the total.** After changing weights, the Config tab's `rubric_weight_total` must show 100, or the workflow stops and sends an alert.

Step 7: Knockout questions and form wording

Knockouts are must-have conditions answered by the candidate as Yes/No on the form, never guessed by AI. A failed knockout sets the status to **Knockout - Needs Review** and flags the recruiter email; the candidate is not rejected automatically.

The form itself is the one place where wording lives in a node, because n8n builds the form before it can read the Sheet.

1. Double-click **Application Form**.
2. Edit **Form Title** and **Form Description** (job title, company, privacy line).
3. Under **Form Elements**, edit the labels of the four knockout radio questions. Keep their field names `knockout_1` to `knockout_4` unchanged.
4. In the **Config** tab, copy the same wording into `knockout_1_question` to `knockout_4_question`, and set each `required_answer` (Yes or No).
5. Save the workflow.

Keep exactly four knockout questions in v1.0. If you need fewer, use the spare question for a condition every suitable candidate meets (for example, "Are you at least 18 years old?").

Step 8: Set up the Stage 2 questionnaire

The Advance email carries a personal one-time link to a short questionnaire. The questions live in the **Questionnaire** tab.

1. Edit the questions to fit your job. Keep 3 to 6 questions; each takes about 3 minutes to answer.
2. Give each question a `weight` (any numbers; they are normalized to 100) and fill `score_5`, `score_3`, `score_1`, `score_0` with what that level of answer looks like.
3. Set `answer_type` to Long text or Short text. Set `active` to FALSE to hide a question without deleting it.
4. In n8n, open the **Stage 2 Questionnaire Form** node, copy its **Production URL**, and paste it into Config `stage2_form_url`.

The AI scores each answer 0 to 5 with a quote from the answer. It also compares the candidate's claims about their own past experience with the resume and marks unsupported ones as **CHECK CLAIMS**. These flags never change a score; they are points to verify in the interview.

Step 9: Set up interview booking

When you type **Schedule Interview**, the candidate gets a booking link and picks a free time from your Google Calendar.

1. Make sure the Google Calendar credential is connected (Step 4).
2. Check your Google Calendar time zone (Settings → General → Time zone). The workflow uses Philippine Time (Asia/Manila); change the workflow time zone in n8n if you hire in another region.

3. In Config, set `interview_calendar_id` to the recruiter's Gmail address and adjust the hours, break, weekdays and length.
4. In n8n, open the **Interview Booking Form** node, copy its **Production URL**, and paste it into Config `interview_form_url`.

Slots are re-checked against the calendar the moment the candidate books, so two candidates can never take the same time. The event gets a Google Meet link and the candidate as a guest. Rescheduling is manual: the candidate replies to the invitation and you move the event.

Step 10: Test, publish, and share the form

Test with the fictional resumes before sharing the real link.

1. Click **Publish** (top right). The forms and the 2-minute decision check only run on the published workflow.
2. Open the **Application Form** node and copy the **Production URL** (it ends in `/form/apply`).
3. Submit one strong test resume from the test data pack, using your own email with a plus tag (for example `you+test01@gmail.com`). Gmail delivers it to your inbox.
4. Check that a row appears in **Candidates**, rows appear in **Audit Log**, and two emails arrive (acknowledgment and recruiter summary).
5. Set Config `decision_cooldown_minutes` to `0`, type **Advance** for your test candidate, and wait about 2 minutes for the Advance email. Complete the questionnaire from its link.
6. Type **Schedule Interview** for the same candidate, open the booking email, and book a time. Check the Calendar event and the recruiter email.
7. Set `decision_cooldown_minutes` back to `10`.
8. Share the application link in your job post, careers page, or Facebook/LinkedIn ad.
9. Delete your test rows from Candidates and Audit Log, and the test Calendar event, before real applications arrive.

After any change to the nodes, click **Publish** again. Changes in the Google Sheet need no publishing.

Error alerts only fire on published (production) runs, not on test runs.

Daily use for recruiters

Work from your inbox, decide in the Sheet.

Recruiter email subjects tell you what to open first:

Subject starts with	Meaning
[Shortlist 82]	Scored at or above <code>shortlist_threshold</code>
[Review 62]	Between the two thresholds
[Low match 21]	Below <code>review_threshold</code> . Still worth a glance; the AI never rejects.
[KNOCKOUT FAIL]	The candidate answered a knockout question differently than required
[VERIFY]	A score has no evidence, or a quote was not found word-for-word in the resume or answer
[DUPLICATE]	Same email applied within the duplicate window. Not re-scored.
[Stage 2 done]	The candidate finished the questionnaire. Shows resume, questionnaire and combined scores with quotes.
[CHECK CLAIMS]	Stage 2 answers claim experience the resume does not show. Verify in the interview.
[Interview booked]	The candidate booked a slot. Includes the time, Meet link and points to verify.
[ACTION] No free interview slots	The calendar had no free time in the booking window. Free up time or widen the Config hours.
[ALERT]	Something failed. The email links to the failed run in n8n.

Reviewing a candidate:

1. Read the evidence table in the email. Each score shows the exact resume quote and the reason.
2. Open the resume from the email link and check anything marked (**verify**).
3. In the **Candidates** tab, use filters on `score_band` and `status` to work through your queue.
4. Type your decision in `recruiter_decision` (Advance / Hold / Reject) with a short `decision_notes` . Within 2 minutes `decision_email_sent` shows `PENDING: <decision> until <time>` . Change or clear the cell before that time to cancel; after it, the email goes out and the cell shows `TRUE` (or `HOLD`).
5. When the Stage 2 email arrives, review the answers and any **CHECK CLAIMS** points.

6. To interview, type **Schedule Interview** in `interview_decision`. `interview_status` moves from `PENDING` until `<time>` to `INVITED` (link sent) to `BOOKED` (time chosen). To send a fresh link, clear `interview_status`.

Status values:

Status	Set by	Meaning
New	System	Received and scored, waiting for a human
Knockout - Needs Review	System	A knockout answer did not match. A human decides.
Duplicate - Needs Review	System	A re-application. Compare with the original.
Advanced / On Hold / Rejected	Recruiter decision	Set when the decision is processed after the undo window
Interview Scheduled	Candidate booking	The candidate booked an interview slot

Audit Log: filter by `candidate_id` to see the full history of one application, including every criterion's score, evidence, and reason. Use it to answer "why was this candidate scored this way?"

Troubleshooting

Start with the alert email: it names the failed node and links to the execution. In every case below the candidate's row and resume are already saved, so nothing is lost.

Symptom	Likely cause	Fix
Alert: failed at a Google Sheets, Drive, Gmail or Calendar node with an authorization error	Google login expired	Open the credential in n8n and click Sign in with Google again. Publish the Google Cloud app to stop 7-day expiry.
Alert: "Bad request" at an OpenRouter node	Wrong <code>ai_model</code> value in Config	Use an exact model ID from <code>openrouter.ai/models</code> , for example <code>openai/gpt-4.1-mini</code>

Symptom	Likely cause	Fix
Alert: 402 or credit error at an OpenRouter node	OpenRouter balance is empty	Add credit at openrouter.ai > Credits
Alert: "Rubric weights must total 100"	Weights changed in the Rubric tab	Adjust weights until Config <code>rubric_weight_total</code> shows 100
Alert: "Config tab is missing values for: ..." or "Config is missing email_..."	A required Config value or email template is blank	Fill in the named key(s). The decision check retries every 2 minutes until fixed, so expect repeat alerts until then.
Alert: "Config stage2_form_url is empty" or "interview_form_url is empty"	The form URL was not pasted into Config	Paste the node's Production URL (Steps 8 and 9)
Alert: "AI response was not valid JSON" or "AI did not score these ..."	Rare model output problem	Retry the execution from n8n (Executions > Retry). If repeated, switch to a stronger model.
Form says "Problem loading form"	Workflow not published	Click Publish in n8n
A decision stays <code>PENDING:... until <time></code>	The undo window has not ended yet	Wait until the time shown; the next 2-minute check sends it
A decision did nothing	The word in <code>recruiter_decision</code> is not Advance, Hold or Reject, or <code>decision_email_sent</code> already says TRUE	Fix the spelling. A TRUE decision is final and is never re-sent.
Candidate says the link is "not valid" or "expired"	Link was changed, already used, or older than the expiry days	For Stage 2, clear <code>stage2_submitted_at</code> only if you want them to answer again. For interviews, clear <code>interview_status</code> to send a fresh link.

Symptom	Likely cause	Fix
Booking page shows "No times available"	Calendar is full in the window, or hours are too narrow	Free up calendar time or widen <code>interview_day_start</code> / <code>interview_day_end</code> / <code>interview_days_ahead</code> , then ask the candidate to reopen the link
Interview times look shifted	Google Calendar and the workflow use different time zones	Set both to the same time zone (Step 9)
Row has no score and no alert arrived	You were testing with Execute workflow (alerts fire only on published runs)	Check the execution in n8n Executions
<code>phone</code> or a text cell shows #ERROR!	A Sheets node was changed back to Cell Format <code>USER_ENTERED</code>	Set Options > Cell Format to RAW on the Sheets write nodes
A strong candidate scored lower than expected	Ambiguous rubric wording, or a low-cost model missed a compound rule	Read the reason in the Audit Log, then clarify the rubric description or use <code>openai/gpt-4.1</code>
"Resume text could not be read" flag	Scanned or image-only PDF	Review the resume manually (scanned resumes are planned for Version 2)
Acknowledgment or invitation not in inbox	Gmail filed a message you sent to yourself	Check All Mail ; real candidates receive it normally

Data privacy and responsible AI

The template is built so a human stays accountable for every decision and every score can be explained. Your organization remains the personal information controller under the Data Privacy Act of 2012 (RA 10173).

Built-in safeguards:

- **Consent:** candidates must tick a privacy consent box before submitting.
- **Human decisions only:** the AI never advances, holds or rejects anyone. Decision emails go out only after a recruiter types the decision, with an undo window first. Knockout fails and duplicates are flagged for a human.

- **Explainable scores:** each resume criterion and each Stage 2 answer is stored with the exact quote and the reason, and quotes are checked word-for-word.
- **Claim checks, not judgments:** answers that claim experience the resume does not show are flagged for the interview; the flag never changes a score.
- **Bias controls:** the AI is instructed to ignore name, age, gender, civil status, religion, ethnicity, photo, home address, and school prestige, and to treat resumes and answers as data (instructions written inside them are ignored).
- **Secure links:** questionnaire and booking links carry a random one-time token, expire after the days set in Config, and cannot be reused. Calendar guests cannot see other guests.
- **Audit trail:** every event is logged with timestamp, actor, model, workflow version, and execution ID.
- **Data minimization:** schedule, location, and start date are asked once on the form, not inferred by AI.

Your responsibilities:

- Keep the Sheet and Drive folder shared only with the hiring team.
- Set a retention period and delete old applications and resumes (automatic deletion is planned for v2.0).
- Tell candidates in your privacy notice that AI assists screening and that a person reviews every application.
- Check how your AI provider handles data. OpenRouter lets you restrict routing to providers that do not store prompts.
- Test only with fictional data, like the included test pack.

Running costs (estimates)

AI scoring is the only usage-based cost; Google and the form are free within normal limits. Each application used about 2,100 to 2,400 AI tokens in testing.

ai_model value	Estimated cost per application	Estimated cost per 500 applications	When to use
openai/gpt-4.1-mini	about US\$0.001 to 0.003	about US\$0.50 to 1.50	Default. Lowest cost; rely on recruiter review for edge cases.

ai_model value	Estimated cost per application	Estimated cost per 500 applications	When to use
openai/gpt-4.1	about US\$0.005 to 0.01	about US\$2.50 to 5	Rubrics with compound rules ("X AND at least two of..."). More consistent scoring in testing.

Stage 2 adds one more AI call per candidate who completes the questionnaire: about 2,700 to 3,000 tokens, roughly US\$0.01 to 0.02 on `openai/gpt-4.1` and much less on `openai/gpt-4.1-mini` (estimates; check current OpenRouter pricing). Interview booking uses no AI. The 2-minute decision check uses no AI; it is two quick Sheet reads per run.

These are estimates based on measured token use and typical OpenRouter pricing; check current prices at openrouter.ai/models. The exact tokens for every application are recorded in its `SCORE_FINAL` row in the Audit Log.

Switching models takes one edit: change `ai_model` in the Config tab. No node changes are needed.

Prepared by Khael Mendoza · njmendoza.workph@gmail.com