

Annexe de la puissance : la puissance en fonction de δ et du seuil de signification (α)

δ	α pour le test unilatéral			
	.05	.025	.01	.005
1.00	.26	.17	.09	.06
1.10	.29	.20	.11	.07
1.20	.33	.22	.13	.08
1.30	.37	.26	.15	.10
1.40	.40	.29	.18	.12
1.50	.44	.32	.20	.14
1.60	.48	.36	.23	.17
1.70	.52	.40	.27	.19
1.80	.56	.44	.30	.22
1.90	.60	.48	.34	.25
2.00	.64	.52	.37	.28
2.10	.68	.56	.41	.32
2.20	.71	.60	.45	.35
2.30	.74	.63	.49	.39
2.40	.78	.67	.53	.43
2.50	.80	.71	.57	.47
2.60	.83	.74	.61	.51
2.70	.85	.77	.65	.55
2.80	.88	.80	.68	.59
2.90	.90	.83	.72	.63
3.00	.91	.85	.75	.66
3.10	.93	.87	.78	.70
3.20	.94	.89	.81	.73
3.30	.95	.91	.84	.77
3.40	.96	.93	.86	.80
3.50	.97	.94	.88	.82
3.60	.98	.95	.90	.85
3.70	.98	.96	.92	.87
3.80	.98	.97	.93	.89
3.90	.99	.97	.94	.91
4.00	.99	.98	.95	.92
4.10	.99	.98	.96	.94
4.20	-	.99	.97	.95
4.30	-	.99	.98	.96
4.40	-	.99	.98	.97
4.50	-	.99	.99	.97
4.60	-	-	.99	.98
4.70	-	-	.99	.98
4.80	-	-	.99	.99
4.90	-	-	-	.99
5.00	-	-	-	.99