FENGARDE

Open-source SIEM pipeline · Apache-2.0 · self-hosted
github.com/supermhel/fengarde

One pipeline for IT, OT and AI-agent security telemetry. It shows what happened, who or what acted, what was affected, and the evidence behind every conclusion.

OCSF-native from day one

17 parsers normalize into one open schema, so one rule covers every source that emits the event, from SSH and Windows to Active Directory.


OT and IT in one pipeline

Modbus/TCP and OPC UA run through the same detection engine, dashboard and report path as the office network. No second toolchain.

AI triage stays local

Local Ollama by default with a documented stub fallback. Alert data never goes to a third-party LLM API, and every verdict names its backend.

NINE SERVICES, ONE MESSAGE BUS



Services never import each other; they share frozen bus contracts only. Delivery is at-least-once, and alert ids are deterministic, so replays are idempotent.

THE DEMO: TWO ATTACK STORIES

1. ▲ **IT:** 12 failed SSH logins in 60 s trigger the authentication brute-force rule (T1110).
2. ▲ **AI:** an n8n webhook appears out of hours. An agent's tool call carries a prompt-injection indicator, reaches a non-allowlisted domain and reads credential material.
3. ▲ **OT:** a Modbus/TCP write lands outside the PLC's expected address range.
4. **Correlation:** the AI → OT steps on one host (7 alerts, 6 tactics across ATT&CK, ATLAS and ATT&CK for ICS) become one incident, with an entity graph and a hash-chained evidence package.
5. **Report:** one click drafts a deterministic NIS2 notification (Art. 23, §32 BSIG) in German or English. No LLM is involved.

The demo inputs are scripted and synthetic. Every alert, incident and report comes from the real pipeline code (`tools/build_demo_fixture.py`). Nothing is mocked.

MEASURED, WITH LIMITS STATED

0.875	macro-F1 across rules on the project's own labelled fixtures (eval/trend.jsonl). This is not an independent benchmark.
42.3 %	parser coverage of public external log corpora: the share of files a parser accepts today, published rather than hidden.
17	Atheris fuzz targets, one per parser, since every parser processes untrusted log input.
0 fabricated	Empty states say why they are empty, and stubbed capabilities are labelled as stubs.

RUN IT

```
git clone https://github.com/supermhel/fengarde
cd fengarde && make preflight && make demo
# real SSH brute-force alert in ~30-60 s → localhost:8080
python tools/demo_e2e.py   # zero-infra, no Docker
```

Live demo
supermhel.github.io/fengarde/demo/

Code
github.com/supermhel/fengarde

Built for
European industrial Mittelstand, MSSPs, NIS2