

Rodríguez Vera. José Antonio.

Course Start Activity - Compute it

Go to the following URL: <https://compute-it.toxicode.fr/?lang=en>

You will find several levels and you must use your wits to advance through them. As you complete the levels, you will encounter various instructions. You must write them down in this same file and provide a brief explanation for each instruction.

Instructions:

up: This one is used to go up

left: This one is used to go to the left

right: This one is used to go to the right

down: This one is used to go down

repeat () {}: Repeat the instructions inside {} the number of times that () indicates.

If there is a repeat inside the {} it will repeat the full instruction the number of times that () indicates in order. Repeat (2) { repeat (3) {down} left}. have to do 3 downs in a row and then one to the left after have to repeat the whole instruction 2 times.

if {}: If the instruction {} is true it will do the one in the {} if not it

will do the one after the {}.

if there is a repeat before the if instruction, the repeat will only succeed if the if instruction is true if not it will do the instruction after the } of the if instruction.

else: if the instruction above results in a false result then this one instruction will tell the program the next instruction.

else if inside else if: if the instruction above is false it will do this one if not it will do the next else instruction if everything is false then it will do the instruction next to the }

while: While this instruction is true it will do everything that is inside {} until it results on false, then if it results in false it will do the instruction after the }.

if not: if the result is any instruction that is not the one next to the if then the result is true and the instruction inside {} will be done aside this it will do the one next to }.

the word function defines what the word next it does, for example.

left ()

totheright ()

function totheright () {

right ()

```
right ()
```

```
right ()
```

```
}
```

This defines that the word to the right have the function to do 3 right instructions in a row (it is not an instruction by itself)

if there is a defined function inside a function it works like an instruction, being the instruction defined inside the function, for example

```
function apple () {
```

```
tree ()
```

```
left ()
```

```
}
```

```
function tree () {
```

```
right ()
```

```
down ()
```

```
up ()
```

```
}
```

```
repeat (2) {
```

```
apple ()
```

```
}
```

this instructions will do two times the function defined in apple.