




A **TRUST** YOU CAN **PUT**
ON



ICE TOUCH[®]
DECORATIVE LAMINATES
By AN ISO 9001 : 2008 COMPANY

COMPANY PROFILE

The company SUPERTECH LAMINATES PVT. LTD. is founded by a team of experts having more than **25 years** of experience in the field of manufacturing decorative laminates. The main "**MANTRA**" of the company is "**GIVING BEST VALUE FOR CUSTOMER'S MONEY**". To achieve their commitment the company is doing continuous R&D and hiring best consultants & scientists of the industry, to make their products better & better.



CONTENTS

D.No.	Design Name	Page
MGL	MIRROR HIGH GLOSS	2-13
SM FINISH	SM FINISH	14-15
FBT	FLORA BALES TRACK	16-17
3DF	3D FLOWER	18-19
FLD	FLORA DALES	20-21
MFL	MULTI FLOWER LEAFS	22-23
LGF	LEATHER GLOSS FINISH	24-25
FCG	FLORA GLOSS CHANNEL	26-27
CRS	CROWNING STREETS	28-29
MSR	MAGIC STAR	30
CLF	CRAZY LEAFS	31
PNX	PIONEER NEXT	32-33
FLR	FLORAL	34-35
FW	FINE WOOD	36
NV	NATURAL VENEER	37
SPG	SPIRITUAL GLOW	38
TNG	TEAK CHANNEL	39
SF	SUEDE FINISH	40-54
SOLID	SOLID COLORS	55
METALLIC FOIL		56
MARKERS		56



MGL*

> Mirror High Gloss



SF · 506

SF · 515



MIRROR
HIGH GLOSS

"A house is much more than a mere shelter,
it should lift us emotionally and spiritually."



♥ MGL - 515



♥ MGL - 506



MGL*



♥ MGL-55



♥ MGL-513



♥ MGL-479

MIRROR
HIGH GLOSS

"Be faithful to your own taste because nothing, you really like, is ever out of style."



♥ MGL - 512



♥ MGL - 522



♥ MGL - 54



♥ MGL - 21



♥ MGL - 50



♥ MGL - 514



♥ MGL - 51



♥ MGL - 507

MIRROR HIGH GLOSS

"MIRROR HIGH GLOSS the finish that touches interior's heart and soul."



♥ MGL - 17



♥ MGL - 12



♥ MGL - 19



♥ MGL - 6



Recommended to view sample in large format.



Laminate is best applied vertically.

| MGL*



♥ MGL - 504



♥ MGL - 520



♥ MGL - 4




♥ MGL - 3

MIRROR
HIGH GLOSS

"A room should start a conversation before people actually starts exchanging words."



♥ MGL - 5



♥ MGL - 22



♥ MGL - 26



♥ MGL - 27

MIRROR
HIGH GLOSS




♥ MGL - 48



♥ MGL - 49



♥ MGL - 2



♥ MGL - 59

"The design needs to be visually powerful, intellectually elegant and above all timeless."



♥ MGL - 66 |



♥ MGL - 67 |




MGL - 34




MGL*


MIRROR
HIGH GLOSS




♥ MGL - 32



♥ MGL - 33



♥ MGL - 34




♥ MGL - 36



♥ MGL - 48



♥ MGL - 38



♥ MGL - 37



♥ MGL - 39



♥ MGL - 40



♥ MGL - 42



♥ MGL - 43



♥ MGL - 44



♥ MGL - 41



♥ MGL - 49



♥ MGL - 46

>SM Finish



♥ SM - 01



SM*



"Pick what you like because living with a trend that is yours is always a good choice."




♥ SM - 02



♥ SM - 03



♥ SM - 04



♥ SM - 05



Recommended to view sample in large format.



Laminate is best applied vertically.




| FBT*

FLORA
BALES TRACK




♥ FBT - 01



♥ FBT - 02

**FLORA
BALES TRACK**

*"Desire to deserve
the dazzling Design."*




♥ FBT - 03



♥ FBT - 04

| 3DF*

"A room should never allow the eye to settle in one place. It should smile at you and create fantasy."



3DF - 04



3D
FLOWER



3DF - 02



3DF - 03



3DF - 01



3DF - 06

|FLD*

"Some people look for a beautiful place,
Other makes a place beautiful."



FLD - 08



FLD - 11



FLD - 01



FLD - 04

MFL*

"To be beautiful, a room must contain the contrast in forms as well as in colours and texture. "




♥ MFL - 01



MULTI FLOWER LEAFS



♥ MFL - 03



♥ MFL - 05



♥ MFL - 10



♥ MFL - 11

Leather Gloss Fusion

24



Au- 1



LGF 11 Au- 3


SF 8501

LEATHER
GLOSS FUSION

"Aspire to adorn the ambience
with aesthetics."



♥ LGF-01



♥ LGF-02



Recommended to view sample in large format.




Laminate is best applied vertically.



FCG*

"The best designs are personalized
and unique to the individual."




♥ FCG - 05



FLORA
GLOSS CHANNEL




FCG - 01



FCG - 03

CRS* > Crown Streets




CRS - 10




◆ CRS : Crowning Streets ◆

*"Your home should tell the story
of who you are and so be a
collection of what you love."*



♥ CRS - 01



♥ CRS - 02



♥ CRS - 08



Recommended to view sample in large format.




Laminate is best applied vertically.



MSR*

➤ Magic Star



♥ MSR - 01



♥ MSR - 06



♥ MSR - 07




> Crazy Leaf

CLF**



♥ CLF - 04



♥ CLF - 05

› Pioneer Next

PNX*



♥ PNX - 04

SF - 8504

◆ PNX : Pioneer Next ◆



❤ PNX-08



❤ PNX-07



❤ PNX-06

◆ FLR : FLORAL ◆

FLR*



♥ FLR - 04



♥ FLR - 11




♥ FLR - 17



♥ FLR - 18

FLR*

◆ FLR : FLORAL ◆



♥ FLR - 07




♥ FLR - 12




♥ FLR - 05



♥ FLR - 08



❤ FW - 01



❤ FW - 04

NV*

◆ nv : Natural Veneer ◆



♥ NV - 03



♥ NV - 04




|SPG*

> Spiritual Glow



♥ SPG - 17



♥ SPG - 18

TNG** > Teak Channel

"If you love the design of your home,
then that is all that matters.
Be careful not to chase trends."



♥ TNG - 12



♥ TNG - 13



♥ TNG - 18



SF - 8515 | GREEN WOOD



SF - 8504 | FINLAND OAK



SF - 8520 | PERTH TEAK



a way as best to accomplish a particular purpose."

SUEDE
FINISH



SF - 8517 | MOZAMBIQUE TEAK



SF - 8516 | SIBERIAN TEAK



SF - 8523 | DESERT TEAK



SF - 8505 | SPANISH TEAK



SF - 8507 | MODERN TEAK



SF - 8506 | ZAMBIAN TEAK



SF - 8436 | BROWN TEAK WALNUT

gn is very subjective and personal. ”

SUEDE
FINISH



SF-8512 | PERU TEAK



SF-8479 | BROWN CHESTNUT



SF-8480 | GREY CHESTNUT




SF - 8513 | LITE MAPLE



SF - 8449 | MESSY WALNUT



SF - 8456 | MALASIAN WOOD



SF - 8440 | UNIQUE WALNUT

erish your chambers."


SUEDE
FINISH



SF - 8478 | BRENT WOOD



SF - 8388 | AFRO WALNUT



SF - 8462 | SPANISH BURRY



SF - 8463 | KEPTOWN BURRY

> WOOD GRAINS

SUEDE
FINISH



SF-8518 | MOLDEE AQUASIA



SF-8503 | VANCOUVER TEAK



SF-8519 | EUREKAA OAK



SF-8484 | ROSENUT WOOD

SF | WOOD GRAINS



SF - 8481 | SALMANIA ANTIQUE



SF - 8514 | YELLOW OAK



SF - 8482 | DEVINE OAK



SF - 8865 | GHANA WALNUT

Recommended to view sample in large format.

Laminate is best applied vertically.



SF - 8483 | CAMEROON WOOD



SF - 8471 | ROYAL TEAK



SF - 8614 | ROSE TEAK WALNUT



SF - 8472 | PRETTY ROSE

ed and unique to the individual."

| SUEDE
FINISH



SF-8525 | PLANKET MAPLE



SF-8635 | MINAR TEAK



SF-8448 | SLIMANIA TEAK



SF-8522 | HAYWARD PINE

Recommended to view sample in large format. Laminate is best applied vertically.



SF - 8524 | ZARA TEAK



SF - 8537 | AYODA WOOD



SF - 8538 | MANDOLA TEAK



SF - 8540 | WOOD BLOCK



it should lift us emotionally and spiritually.”

SUEDE
FINISH



SF - 8508 | HIGH LAND OAK



SF - 8510 | BELFOURT WOOD



SF - 8511 | WILD TEAK




SF - 8509 | KUMASI OAK



SF - 8377 | WHITE ASH WOOD



SF - 8439 | BLACK ZEBRA LINE



SF - 8380 | BLACK ASH WOOD



SF - 8847 | DEEP WENGE



SF - 8808 | SAPELI



SF - 8848 | FLOWERY WENGE

a way as best to accomplish a particular purpose."

SUEDE
FINISH



SF-8432 | BROWN BOROLIAN SWAN




SF-8431 | LIGHT BOROLIAN SWAN



SF-8433 | BLACK BOROLIAN SWAN



SF-8454 | ALASKA ELM




SF-8453 | AFRICAN ELM

Recommended to view sample in large format. Laminate is best applied vertically.

> WOOD GRAINS | SUEDE FINISH



8951 | FABRIC 1




8952 | FABRIC 2




8953 | FABRIC 3



8954 | COTTON IVORY




8955



8521 | COTTON LITE GREY



8501 | COTTON BROWN



8502 | COTTON DARK GREY



8359 | SILVER TITAN



8625 | STEAM BEECH



8627 | CHERRY BEECH



8601 | MYSORE TEAK



8642 | NAINA TEAK



8555 | BURMA TEAK



Recommended to view sample in large format.



Laminate is best applied vertically.

SOLID

COLORS



8101 MT
WHITE



8101 SF
WHITE



8102 MT
OFF WHITE



8102 SF
OFF WHITE



8111
IVORY



8104
GRAY



8118
DARK GRAY



8119
CARBON GRAY



8109
GOLDEN YELLOW



8112
ORANGE



8114



8106
PINK



8129
VOILET



8121
RED



8105
CHERRY



8152
COFFEE



8153
PURPLE



8130
SKY BLUE



8131
DARK BLUE



8135
OCEAN BLUE



8133
ROYLE BLUE




8134
NAVY BLUE



8151
BLACK



8141
PISTA




8140
PEACOCK GREEN




8124
GREEN




8145
CHALK GREEN



8155



8156



8157



8158



> METALLIC FOIL (1.0 MM)



01 | MF



02 | MF



03 | MF



04 | MF

> MARKER'S



WHITE MARKER SHEET




CHALK BOARD SHEET



BLACK BOARD SHEET



BACK SANDING



FIRE RETARDANT

Fire Retardant Laminates are safe, harmless, sturdy and come in exquisite design and colours. They are treated with imported Fire Retardant chemicals that minimizes smoke emission and delay the temperature rise, making it more resistant to Fire and ill effects.
Available Thickness : 3mm to 15mm

EXTERIOR GRADE LAMINATES

Exterior Compact Laminates as the name suggests is the ideal product for exterior applications. Applied in Office Exterior, Gates, Buildings, Exterior Decoration, etc,
Available Thickness : 3mm to 15mm



INTERIOR GRADE LAMINATES

Interior Laminates as the name suggests is the ideal product for interior applications. Applied in kitchen cabinets, cupboards, bathrooms, office partitions, etc.
Available Thickness : 3mm to 15mm

DIGITAL LAMINATES

It is 3D Design Printed on Laminates. Digital Laminates are actually the digital (HD) customized printed laminates for interior decor that gives 3D looks of designs on the furniture.
Available Thickness : 10mm



WHITE BOARD



CHALK BOARD



DOOR SKINS

Door Laminates that perfectly laminate your doors without incurring extra cost or wastage. It is a specialized printing on HPL giving your door a stunning look



PROPERTIES	THICKNESS
	0.8mm AND 1.0mm

RESISTANCE TO SURFACE WEAR	350 (Revolutions)
----------------------------	-------------------

RESISTANCE TO IMMERSION IN BOILING WATER	10.0 (Maximum)
MASS INCREASE (%)	11.8 (Maximum)
THICKNESS INCREASE (%)	Not worse than 4
APPEARANCE	
RESISTANCE TO DRY HEAT 180°C	Not worse than 4
DIMENSIONAL STABILITY AT DEVIATED TEMPERATURE	
LONGITUDINAL (%)	0.55 (Maximum)
TRANSVERSE (%)	1.025 (Maximum)
DIMENSIONAL STABILITY AT 20°C	
LONGITUDINAL (%)	0.375 (Maximum)
TRANSVERSE (%)	0.060 (Maximum)
RESISTANCE TO IMPACT BY SMALL DIAMETER BALL	20 N (Minimum)
RESISTANCE TO CRACKING	Not worse than 4
RESISTANCE TO SCRATCHING	2 N (Minimum)
RESISTANCE TO STAINING	Not worse than 5
RESISTANCE TO COLOUR CHANGE (WOOL STANDARDS)	Not worse than 6
IN ZENON ARC LIGHT	Not worse than 5
IN ENCLOSED CARBON ARC LIGHT	
RESISTANCE TO CIGARETTE BURNS	Not worse than 3
RESISTANCE TO STEAM	Not worse than 4

PRODUCT DATA

SIZE	: 2440mm XX 1220mm
THICKNESS	: 0.8Mm AND 1.0mm Other thickness available on request.
CARE AND MAINTENANCE	: Wipe & Clean with ordinary soap, water or household ammoniated liquid detergent.

! CAUTION !

- * The Sample pasted describe design, colour, finish only and not actual thickness & shade.
- * As it is a designer product, despite our best efforts, the shade may vary from lot to lot. It is advisable to check it before use.
- * Inspect the product before using, in case of any defect the product should not be cut, altered or pasted in any manner.
- * After cutting or altering the size or pasting of the product : The company shall not be liable for any defect in the product or any loss due to use of product.
- * In case of any discrepancy, company's liability will be limited to the cost of our product only.

ISI Guidelines for Typical Problems

Some problems which may arise after laminates have been fabricated and installed are:


Stress Cracking:

Cracking of the laminate at corners and around cut-outs (see Fig. A) may be caused by improper conditioning, improper bonding, poor planning or any combination of these. Conditioning both the laminate and the substrate helps to prevent cracking caused by shrinkage and rough edges.



Open Seams:


Open joints or seams (see Fig. B) are typically caused by improper conditioning and / or bonding. Conditioning both the laminate and the substrate helps prevent open seams caused by shrinkage. Allowance should also be made for some movement of the laminate.



Extra care required in vertical pasting of laminated sheet as there is possibility of bubbles due to lack of uniform pressure.

Glue Line delamination:

Separation of the laminate from the substrate (see Fig. C) is generally caused by a poor adhesive bond. Factors which can influence the bond can cause poor adhesion are improperly prepared or dirty gluing surfaces, insufficient agitation or mixing of the adhesive, insufficient amount of adhesive on either or both surfaces, temperature of the gluing area and materials below 21°C (70°F), blushing caused by excessive humidity, bonding when the adhesive coated surfaces are over dried or under dried, bonding with insufficient pressure and failed bonding of oversize sheets. Contact adhesive can often be reactivated by heat and rebounded with proper pressure provided that adequate adhesive has been applied; in cases, where the edge is lifting, extra adhesive may be added and the proper pressure applied.



Do not use chemicals.



Avoid direct Sun Light/ continuous light. These may cause to colour fading.



Blistering or bubbling caused by exposure to heat:

The forming of a blister or bubble over a small well defined area, often accompanied by darkening of the laminate, can be caused by either a single or continual exposure to an outside source of heat. Appliances which produce heat, hot objects, light bulbs etc. should not be placed in contact wth or in close proximity to the laminate surface. Temperatures exceeding 66°C (150°F) may result in separation of the laminate from the substrate due to adhesive failure.

Laminate Cracking:

Cracking in the center of the laminate sheet can be caused by flexing of the substrate when it spans a wide distance or by spot gluing. Wide spans require sturdy framework and all glue lines should be uniform. Avoid trapping foreign objects in the glue line between the laminate and the core as cracks will occur when pressure is applied.

INDEX

D.No.	Design Name	Page
SM	SM FINISH	14-15
FBT	FLORA BALES TRACK	16-17
3DF	3D FLOWER	18-19
FLD	FLORA DALES	20-21
MFL	MULTI FLOWER LEAFS	22-23
LGF	LEATHER GLOSS FUSION	24-25
FCG	FLORA GLOSS CHANNEL	26-27
CRS	CROWNING STREETS	28-29
MSR	MAGIC STAR	30
CLF	CRAZY LEAF	31
PNX	PIONEER NEXT	32-33
FLR	FLORAL	34-35
FW	FINE WOOD	36
NV	NATURAL VENEER	37
SPG	SPIRITUAL GLOW	38
TNG	TEAK CHANNEL	39
MF	METALLIC FOIL	56



D.No.	Design Name	Page	D.No.	Design Name	Page
8359	SILVER TITAN	54	8510	BELFOURT WOOD	51
8377	WHITE ASH WOOD	52	8511	WILD TEAK	51
8380	BLACK ASH WOOD	52	8512	PERU TEAK	43
8388	AFRO WALNUT	45	8513	LITE MAPLE	44
8431	LIGHT BOROLIAN SWAN	53	8514	YELLOW OAK	47
8432	BROWN BOROLIAN SWAN	53	8515	GREEN WOOD	40
8436	BLACK BOROLIAN SWAN	53	8516	SAIBERIAN TEAK	41
8439	BROWN TEAK WALNUT	42	8517	MOZAMBIQUE TEAK	41
8440	BLACK ZEBRA LINE	52	8518	MODLDEE AQUASIA	46
8448	UNIQUE WALNUT	44	8519	EUREKAA OAK	46
8449	SLIMANIA TEAK	49	8520	PERTH TEAK	40
8453	MESSY WALNUT	44	8521	COTTON LITE GREY	54
8454	AFRICAN ELM	53	8522	HAYWARD PINE	49
8456	ALASKA ELM	53	8523	DESERT TEAK	41
8462	MALASIAN WOOD	44	8524	ZARA TEAK	50
8463	SPANISH BURRY	45	8525	PLANKET MAPLE	49
8471	KEPTOWN BURRY	45	8537	AYODA WOOD	50
8472	ROYAL TEAK	48	8538	MANDOLA TEAK	50
8478	PRETTY ROSE	48	8540	WOOD BLOCK	50
8479	BRENT WOOD	45	8555	BURMA TEAK	54
8480	BROWN CHESTNUT	43	8601	MYOSORE TEAK	54
8481	GREY CHESTNUT	43	8614	ROSE TEAK WALNUT	48
8482	DEVINE OAK	47	8627	STEAM BEECH	54
8483	CAMROON WOOD	48	8635	CHERRY BEECH	54
8484	ROSENUT WOOD	46	8642	MINAR TEAK	49
8501	COTTON BROWN	54	8808	NAINA TEAK	54
8502	COTTON DARK GREY	54	8847	SAPELI	52
8503	VANCOUVER TEAK	46	8848	DEEP WENGE	52
8504	FINALND OAK	40	8865	FLOWERY WENGE	52
8505	SPANISH TEAK	42	8951	GHANA WALNUT	47
8506	ZAMBIAN TEAK	42	8952	FABRIC 1	54
8507	MODERN TEAK	42	8953	FABRIC 2	54
8508	HIGH LAND OAK	51	8954	FABRIC 3	54
8509	KUMASI OAK	51	8955	COTTON IVORY	54

D.No.	Page	D.No.	Page
2	10	48	13
3	8	49	10
4	8	49	13
5	9	50	6
6	7	51	6
12	7	54	5
17	7	55	4
19	7	59	10
21	5	60	11
22	9	61	11
26	9	62	11
27	9	63	11
32	13	64	12
33	13	65	12
34	13	66	12
35	13	67	12
36	13	479	4
37	13	504	8
39	13	506	3
40	13	512	5
41	13	513	4
42	13	514	6
43	13	515	3
44	13	517	6
46	13	520	8
48	10	522	5

MGL : MIRROR HIGH GLOSS

SOLID / PLAIN COLOURS					
D.No.	Design Name	Page	D.No.	Design Name	Page
8101	WHITE	55	8130	SKY BLUE	55
8101	WHITE	55	8131	DARK BLUE	55
8102	OFF WHITE	55	8133	ROYLE BLUE	55
8102	OFF WHITE	55	8134	NAVY BLUE	55
8104	GRAY	55	8135	OCEAN BLUE	55
8105	CHERRY	55	8140	PEACOCK GREEN	55
8106	PINK	55	8141	PISTA	55
8109	GOLDEN YELLOW	55	8145	CHALK GREEN	55
8111	IVORY	55	8151	BLACK	55
8112	ORANGE	55	8152	COFFEE	55
8114		55	8153	PURPLE	55
8118	DARK GRAY	55	8155		55
8119	CARBON GRAY	55	8156		55
8121	RED	55	8157		55
8124	GREEN	55	8158		55
8129	VOILET	55			

IT IS STRICTLY ADVISABLE TO PROPERTY CONDITION THE OBJECT ALONG WITH LAMINATES ACCORDING TO THE CLIMATE.
 AS WITHOUT PROPER CONDITIONING, IT MAY LEAD TO CRACKS IN THE LAMINATE.
 COMPANY WILL NOT BE LIABLE FOR SUCH TYPE OF PROBLEMS.





SUPERTECH LAMINATES PVT. LTD.
www.supertechlaminates.com
supertechlam@yahoo.com