



Part list for one assembly marked: AT0003										Q.ty tot.
TCM Finish.1 Code: Fireproof Type:										
Part.N.	Q.ty	Profile	Material	Lenght [mm]	Weight [kg]		Area [m ²]			
					Unit	Total	Unit	Total		
A0208	1	PL15*200	S355J2	300	7.07	7.07	0.14	0.14		
AT0003	1	UPN120	S355J2	1379	18.40	18.40	0.60	0.60		
Assembly total									25.47	0.73


FINISHING SPECIFICATION					
	Substrate	Surface Preparation and Blast Profile	Coat	Generic System Details	DFT (µm)
PAINTING CYCLE	CS	ISO 8501-1 grade Sa 2.5 or SSPC-SP 10	1.2	A Epoxy / ESI,	80-100
				B Polyurethane	100-80
				System NDFC (µm)	180
			FINISH COAT COLOR		



1:10



A - A
1:10



1:10

GENERAL NOTES

- Steel structure fabrication shall comply with the requirements of last issue of 4503-AI-DX-T0000001
- Unless otherwise specified, fillet welds shall be as per following scheme:

ASSEMBLY TITLE LEGEND			
CWA	STR. TYPE	FINISH	ASS. POS.
VAR. DIGITS	1 DIGIT	1 DIGIT	6 DIGITS
8901	0	1	AT0003
- Where required, masking area shall be provided on contact surface sides. Unless otherwise specified, masking size and pattern according to below mask details for painting:

CASE 1	CASE 2	CASE 3

= MASKING AREA all masking meas. in mm
 denotes masking side
- denotes assembly orientation mark
- All dimensions and coordinates are in millimeters, elevations in meters
- Only written dimension shall be followed, drawing shall not be scaled off
- Seal welds to be provided as per document 4503-XI-SW-T0000001

00	04.02.2026	ISSUED FOR CONSTRUCTION	Z.Neng	X.Qiang	Z.YingDong
REV.	DATE	REASON FOR ISSUE	PREPARED	CHECKED	APPROVED
			MANUFACTURER		
			VENDOR DRAWING No. AT0003		
			DOC. CLASS: 03		
PROJECT TITLE			SILLEN EPC PE UNITS, LAO AND UI&O		
DRAWING TITLE			INTERCONNECTING PIPE RACK (IPR) SECTION 1 SHOP DRAWING OF CABLE TRAY SUPPORT 8901IR004I01AT0003		
SHEET SIZE A3		PURCHASE ORDER NUMBER 7500137917		REVISION 00	
SCALE: 1:10		MATERIAL REQUISITION NUMBER 001T01		SHEET 1 of 1	