

Click Tracking — Integration Brief

For the betindia.bet website team · Smart Link Manager · go.betindia.games

Why

BetIndia pays publishers (cricket apps, sports sites) to show banner ads. Today there is no way to tell which of them actually produces customers — only which of them *claims* to.

This integration closes that. When someone taps a banner they arrive here carrying a click ID:

```
https://www.betindia.bet/promo/welcome?bi_click=mCdWBNCi07aim3gR9i-L_Q
```

If that ID survives to the point of registration, we can say "this signup came from this exact banner on this publisher". Without it we can count clicks and nothing else.

Two pieces of work

	Who	Effort
Part 1 — carry the click ID to the signup form	Front-end	~30 min
Part 2 — tell us when an account is created	Back-end	~1 hour

Part 1 without Part 2 gets you nothing. Part 2 without Part 1 gets registration counts with no idea where they came from. Both are needed.

What this is not

- **No third-party script.** `bi-click.js` is served from betindia.bet.
- **No advertising pixel**, no fingerprinting, no analytics SDK.
- **No personal data collected by us.** The click ID is an opaque random string and the session id is random per visit; neither is derived from the user or their device.
- Two outbound calls, both to BetIndia's own domain. Nothing else is contacted.

Part 1 — Front-end

1. Serve the script

Copy `bi-click.js` to the web root so it is reachable at `https://www.betindia.bet/bi-click.js`, and include it on **every** page:

```
<script src="/bi-click.js" defer></script>
```

Every page, not just the signup page — visitors land on a promo page and register a few screens later.

2. Add two hidden fields to the registration form

```
<form data-bi-registration>
```

```

    <input type="hidden" name="bi_click">
    <input type="hidden" name="bi_click_last">
    ...
</form>

```

The script fills them automatically.

`data-bi-registration` is **opt-in on purpose** — without it a search box or newsletter form would be counted as a signup.

If the form is submitted by JavaScript rather than a normal POST:

```

const clickId = window.BI_CLICK.get();
window.BI_CLICK.track('registration_submitted');

```

3. Consent

The script reports consent as `unknown` by default — better than claiming consent nobody gave. If the site has a cookie banner, set this before the script loads:

```

window.BI_CONSENT = 'granted'; // or 'denied'

```

Part 2 — Back-end

When an account is successfully created, POST to us server-to-server.

```

POST https://go.betindia.games/api/v1/webhooks/registrations
Authorization: Bearer <SECRET – provided separately>
Content-Type: application/json

```

```

{
  "externalUserId": "48219",
  "registeredAt": "2026-09-12T10:00:00Z",
  "clickId": "<the bi_click value from the form>",
  "lastClickId": "<the bi_click_last value from the form>",
  "phone": "9876543210",
  "sourceEventId": "your-own-request-id"
}

```

Field	Required	Notes
<code>externalUserId</code>	Yes	Your platform's user ID. Without it this is not a verified registration and we reject it with 422.
<code>registeredAt</code>	No	ISO 8601. Defaults to now.
<code>clickId</code>	No	From the <code>bi_click</code> hidden field. Without it the signup cannot be traced to an ad.
<code>lastClickId</code>	No	From <code>bi_click_last</code> . Used if the first does not match.
<code>phone</code>	No	Normalised and stored as a join key. Masked in our UI.
<code>sourceEventId</code>	No	Your own request id, so a delivery can be traced back.

Response

```

{

```

```

    "accepted": true,
    "duplicate": false,
    "registrationId": "3f6df771-...",
    "attribution": {
      "confidence": "exact",
      "clickId": "mCdWBNCi07aim3gR9i-L_Q",
      "reason": "Click ID passed through the registration and matched a recorded click."
    }
  }
}

```

`confidence` tells you immediately whether the integration is working:

- `exact` — the click ID arrived and matched a real click. Working.
- `unknown` — no click ID, or one we never issued. Check Part 1.

Things to know

- **Retry safely.** Sending the same `externalUserId` twice returns `"duplicate": true` with the same `registrationId`. It never creates a second registration. Retry on 5xx; do not retry on 4xx.
 - **Call it once, after the account exists.** Not on form submit — on successful creation. A submission is not a registration.
 - **It fails closed.** If you get 503, the secret is not configured on our side; tell us.
 - Timeout us at 5 seconds and queue a retry rather than blocking your signup flow. A tracking call must never fail a user's registration.
-

Testing

Part 1:

- 1 Open `https://www.betindia.bet/?bi_click=TESTCLICKID0000000000`
- 2 Confirm a `bi_click` cookie exists with that value
- 3 Navigate to the signup page **without** the parameter
- 4 Confirm the hidden field is still populated

Part 2:

```

curl -X POST https://go.betindia.games/api/v1/webhooks/registrations \
  -H "Authorization: Bearer <SECRET>" \
  -H "Content-Type: application/json" \
  -d '{"externalUserId":"test-001","clickId":"TESTCLICKID0000000000"}'

```

Expect `"accepted": true` with `"confidence": "unknown"` — that test ID is not a real click, so it correctly does not attribute.

End to end: we will send you a real smart link. Click it, register, and we will confirm `"confidence": "exact"` on our side.

Notes for the reviewer

- Cookies are `SameSite=Lax`, not `Strict`. The visitor arrives by a cross-site redirect from the publisher, and a `Strict` cookie would not be readable on that first page view — the only one carrying the ID.
- Cookie lifetime is 30 days, matching the proposed attribution window.

- The click ID is validated against `^[A-Za-z0-9_-]{16,64}$` before being stored or written into a field. Nothing from the URL is trusted.
- Our event endpoint only accepts requests from `betindia.bet` origins, and we verify every click ID against a real recorded click before treating it as attribution — a fabricated one is accepted and recorded as *unattributed*, never as a conversion.
- Browser requests use `keepalive` so an event survives the page navigating away. A failed request is swallowed; tracking must never break the page.
- Expect incomplete coverage on iOS and inside publisher in-app browsers. Safari deletes script-set cookies after 7 days, and in-app browsers often do not share storage with the user's real browser. That is a platform limit, not a defect — a share of registrations will arrive unattributed regardless.
- Consent and retention are under legal review. Confirm the cookie is covered by the site's privacy notice before this goes live.