


MASTERS OF
PREMIUM RANGE
SILICONE PRODUCTS
FOR FOOD, PHARMA & BIOTECH INDUSTRY



ABOUT SEVITSIL

Welcome to SEVITSIL, where excellence meets customer satisfaction at its pinnacle. As a premier manufacturer of premium silicone products catering to diverse industries, including the critical medical sector, we set the standard with our unparalleled precision and quality. Renowned globally, we take pride in delivering products that not only meet but exceed expectations, making us a leader in our field. At SEVITSIL, we are committed to ensuring utmost customer satisfaction, embodying our dedication to innovation, reliability, and superior service in every aspect of our operations.

49+

years of experience

exporting to

35+

countries

18+


industries served

300+

sevitsil team strength

YOU KNOW
WE KNOW

QUALITY
DURABILITY
RELIABILITY
SUSTAINABILITY



OUR LEADING PRODUCTS FOR PHARMA INDUSTRY


- SiliTrans™ tubing for Regulatory Market
- SiliPex™ tubing for Non Regulatory Market
- SurePrene™ Tubings for thermoplastic Elastomers
- Silicone Profile Gasket for machin Application
- Silicone Container Closure for Autoclave
- AnekSil™ Tubings for Multi-lumen tube Catheters
- SiliBraid™ Hose for Fluid transfer Application
- SiliVac
- SiliVacBraid
- SiliWrap
- Silicone Bio Connectors
- Silicone Inflatable Gaskets for Fluid Bed Dryer
- SiliClamp™
- Silicone T.C Mesh Gasket
- Silicone Biological Indecator
- Sililab™ for Laboratory Products
- Silicone Molded Products

WHAT YOU WANT,
WHAT YOU NEED.




With over 5 decades of experience and unmatched **technical development capabilities**, the production results are excellent with highest customer satisfaction.

COLOR RANGE




TEMPERATURE



ID RANGE



VOLUME RESISTIVITY



Minimum
1 x 10¹⁰ OHM - CM

APPEARANCE



SHORE A HARDNESS




05 - 90
ShoreA

DIELECTRIC STRENGTH




Variable with
Customers
Requirement

CONDUCTIVE / ANTISTATIC VARIANT



DENSITY



TENSILE STRENGTH



11.0 MPA

ELONGATION



FLAME RETARDANT VARIANT




WATER & CHEMICAL RESISTANT



UV RESISTANT PRODUCTS



SUPER THERMAL RESISTANCE



SUPERIOR ELECTRICAL INSULATION



NON - TOXIC



CUSTOMISABLE SILICONE SOLUTIONS FOR ALL YOUR NEEDS



YOUR HUNT FOR PREMIUM QUALITY SILICONE PRODUCT CATERING ALL YOUR NEEDS, ENDS HERE AT SEVITSIL!

ASTOUNDING FACTS ABOUT US

- Glad to serve **1500+ clients** in more than **35 Countries**
- Over **12,000 components** developed for numerous industries
- Processing over **500 tonnes** of silicone
- Supplying more than **30 million** meters of silicone tube every year
- India's **smallest size & widest range** of tube manufacturing capabilities
- Offers new product development services for companies & start-ups (Silicone Engitech Services)
- **Batch traceability** and **laser etching** can be provided as per requirement



TRUST US FOR
MEETING ALL YOUR
SILICONE NEEDS !

Zero Defect Principle


SEVITSIL, aims at 'zero defect principle', by creating superior quality products and services backed by thorough research

Our team of experts and rubber technologists have specially formulated a quality control regime which retains the trust of our clients. More than 49 years of diligence and perseverance have today paid pff in a diligence btand presence and trade relations that span ever the globe.



SiliTrans[®] Tubing

(Platinum Cured Silicone Tubes for Regulatory Market)



APPLICATIONS

- Ultra Pure Fluid Transfer
- Peristaltic Pump
- Laboratory Use
- Media Processing
- Chemical Analyzer
- Vending Machine
- Single Use Application
- Filling Operations

BENEFITS

- Excellent Tear Resistance
- Fatigue Resistance
- Anti Aging and Antioxidant Properties
- Sterilizable and Autoclavable
- High Purity and Low Contamination



MATERIAL

Platinum Cured Silicone



CLEAN ROOM

Manufactured in Class 7



TEMPERATURE

-45 °C / +135 °C



HARDNESS

65+/-5 SHA



ANIMAL FREE

Animal derived component free

SiliPex[®] Tubing (Peroxide Cured Silicone Tubes for Non Regulatory Market)



SiliPex tubings have good flexibility and resiliency. These tubings are used where repeated sterilization is not required.

APPLICATIONS

- Fluid Transfer
- Vending Machine
- Tubing Sets
- Dairy
- Brewery



MATERIAL

peroxide-cured silicone



CLEAN ROOM

Manufactured in Class 7



TEMPERATURE

-40°C / +200°C



HARDNESS

65+/-5 SHA

Silicone Container Closure (For Autoclave/Sterilizer machine Applications)



Silicone container closure is a part of container closure systems and is an important component in the packaging of sterile products. It provides a complete aseptic seal for transferring high-purity fluids. Container-closures maintain the sterility of parenteral pharmaceuticals and prevent ingress of contamination when a needle is inserted into a vial.



MATERIAL

Platinum Cured Silicone



CLEAN ROOM

Manufactured in Class 7



TEMPERATURE

-40°C / +220°C



HARDNESS

50+/-5 SHA



COLOR

As per Requirement

SurePrene[®] - TPE Tubing (Thermoplastic Elastomers Tubing)



SurePrene tubing is manufactured from pharmaceutical-grade thermoplastic elastomer, and is fully characterised, validated, and tested to a variety of specifications & meets the critical demands of pharmaceutical and bio-pharmaceutical applications for fluid processing.

APPLICATIONS

- Sterile Filling
- Vaccine production
- Peristaltic Pump
- Pharmaceutical sampling

BENEFITS

- Very Low Spallation
- Prolonged Pump Life
- Broad Chemical Compatibility
- Low Absorption Characteristics



MATERIAL

Thermoplastic elastomer



CLEAN ROOM

Manufactured in Class 8



TEMPERATURE

-30 °C / +110 °C



HARDNESS

60+/-5 SHA



COLOR

As per Requirement

Silicone Profile Gasket (For Autoclave/Sterilizer machine Applications)



Silicone profile gasket serves the best performance for small scale to large scale operation of pharmaceutical, food, medical, biotechnology and lab applications wherever the components are exposed to sterilization, curing, vulcanization. Autoclave gasket is the main product which ensures and makes process safer, precise, easier, reproducible and validate.

AnekSil[®] Tubings - We can elevate your design and do more in less space.

(Platinum Cured Silicone Multi Lumen Tubes for Catheters & Custom Workabilities)



 **We can elevate your design and do more in less space.** 



In many medical procedures, more than one activity takes place through the same device. AnekSil tubings have the cutting-edge technology required to produce extremely high-quality catheter tubings, capacity to make 12 lumen tubes can assure you that your requirements will be fulfilled here.



MATERIAL

Platinum Cured Silicone



CLEAN ROOM

Manufactured in Class 7



TEMPERATURE

-40°C / +220°C



HARDNESS

60+/-5 SHA




COLOR

As per Requirement

SiliBraid® - Silicone Braided Hose

(For High & Low Pressurized Fluid Transfer Applications)



APPLICATIONS

- Pharmaceutical Fluid Transfer
- Biotech Fluid Transfer
- Critical Liquid Transfer
- Load Cells & Cell Culture
- Analytical Lab Food & Beverages
- Biotechnology



MATERIAL

Platinum cured silicone hose with polyester braiding



CLEAN ROOM

Manufactured in Class 7



TEMPERATURE

-80 °C / +230 °C



HARDNESS

65+/-5 SHA



AVAILABLE

SS 316L Tri-clover end having RA Value, ≤ 0.5 at Bore

Platinum Silicone Braided Hose Available Standard Sizes

Part No.	Size in mm (ID x OD)	Size in Inch (ID)	Max Working Pressure (in bar) @ 27°C	Min Burst Pressure (in bar) @ 27°C	Bend radius (in mm)	Vaccum Hg @ 70°F / 27°C (in mm)
16A0613	6 x 13	¼"	10.0	30	50	NA
16A0916	9 x 16	11/32"	9.0	27	50	NA
16A1220	12 x 20	½"	7.0	21	80	NA
16A1624	16 x 24	5/8"	7.0	21	90	NA
16A1927	19 x 27	¾"	6.0	18	110	NA
16A2535	25 x 35	1"	4.0	12	160	NA
16A3242	32 x 42	1¼"	3.0	9	200	NA
16A3850	38 x 50	1½"	2.5	8	C/P	NA

SiliVac - Platinum Cured Silicone Hose With SS 316 Helical Wire

SiliVac is platinum cured silicone hose with SS 316 Helical Wire. It has excellent flexibility for pressurized fluid transfer application in pharmaceutical and Biotech Industries.



FEATURES



APPLICATIONS

- Pharmaceutical Processing
- Powder & Fluid Transfer
- High Vacuum Applications
- Load Cell Application
- Food Processing
- Bulk Transfer
- Biotechnology

Platinum Silicone Braided Hose Available Standard Sizes

Part No.	Size in mm (ID x OD)	Size in Inch (ID)	Max Working Pressure (in bar) @ 27°C	Min Burst Pressure (in bar) @ 27°C	Bend radius (in mm)	Vaccum Hg @ 70°F / 27°C (in mm)
16G0613	6 x 13	¼"	12.0	48	50	760
16G0916	9 x 16	11/32"	11.5	48	60	760
16G1220	12 x 20	½"	10.5	45	70	760
16G1624	16 x 24	5/8"	10.0	35	80	760
16G1927	19 x 27	¾"	8.5	30	90	760
16G2535	25 x 35	1"	8.5	30	125	760
16G3242	32 x 42	1¼"	8.0	27.5	140	600
16G3850	38 x 50	1½"	7.5	25	170	600
16G5062	50 x 62	2"	6.0	22.5	240	550
16G6476	64 x 76	2½"	4.0	20	C/P	500
16G7587	75 x 87	3"	3.0	15	C/P	400
16G100112	100 x 112	4"	2.0	10	C/P	400



MATERIAL

Platinum cured silicone hose with SS 316L helical wire



CLEAN ROOM

Manufactured in Class 7



TEMPERATURE

-80 °C / +230 °C



HARDNESS

65+/-5 SHA



AVAILABLE

SS 316L Tri-clover end having RA Value, ≤ 0.5 at Bore

SiliVacBraid - Platinum Cured Silicone Hose With Polyester Braiding and SS 316 Helical Wire

SiliVacBraid is platinum cured silicone hose with SS 316L helical wire and polyester braiding having better flexibility with high pressure resistance.

APPLICATIONS

- Pharmaceutical Processing
- Powder and Fluid Transfer
- High Vacuum Pump Applications
- Food Processing
- Load Cell Application
- Biotechnology
- Bulk Transfer
- Fermentations and Bioreactors

FEATURES



MATERIAL

Platinum Cured Silicone Hose With Polyester Braiding and SS 316 Helical Wire



CLEAN ROOM

Manufactured in Class 7



TEMPERATURE

-80 °C / +230 °C



HARDNESS

65+/-5 SHA



AVAILABLE

SS 316L Tri-clover end having
RA Value, ≤ 0.5 at Bore

Platinum Silicone Braided Hose Available Standard Sizes

Part No.	Size in mm (ID x OD)	Size in Inch (ID)	Max Working Pressure (in bar) @ 27°C	Min Burst Pressure (in bar) @ 27°C	Bend radius (in mm)	Vaccum Hg @ 70°F / 27°C (in mm)
16H0613	6 x 13	¼"	12.5	48.5	60	760
16H0916	9 x 16	11/32"	12.0	48	70	760
16H1220	12 x 20	½"	11.0	41.5	70	760
16H1624	16 x 24	5/8"	10.5	36	85	760
16H1927	19 x 27	¾"	9.0	34.5	95	760
16H2535	25 x 35	1"	8.5	34.5	140	760

SiliWrap - Platinum Cured Silicone Hose with Polyester Fabric and SS 316 Helical Wire

SiliWrap - Platinum Cured Silicone Mandrel Wrapped with Polyester Fabric and SS 316 Helical Wire Suction Hose for High pressure semi-liquid and liquid transfers process in Biopharma, Pharmaceuticals, Food, Beverages and Cosmetics Applications.



APPLICATIONS

- Biopharmaceuticals Process
- Pharmaceutical Production Process
- Vacuum
- Bioreactors Process Systems
- Cosmetics, Food & Beverages Production

Platinum Silicone Braided Hose Available Standard Sizes

Part No.	Size in mm (ID x OD)	Size in Inch (ID)	Max Working Pressure (in bar) @ 27°C	Min Burst Pressure (in bar) @ 27°C	Bend radius (in mm)	Vacuum Hg @ 70°F / 27°C (in mm)
16I0613	6 x 13	¼"	18.5	38	60	760
16I0916	9 x 16	11/32"	18.0	38	70	760
16I1220	12 x 20	½"	16.0	34	80	760
16I1624	16 x 24	5/8"	14.0	34	90	760
16I1927	19 x 27	¾"	12.0	34	100	760
16I2535	25 x 35	1"	10.5	32	120	760
16I3242	32 x 42	1¼"	10.0	32	180	500
16I3850	38 x 50	1½"	10.0	30	220	400
16I5062	50 x 62	2"	8.0	24	300	300
16I6476	64 x 76	2½"	6.0	18	350	C/P
16I7587	75 x 87	3"	5.0	15	C/P	C/P
16I100112	100 x 112	4"	5.0	15	C/P	C/P



MATERIAL

Platinum Cured Silicone Hose with Polyester Fabric and SS 316 Helical Wire



CLEAN ROOM

Manufactured in Class 7



TEMPERATURE

-80 °C /+180 °C



HARDNESS

65+/-5 SHA



AVAILABLE

Sizes 1/4" to 4" Diameter

FEATURES



Silicone Bio Connectors



TYPES

- Bio-Siliplex Manifold
- Overmolded Tee
- Overmolded Cross
- Overmolded Wye
- Overmolded Right Angle with Septum
- Overmolded Coupler
- Overmolded Reducer
- Bio-Siliplex FlexJoint
- Flexible Tee with FlexJoint



MATERIAL

Platinum Cured Silicone



CLEAN ROOM

Manufactured in Class 8



TEMPERATURE

-40°C / +220°C



HARDNESS

60+/-5 SHA



COLOR

As per Requirement

Silicone Inflatable Gaskets

(Platinum Cured Silicone Gasket for Fluid Bed Dryer Applications)



APPLICATIONS

- Oven Door Seals
- Fluid Bed Dryer
- Sterilizer
- Fluid Bed Processor

ADVANTAGES

- Leak Proof Closure
- Simplifies the Design
- Good Inflation and Deflation Property on Joint & Nozzle
- Withstand 4 kg/cm² Pressure
- Leak Proof Property at Joint & Nozzle.



MATERIAL

Platinum Cured Silicone



CLEAN ROOM

Manufactured in Class 7



TEMPERATURE

-40°C / +220°C



HARDNESS

60+/-5 SHA



COLOR

As per Requirement

Silicone Blister Gasket



BENEFITS

- FDA-Approved Material
- Environmental Resistance
- Flame Retardancy
- Versatility
- Electromagnetic Interference Shielding

Silicone blister gaskets are widely used for blister packing to ensure best quality of sealing on products throughout various different shapes & sizes for medical device packaging. Sevitsil manufactures blister gaskets very precisely.

Silicone Bottom Flask Valve



BENEFITS

- Leak-Proof Functionality
- Durability and Cleaning
- Controlled Dispensing

Sevitsil silicone diaphragms are available in medical grade, food pharma grade & platinum cured silicone which is widely accepted in pharmaceutical and biotech applications and is often used throughout the plant.

Silicone "O" Rings & Washers




APPLICATIONS

- Filter Housing
- Heat Exchangers
- Membrane Fitting Holder
- Pneumatic Cylinders
- Spray Guns
- Other Sealing Applications

BENEFITS

- Excellent resistance to temperature
- Resistant to hot air, ozone, UV radiation

Silicone Flange Gasket



APPLICATIONS

- Thermal Stability
- Electrically Conductive
- Customization Options
- Durability

Sevitsil is offering flange gasket and has been delivering thousands of custom gaskets and custom washers to almost every industry to meet or exceed each customer's most stringent requirements. Silicone flange gasket is used to join or fit between two sections of pipe, each pipe section typically has a flared or flattened area that provides a surface for the gasket to attach.

Silicone Camlock/SMS Union Gasket



Camlock gaskets provide a tight seal between couplings to prevent leaks in low-pressure fluid applications, such as regulators and pumps.

STANDARD AVAILABLE SIZES					
NOMINAL SIZE		DIMENSION (INCH)		DIMENSION (MM)	
IN INCH	IN MM	ID	OD	ID	OD
1/2"	12.7	0.67	1.02	17	26
3/4"	19	0.88	1.38	22.2	35
1	25.4	1.06	1.56	27	39.7
1-1/4"	31.7	1.36	1.94	34.5	49.2
1-1/2"	38	1.63	2.19	41.3	55.6
2	50.8	2	2.63	50.8	66.7
2-1/2"	63.5	2.38	3.13	60.3	79.4
3	76.2	3	3.72	76.2	94.5
4	101.6	4	4.88	101.6	123.8
5	127	4.88	5.91	123.8	150
6	152.4	6	7.06	152.4	179.4

SiliClamp[®]
(Platinum Cured Tri-clover Gasket)



Sevitsil's SiliClamp tri clover gaskets are available in a variety of sizes and elastomers. SiliClamp gaskets are used widely in the food, dairy, beverage, biotech, pharmaceutical, and all other sanitary process industries.

Standard Available Sizes


Without Collar

SEM	INCHES
SE/1	0.5"
SE/3	1"
SE/5	1.5"
SE/6	2"
SE/7	2.5"
SE/38	4"
SE/40	3"
SE/48	3/4x22
SE/28	6"
SE/28	8"

With Collar

SEM	INCHES
SE/2	1"
SE/11	3"
SE/24	1.5"
SE/27	1/2
SE/30	3/4"
SE/31	1/2"
SE/33	2.5"
SE/34	1/2"
SE/35	2"
SE/36	4"

Silicone Thermocouple & Validation Gasket




Silicone smart gaskets are used for thermal mapping at the time of validation. Our smart gasket easily installs in any standard sanitary tri-clamp connection. It's available with 1 to 4 ports.

Standard Available Sizes

SEM	INCH	ID	OD
SE/41	1.5"	33.55	49.33
SE/51	2"	48.8	64
SE/52	1"	22	50
SE/53	1.5"	34	50
SE/54	1"	21.9	50.3
	2"	40.9	63
SE/56	1.5"	34.9	50.5

Silicone T.C Mesh Gasket



Silicone mesh gaskets come with standard sanitary clamp gaskets sizes.

Platinum-cured mesh gaskets are the ideal choice for pharmaceutical, high-purity water, injectable, food, and beverage applications.

Available in the mesh sizes are 10, 20, 40, 60, and 100.

MOC of Mesh - SS 316

Silicone Biological Indicator



Silicone biological indicator gasket contains self - contained biological indicators in sanitary process lines. It gives fast results against the spore strip. Generally, it gives results within 24 hr. Available in 1/2", 3/4", 1" & 2" sizes as per the standard sanitary TC connection.

Silicone Conductive & Anti Static Sifter Sieves Gasket



Sieve gaskets are commonly used for sealing around the outside of sieves in powder transfer applications. Sevitsil's antistatic profiles & gaskets are specifically designed material that prevents the build-up of static electricity in fluids.

Silicone Bellows



Sevitsil silicone bellows are ideal for high temperature and pressure applications. We can make different shapes and sizes of bellows such as round, oval, cylindrical, flat tapered and custom shapes also.

APPLICATIONS

- Powder Transfer System
- Tablet Compression Machines
- Food Processing Equipment
- Cartooning Machine

Silicone Butterfly Gasket



Silicone butterfly gasket has great use in the industry of chemical, food processing, pharmaceutical, and other industrial sectors due to its high tensile strength, flexibility, crack resistance and durability.

Silicone Corks & Stoppers



Standard Available Sizes

Product Code	Bottom	Top	Height
5	5	7	16
8	8	10.5	20
9	9	11.5	20
10	10	12.5	20
11	11	14	24
13	13	16	24
15	15	18	24
17	17	20.5	26
18	18	21	26
19	19	22.5	28
21	21	24.5	28
23	23	26.5	28
25	25	28.5	28
27	27	31	32
29	29	31	32
31	31	36	35
33	33	38.5	38.5
35	35	45.5	36.5
38	38	42.5	40.5
40	40	49.5	40.5

Silicone Molded Products



Silicone molded products can be used for numerous purposes in the medical and healthcare industry. Silicone has an excellent shaping property easing to play with its structure. Sevitsil is a leading manufacturer of silicone molded products. We produce molded silicone products through in-house compression molding.

YOU DESIGN WE DEVELOP



Silicone Hand Grip



Silicone Pipette Bulb



Silicone Cork



silicone flask stand



Silicone Crucible Sleeve



Silicone Sheet



Silicone Policeman



Silicone Flange Septa



Silicone Teats



Silicone Spreader



Silicone Streap



Silicone Pipette Filler

Compliances and Certifications

 FDA 21 CFR 177.2600	 Biological Standard ISO 10993-11 Rabbit Pyrogen test
 European Pharmacopoeia EP 3.1.9	 Biological reactivity test , in Vitro USP Class 87
 USP Class VI	 Biological reactivity test , in Vivo USP Class 88
 German food grade Bft XV Declaration	 EC 1935:2004
 French Pharmacopoeia (France Arrete du 25) Declaration	 ROHS -3 As per EU Directive 2015/863
 Biological Standard ISO 10993-3 Genotoxicity	 ETO or Gamma sterilizable
 Biological Standard ISO 10993-3 Hemocompatibility	 Latex free Declaration
 Biological Standard ISO 10993-5 Cytotoxicity	 TSE/BSE free Declaration
 Biological Standard ISO 10993-6 Systemic Toxicity (Sub -Chronic) - 90 Days	 WEE Declaration & REACH Declaration
 Biological Standard ISO 10993-10 Sensitization	 Extractable & Leachable Study
 FDA 21 CFR 177.2600	 Stability Test(5 year)

QUALITY STANDARDS & CREDENTIALS



ISO 9001:2015 for QMS
from intertek



IATF 16949:2016 for
Automotive from BSI



ISO 45001:2018 for
Health & Safety
Management from Intertek



ISO 14001:2015 for
Environment Management
from intertek



ISO 13485:2016 for
Medical Devices from DNV



CRISIL RATE SME 2* for
Creditworthiness



DUN & BRADSTREET D-U-N-S
No. 65-026-2906



ZED Gold Certified

GROWTH ISN'T A STRAIGHT LINE. SEVITSIL HAS MADE A POSITIVE IMPACT ON THE ENTIRE GLOBE WHILE AIMING FOR CUSTOMER SATISFACTION. THE TRUST WE RECEIVE FROM ALL OVER THE WORLD HAS ALWAYS HELPED US GROW.



OUR PRESENCE

 Mehsana | Pune | Hyderabad | USA | UK | Netherlands | Europe



SURESH
ENTERPRISES



SURESH ENTERPRISES

C1/55,57,58,137 GIDC Phase-II, Dediyaan
Mehsana - 384002, Gujarat, India.



+91 81416 01666 | +91 74860 06700



enquiry@sevitsil.com



www.sevitsil.com

