GREEDY SEARCH ALGORITHM

PROGRAM:

```
import java.util.*;
import java.lang.*;
import java.io.*;

class MST {
     // Number of vertices in the graph
     private static final int V = 5;

     // A utility function to find the vertex with minimum key
     // value, from the set of vertices not yet included in MST
     int minKey(int key[], Boolean mstSet[])
     {
          // Initialize min value
          int min = Integer.MAX_VALUE, min_index = -1;

          for (int v = 0; v < V; v++)
               if (mstSet[v] == false && key[v] < min) {
                    min = key[v];
                    min_index = v;
               }

          return min_index;
     }

     // A utility function to print the constructed MST stored in
     // parent[]
     void printMST(int parent[], int graph[][])
     {
          System.out.println("Edge \tWeight");
          for (int i = 1; i < V; i++)
               System.out.println(parent[i] + " - " + i + "\t" + graph[i]
[parent[i]]);
     }

     // Function to construct and print MST for a graph represented
     // using adjacency matrix representation
     void primMST(int graph[][])
     {
          // Array to store constructed MST
          int parent[] = new int[V];

          // Key values used to pick minimum weight edge in cut
          int key[] = new int[V];

          // To represent set of vertices included in MST
          Boolean mstSet[] = new Boolean[V];
```

```
        // Initialize all keys as INFINITE
        for (int i = 0; i < V; i++) {
            key[i] = Integer.MAX_VALUE;
            mstSet[i] = false;
        }

        // Always include first 1st vertex in MST.
        key[0] = 0; // Make key 0 so that this vertex is
        // picked as first vertex
        parent[0] = -1; // First node is always root of MST

        // The MST will have V vertices
        for (int count = 0; count < V - 1; count++) {
            // Pick thd minimum key vertex from the set of vertices
            // not yet included in MST
            int u = minKey(key, mstSet);

            // Add the picked vertex to the MST Set
            mstSet[u] = true;

            // Update key value and parent index of the adjacent
            // vertices of the picked vertex. Consider only those
            // vertices which are not yet included in MST
            for (int v = 0; v < V; v++)

                // graph[u][v] is non zero only for adjacent vertices of m
                // mstSet[v] is false for vertices not yet included in MST
                // Update the key only if graph[u][v] is smaller than key[v]
                if (graph[u][v] != 0 && mstSet[v] == false && graph[u][v] <
key[v]) {
                    parent[v] = u;
                    key[v] = graph[u][v];
                }
        }

        // print the constructed MST
        printMST(parent, graph);
    }

    public static void main(String[] args)
    {
        /* Let us create the following graph
        2 3
        (0)--(1)--(2)
        | / \ |
        6| 8/ \5 |7
        | /     \ |
        (3)-------(4)
            9         */
        MST t = new MST();
        int graph[][] = new int[][] { { 0, 2, 0, 6, 0 },
```

```
                                                { 2, 0, 3, 8, 5 },
                                                { 0, 3, 0, 0, 7 },
                                                { 6, 8, 0, 0, 9 },
                                                { 0, 5, 7, 9, 0 } };

        // Print the solution
        t.primMST(graph);
    }
}
```

OUTPUT: