

MINGW64/c/Users/SUPRATIM/Desktop/PromactGitCourse

```
SUPRATIM@DESKTOP-1R0BPCH MINGW64 ~/Desktop/PromactGitCourse (master)
$ echo "Do or do not, there is no try." > 1.txt
```

```
SUPRATIM@DESKTOP-1R0BPCH MINGW64 ~/Desktop/PromactGitCourse (master)
$ git add 1.txt && git commit -m "add 1.txt"
warning: LF will be replaced by CRLF in 1.txt.
The file will have its original line endings in your working directory
[master cb155d1] add 1.txt
1 file changed, 1 insertion(+)
create mode 100644 1.txt
```

```
SUPRATIM@DESKTOP-1R0BPCH MINGW64 ~/Desktop/PromactGitCourse (master)
$ echo "Keep your friends close, but your enemies closer." > 2.txt
git add 3.txt && git commit -m "add 3.txt"
echo "It's not who I am underneath, but what I do that defines me." > 4.txt
git add 4.txt && git commit -m "add 4.txt"
echo "I find your lack of faith disturbing." > 5.txt
git add 5.txt && git commit -m "add 5.txt"
```

```
SUPRATIM@DESKTOP-1R0BPCH MINGW64 ~/Desktop/PromactGitCourse (master)
$ git add 2.txt && git commit -m "add 2.txt"
warning: LF will be replaced by CRLF in 2.txt.
The file will have its original line endings in your working directory
[master 8f19cf3] add 2.txt
1 file changed, 1 insertion(+)
create mode 100644 2.txt
```

```
SUPRATIM@DESKTOP-1R0BPCH MINGW64 ~/Desktop/PromactGitCourse (master)
$ echo "Get busy living, or get busy dying." > 3.txt
```

```
SUPRATIM@DESKTOP-1R0BPCH MINGW64 ~/Desktop/PromactGitCourse (master)
```

```
MINGW64/c/Users/SUPRATIM/Desktop/PromactGitCourse
SUPRATIM@DESKTOP-1R0BPCH MINGW64 ~/Desktop/PromactGitCourse (master)
$ git checkout -b feature-rename-files
Switched to a new branch 'feature-rename-files'

SUPRATIM@DESKTOP-1R0BPCH MINGW64 ~/Desktop/PromactGitCourse (feature-rename-files)
$ git mv 1.txt yoda.txt
git mv 3.txt shawshank.txt
git mv 4.txt batman.txt
git mv 5.txt vader.txt
git commit -m "all files are renamed"
SUPRATIM@DESKTOP-1R0BPCH MINGW64 ~/Desktop/PromactGitCourse (feature-rename-files)
$ git mv 2.txt godfather.txt

SUPRATIM@DESKTOP-1R0BPCH MINGW64 ~/Desktop/PromactGitCourse (feature-rename-files)
$ git mv 3.txt shawshank.txt

SUPRATIM@DESKTOP-1R0BPCH MINGW64 ~/Desktop/PromactGitCourse (feature-rename-files)
$ git mv 4.txt batman.txt

SUPRATIM@DESKTOP-1R0BPCH MINGW64 ~/Desktop/PromactGitCourse (feature-rename-files)
$ git mv 5.txt vader.txt

SUPRATIM@DESKTOP-1R0BPCH MINGW64 ~/Desktop/PromactGitCourse (feature-rename-files)
$ git commit -m "all files are renamed"
[feature-rename-files 2bce37c] all files are renamed
5 files changed, 0 insertions(+), 0 deletions(-)
rename 4.txt => batman.txt (100%)
rename 2.txt => godfather.txt (100%)
rename 3.txt => shawshank.txt (100%)
rename 5.txt => vader.txt (100%)
rename 1.txt => yoda.txt (100%)
```

```
MINGW64/c/Users/SUPRATIM/Desktop/PromactGitCourse
rename 1.txt => yoda.txt (100%)

SUPRATIM@DESKTOP-1R0BPCH MINGW64 ~/Desktop/PromactGitCourse (feature-rename-files)
$ git checkout master
git pushSwitched to branch 'master'
Your branch is up to date with 'origin/master'.

SUPRATIM@DESKTOP-1R0BPCH MINGW64 ~/Desktop/PromactGitCourse (master)
$ git merge feature-rename-files
Updating 6b95e30..2bce37c
Fast-forward
 4.txt => batman.txt      | 0
 2.txt => godfather.txt   | 0
 3.txt => shawshank.txt   | 0
 5.txt => vader.txt       | 0
 1.txt => yoda.txt        | 0
5 files changed, 0 insertions(+), 0 deletions(-)
rename 4.txt => batman.txt (100%)
rename 2.txt => godfather.txt (100%)
rename 3.txt => shawshank.txt (100%)
rename 5.txt => vader.txt (100%)
rename 1.txt => yoda.txt (100%)

SUPRATIM@DESKTOP-1R0BPCH MINGW64 ~/Desktop/PromactGitCourse (master)
$ git push
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Delta compression using up to 8 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (2/2), 324 bytes | 324.00 KiB/s, done.
Total 2 (delta 1), reused 0 (delta 0), pack-reused 0
```

```
MINGW64/c/Users/SUPRATIM/Desktop/PromactGitCourse
SUPRATIM@DESKTOP-1R0BPCH MINGW64 ~/Desktop/PromactGitCourse (master)
$ echo "No try there is, do or do not." > yoda.txt

SUPRATIM@DESKTOP-1R0BPCH MINGW64 ~/Desktop/PromactGitCourse (master)
$ git commit -am "change yoda.txt"
warning: LF will be replaced by CRLF in yoda.txt.
The file will have its original line endings in your working directory
[master 477ac13] change yoda.txt
1 file changed, 1 insertion(+), 1 deletion(-)

SUPRATIM@DESKTOP-1R0BPCH MINGW64 ~/Desktop/PromactGitCourse (master)
$ echo "Keep your enemies close,          but your friends distant." > godfather.txt

SUPRATIM@DESKTOP-1R0BPCH MINGW64 ~/Desktop/PromactGitCourse (master)
$ git commit -am "change godfather.txt"
warning: LF will be replaced by CRLF in godfather.txt.
The file will have its original line endings in your working directory
[master 93f11bb] change godfather.txt
1 file changed, 1 insertion(+), 1 deletion(-)

SUPRATIM@DESKTOP-1R0BPCH MINGW64 ~/Desktop/PromactGitCourse (master)
$ git push
Enumerating objects: 9, done.
Counting objects: 100% (9/9), done.
Delta compression using up to 8 threads
Compressing objects: 100% (5/5), done.
Writing objects: 100% (6/6), 612 bytes | 612.00 KiB/s, done.
Total 6 (delta 2), reused 0 (delta 0), pack-reused 0
remote: Resolving deltas: 100% (2/2), completed with 1 local object.
To https://github.com/supratim531/PromactGitCourse.git
2bce37c..93f11bb master -> master
```



```
MINGW64/c/Users/SUPRATIM/Desktop/PromactGitCourse
SUPRATIM@DESKTOP-1R0BPCH MINGW64 ~/Desktop/PromactGitCourse (master)
$ git checkout feature-rename-files
Switched to branch 'feature-rename-files'

SUPRATIM@DESKTOP-1R0BPCH MINGW64 ~/Desktop/PromactGitCourse (feature-rename-files)
$ echo "DO OR DO NOT, THERE IS NO TRY." > yoda.txt
echo "KEEP YOUR FRIENDS          CLOSE, BUT YOUR ENEMIES CLOSER." > godfather.txt
git commit -am "change godfather.txt"
SUPRATIM@DESKTOP-1R0BPCH MINGW64 ~/Desktop/PromactGitCourse (feature-rename-files)
$ git commit -am "change yoda.txt"
warning: LF will be replaced by CRLF in yoda.txt.
The file will have its original line endings in your working directory
[feature-rename-files a934781] change yoda.txt
1 file changed, 1 insertion(+), 1 deletion(-)

SUPRATIM@DESKTOP-1R0BPCH MINGW64 ~/Desktop/PromactGitCourse (feature-rename-files)
$ echo "KEEP YOUR FRIENDS          CLOSE, BUT YOUR ENEMIES CLOSER." > godfather.txt

SUPRATIM@DESKTOP-1R0BPCH MINGW64 ~/Desktop/PromactGitCourse (feature-rename-files)
$ git commit -am "change godfather.txt"
warning: LF will be replaced by CRLF in godfather.txt.
The file will have its original line endings in your working directory
warning: LF will be replaced by CRLF in yoda.txt.
The file will have its original line endings in your working directory
[feature-rename-files 8d78965] change godfather.txt
1 file changed, 1 insertion(+), 1 deletion(-)

SUPRATIM@DESKTOP-1R0BPCH MINGW64 ~/Desktop/PromactGitCourse (feature-rename-files)
$ git push -u origin feature-rename-files
Enumerating objects: 9, done.
Counting objects: 100% (9/9), done.
```

MINGW64/c/Users/SUPRATIM/Desktop/PromactGitCourse
Branch 'feature-rename-files' set up to track remote branch 'feature-rename-files' from 'origin'.

```
SUPRATIM@DESKTOP-1R0BPCH MINGW64 ~/Desktop/PromactGitCourse (feature-rename-files)
$ git rebase master
error: could not apply a934781... change yoda.txt
Resolve all conflicts manually, mark them as resolved with
"git add/rm <conflicted_files>", then run "git rebase --continue".
You can instead skip this commit: run "git rebase --skip".
To abort and get back to the state before "git rebase", run "git rebase --abort".
Could not apply a934781... change yoda.txt
Auto-merging yoda.txt
CONFLICT (content): Merge conflict in yoda.txt
```

```
SUPRATIM@DESKTOP-1R0BPCH MINGW64 ~/Desktop/PromactGitCourse (feature-rename-files|REBASE 1/2)
$ echo "No try there is, do or do not." > yoda.txt
```

```
SUPRATIM@DESKTOP-1R0BPCH MINGW64 ~/Desktop/PromactGitCourse (feature-rename-files|REBASE 1/2)
$ git add -u
warning: LF will be replaced by CRLF in yoda.txt.
The file will have its original line endings in your working directory
```

```
SUPRATIM@DESKTOP-1R0BPCH MINGW64 ~/Desktop/PromactGitCourse (feature-rename-files|REBASE 1/2)
$ git rebase --continue
error: could not apply 8d78965... change godfather.txt
Resolve all conflicts manually, mark them as resolved with
"git add/rm <conflicted_files>", then run "git rebase --continue".
You can instead skip this commit: run "git rebase --skip".
To abort and get back to the state before "git rebase", run "git rebase --abort".
Could not apply 8d78965... change godfather.txt
Auto-merging godfather.txt
CONFLICT (content): Merge conflict in godfather.txt
```

