WEBTECHNOLOGYLABORATORY(22CSL35)

Develop and demonstrate the usage of dynamic changes of CSS.

Prgm3a.html

```
<html>
<body>
<div onmousedown="mDown(this)" onmouseup="mUp(this)"style="background-color:#D94A38;width:90px;height:20px;padding:40px;">Click Me</div>
<script>
function mDown(obj) { obj.style.backgroundColor="#1ec5e5";
  obj.innerHTML = "Release Me";
}

function mUp(obj) { obj.style.backgroundColor="#D94A38";
  obj.innerHTML="Thank You";
}
</script>
</body>
</html>
```

WriteanHTML pagethatreadsnameandUSNfromtheformand displays it.

Prgm3b.html

```
<html>
<head>
   <title>Events</title>
</head>
<scripttype="text/javascript"> function msg()
  \{varname = document.person.n1; \ var \ usn =
     document.person.n2;
 alert("Hello"+name.value+"USN"+usn.value);\\
</script>
<body>
</br></br>
<formname="person">
EnterThename</br>
<inputtype="text"name="n1"></br></br>
EnterTheUSN</br>
<inputtype="text"name="n2">
<\!\!inputtype="submit"onClick="msg();">
</form>
</body>
</html>
```

Write an HTML page that contains a selection box with a list of 5 countries. When the users elects a country, its capital should be printed next to the list. Add CSS to customize the properties of the font of the capital (color, bold and font size).

Prgm3c.html

```
<html>
<head>
<title>CapitalsofCountries</title>
<style>p{
color:red;
font-weight:bold; font-
size:50;
}
</style>
<scriptlanguage="javascript"> function
capital()
var\ cunt=document.forms["frm1"].country.value;\ var\ capital="
Please select any country ";
if(cunt=="INDIA")
capital="NEWDELHI";
if(cunt=="USA")
capital="WASHINGTONDC";
if(cunt=="NETHERLANDS")
```

```
capital="AMSTERDAM";
if(cunt=="RUSSIA")
capital="MOSCOW";
if(cunt=="JAPAN")
capital="TOKYO";
if(cunt=="select")
capital="PleaseselectanyCountry";
document.getElementById("capt").innerHTML=capital;
</script>
</head>
<body>
<formname="frm1">
<br/>br/>
<center>
SelectaCountry:<selectname="country"onchange="capital()">
<optionvalue="select">--SELECT--</option>
<optionvalue="INDIA">INDIA</option>
<optionvalue="USA">USA</option>
<optionvalue="NETHERLANDS">NETHERLANDS</option>
<optionvalue="RUSSIA">RUSSIA</option>
<optionvalue="JAPAN">JAPAN</option>
</select>
<br/>
<br/>
```

<pre><fontcolor="green"size="6">Capitalis: </fontcolor="green"size="6"></pre>			
<pre> </pre>	<fontcolor="green"size="6">Capitalis:<</fontcolor="green"size="6">	rp id="capt">	
			5