



CC4057NI\CC4058NI Introduction to Information System

60% Group Coursework

2024-25 Autumn

Group Name:			
SN	Student Name	College ID	University ID
1	Deepesh Shiwakoti	NP01NT4A240125	24046544
2	Diya Ranjit	NP01NT4A240130	24046545
3	Suprem Thapa	NP01NT4A240123	24046523
4	Shankar Thapa	NP01NT4A240133	24046490

Assignment Due Date: Sunday, February 2, 2025

Assignment Submission Date: Sunday, February 2, 2025

Word Count: 5498

I confirm that I understand my coursework needs to be submitted online via MySecondTeacher under the relevant module page before the deadline in order for my assignment to be accepted and marked. I am fully aware that late submissions will be treated as non-submission and a marks of zero will be awarded.

Contents

Table of figures	3
Introduction	4
Aims and Objectives.....	4
Tools Used	4
Verdict	4
Use of Text Editor Tools.....	4
Wireframes	5
1. Home page.....	5
2. Blog Page	7
3. Product Page	9
4. Research Page	12
5. About us page	15
6. Wireframe of Portfolio page.....	17
Testing	19
1. Navigation bar hover effect	19
2. Internal + External Link	21
3. JavaScript testing on contact us form	23
Conclusion	25
References.....	25
Appendix	26
1. Home Page HTML Code	26
2. Blog Page Code	31
3. Product Page HTML Code	39
4. Research Page HTML Code	48
5. About us Page HTML Code	57
6. External CSS Code	66
7. External JS Code	73
8. CV Web Page HTML Code	74

Table of figures

Figure 1 Wireframe of Home Page.....	5
Figure 2 Home Page (1 of 2).....	6
Figure 3 Home Page (2 of 2).....	6
Figure 4 Wireframe of Blog Page	7
Figure 5 Blog Page (1 of 2)	8
Figure 6 Blog Page (2 of 2)	8
Figure 7 Wireframe for Product Page.....	9
Figure 8 Product Page (1 of 3)	10
Figure 9 Product Page (2 of 3)	10
Figure 10 Product Page (3 of 3)	11
Figure 11 Wireframe for research page.....	12
Figure 12 Research Page (1 of 4)	13
Figure 13 Research page (2 of 4)	13
Figure 14 Research Page (3 of 4)	14
Figure 15 Research Page (4 of 4)	14
Figure 16 Wireframe of About us page.....	15
Figure 17 About us page	16
Figure 18 CV Page Wireframe	17
Figure 19 CV Webpage (1 of 2)	18
Figure 20 CV Webpage (2 of 2)	18
Figure 21 HTML code for the navigation bar	19
Figure 22 CSS code to enable the hover effect.....	20
Figure 23 When cursor is not hovering.....	20
Figure 24 When cursor is hovering.....	20
Figure 25 Research Page with internal and external links.....	21
Figure 26 HTML code for the web page above	21
Figure 27 Functional external link	22
Figure 28 Functional Internal Link	22
Figure 29 HTML code for contact us form	23
Figure 30 Contact us form.....	23
Figure 31 JS code for Contact us form.....	24
Figure 32 Error alert message by the web	24
Figure 33 Successful feedback alert	25

Introduction

This project focuses on the designing and developing of an e-commerce website for a store that specializes in various watches. Our project aims to create a user-friendly and interactive website that displays the range of watch products in the store.

Aims and Objectives

This project aims to show our understanding and proficiency in fundamental Internet technologies, website design principles, scripting languages, and usability consideration. Our objective is to develop a functioning and interactive website.

Tools Used

The tools which have been used while doing this project are Visual Studio Code for html, CSS, and JavaScript in the making of the website and Balsamiq for making the wireframe of the website.

- HTML has been used for structuring the web pages with semantic markup.
- CSS has been used for styling the website, including internal, inline and stylesheets.
- JavaScript has been used for form validation, client-side scripting, and dynamic content manipulation.
- Balsamiq has been used for making the wireframe of the website.

Verdict

In conclusion, this introduction has tried to address the important components of our project. It has highlighted the aims and objectives of making this project and the tools and technologies used while making it

Use of Text Editor Tools

The text editor tools that we have used in this project are Visual Studio Code (VS Code) and Balsamiq Wireframes. The text editor which is used while making the wireframe for the website is Balsamiq Wireframe. Balsamiq is a tool for creating wireframes. Wireframes can be regarded as the blueprint for website creation. The creation of the wireframe was made much simpler through Balsamiq, as it is user friendly. We went through the internet for inspiration and tried different layouts in Balsamiq. It helped us in creating the layout for the website while also trying and implementing different ideas.

Wireframes

1. Home page

We designed our home page on Balsamiq Wireframes application. The home page design made is shown in figure a.




Figure 1 Wireframe of Home Page

Then, we started to design the website using HTML and CSS in Visual Studio Code. The result is shown in the figures below.




Figure 2 Home Page (1 of 2)




Figure 3 Home Page (2 of 2)

2. Blog Page

This is the blog page used making Balsamiq frameworks. Taking it as a reference we have made the webpage.




Figure 4 Wireframe of Blog Page

Figure below is the website we built with HTML and CSS in Visual Code Studio.




Figure 5 Blog Page (1 of 2)




Figure 6 Blog Page (2 of 2)

3. Product Page

The wireframe we made using Balsamiq for the product page is shown in the figure below.




Figure 7 Wireframe for Product Page

Then, we developed the proposed product page in VS Code using HTML and CSS. The website when completed looked like in the figures below.




Figure 8 Product Page (1 of 3)




Figure 9 Product Page (2 of 3)

Patek philip
Patek Philippe watches are renowned for exceptional craftsmanship, and status as one of the most prestigious luxury timepieces in the world.
Rs 250,000 [Add to cart](#)
Price: ~~Rs 250,000~~ ~~Rs 250,000~~

navitimer classic
Navitimer watches by Breitling are iconic aviation timepieces, celebrated for their precision, functionality, and distinctive slide for pilots and enthusiasts alike.
Rs 500,000 [Add to cart](#)
Price: ~~Rs 500,000~~ ~~Rs 490,000~~

Mini focus
Mini Focus watches are stylish and affordable timepieces, known for their modern design and reliable performance, catering to everyday wearers.
Rs 150,000 [Add to cart](#)
Price: ~~Rs 150,000~~ ~~Rs 140,000~~

Sekim the rise
Sekim watches are contemporary and budget-friendly, offering sleek designs and practical functionality for everyday use.
Rs 465,000 [Add to cart](#)
Price: ~~Rs 465,000~~ ~~Rs 400,000~~

Product Reviews

Name:

Rating:

Comment:

[Submit Review](#)

Figure 10 Product Page (3 of 3)

4. Research Page

The wireframe we made using Balsamiq for the research page is shown in the figure f.




Figure 11 Wireframe for research page

Using this wireframe, we wrote code for this website in Visual Code Studio and made the webpage as shown below.




Figure 12 Research Page (1 of 4)




Figure 13 Research page (2 of 4)




Figure 14 Research Page (3 of 4)




Figure 15 Research Page (4 of 4)

5. About us page

The wireframe of about us page we made using balsamiq is show in the figure below.

The wireframe shows a web browser window titled "Branded Watch Shop" with the URL "https://brandedwatchshop.com". The page layout includes a header with the shop name and navigation links (Home, Blog, Products, Research, About Us). The main content area features a large heading "ABOUT US" followed by a section titled "Meet our team members". This section contains four team member cards, each with a placeholder image and text: Deepesh Shiwakoti (Team Leader), Suprem Thapa (Member), Shankar Thapa (Member), and Diya Ranjit (Member). Below this is a "Contact Us" form with fields for Name, Email, and Message, and a Send button. The footer contains a placeholder image, contact information (Email: bws.customer.support@gmail.com, Phone: +977 01-452145, Location: Kamalpokhari, Kathmandu), and quick links (Home, Blog, Products).

Figure 16 Wireframe of About us page

The web page developed by using this wireframe as a reference is shown below.




Figure 17 About us page

6. Wireframe of Portfolio page

The wireframe we made for the portfolio/CV page is shown in the figure 18.




Figure 18 CV Page Wireframe

We used this wireframe as reference to design our webpage as shown in the figure below.




Figure 19 CV Webpage (1 of 2)



Figure 20 CV Webpage (2 of 2)

Testing

1. Navigation bar hover effect

The objective of this testing was to test if the hover functionality provided to the navigation bar on every page worked or not. This functionality was enabled using the external CSS file in our project.

```
<body>
  <!-- Navigation bar -->
  <div class="bg-try">
    <nav>
      <div class="logo">
        <h1>Branded Watch Shop</h1>
      </div>
      <ul>
        <li>
          <a id="home" href="/index.html">Home</a>
          <a id="blog" href="/Blogpage.html">Blog</a>
          <a id="products" href="/ProductPage.html">Product Page</a>
          <a id="research" href="/ResearchPage.html">Research</a>
          <a id="about" href="/aboutus.html">About us</a>
        </li>
      </ul>
    </nav>
  </div>
</body>
```

Figure 21 HTML code for the navigation bar

```
ul {  
  list-style:none;  
  margin-top: 6px;  
  display:flex;  
  align-items: center;  
}  
  
ul li a {  
  margin-inline: 18px;  
  text-decoration: none;  
  font-size: 22px;  
  font-weight:650px;  
  color: white;  
}  
  
ul li a:hover {  
  color: gold;  
}  
  
ul li i {  
  font-size: 22px;  
  cursor: pointer;  
}
```

Figure 22 CSS code to enable the hover effect

When this code was applied, we were expecting to see gold color when we hover our cursor on the hyperlinks of the navigation bar of the web page. The hyperlink texts were originally white in color.



Figure 23 When cursor is not hovering



Figure 24 When cursor is hovering

2. Internal + External Link

In this project, we used a lot of anchor tags in the html files to make sure the links when clicked guides us to the right web page, we are trying to get redirected to. There can be two kinds of hyperlinks, one which redirect us to an online live website and other which redirects us to a locally available within our PC. The prior is called the external link while the latter is called internal link. In this test, we are going to test some internal and external links, we have used in our Research Page.




Figure 25 Research Page with internal and external links

```
<!-- Research Page -->
<div id="heading"><h1>Research Page</h1></div>
<div class="ResearchBody">
  <div class="ResearchContent">
    <div class="images"></div>
    <div class="images"></div>
  </div>
  <div>
    <p class="LinkText"><a href="https://www.gurkhawatch.com/">Home Page Reference</a></p>
    <p class="LinkText"><a href="/index.html">Our Home Page</a></p>
  </div>
</div>
<br>
```

Figure 26 HTML code for the web page above

As we can see, we have used one external link as <https://www.gurkhawatch.com/> and one internal link as </index.html> in our code which is functional on our web page.




Figure 27 Functional external link




Figure 28 Functional Internal Link

3. JavaScript testing on contact us form

```

<aside>
  <!-- form with js implementation -->
  <h2>Contact Us</h2>
  <form name="messageForm" onsubmit="validateForm()">
    <label>First Name: </label>
    <input type="text" name="fname">

    <label>Last Name: </label>
    <input type="text" name="lname">

    <label>Message:</label>

    <textarea rows="5" cols="10" name="message" placeholder="Enter your message"></textarea>

    <input id="done" type="submit" value="Submit">
  </form>
</aside>
<script src="../Development/script.js"></script>
</main>

```

Figure 29 HTML code for contact us form

This is the code we wrote to prepare the contact us form on our about us page to accept feedbacks.

Figure 30 Contact us form

The contact form looked like this after proper styling. Then, we made the form functional using JavaScript code as show in the figure 31.

```

JS script.js > review_msg
1  // For About us Page Feedback form
2  function validateForm()
3  {
4      var firstName = document.forms["messageForm"]["fname"].value;
5      var lastName = document.forms["messageForm"]["lname"].value;
6      var messageDetails = document.forms["messageForm"]["message"].value;
7
8      //Alert(messageDetails);
9      if (firstName == "" || lastName == "" || messageDetails == "")
10     {
11         alert("Empty fields are present! Please enter the values...");
12     }
13
14     else
15     {
16         alert("Thank you for your feedback!")
17     }
18 }
19

```

Figure 31 JS code for Contact us form

We tested the JS functions on the web.




Figure 32 Error alert message by the web




Figure 33 Successful feedback alert

Conclusion

In this project we used HTML, CSS and JAVASCRIPT to create an e-commerce website for a store that specializes in several types of watches. We also used Balsamiq to create wireframe for this project. In the making of the project, we learned about different tags in HTML and how to use them properly. We learned how to use inline, internal and external CSS and how it is used to design and layout the website. While doing the project we also faced few problems such as miscommunications between team members, the website not functioning properly. We solved these problems by conducting group meetings online and discussing and taking suggestions from teachers and classmates. I believe the project could have been better if we had discussed beforehand instead of doing the work individually and combining it later.

References

- Al-Alie, G. M. Y. & Kankara, M. K., 2019. *Library IUT Institutional Repository*. [Online] Available at: <http://103.82.172.44:8080/xmlui/bitstream/handle/123456789/612/online-shopping-system-thesis%20-%20Copy.pdf?sequence=1&isAllowed=y> [Accessed 19 January 2025].
- Budhathoki, R. & Adhikari, M., 2020. *THESEUS*. [Online] Available at: <https://urn.fi/URN:NBN:fi:amk-2020062519333> [Accessed 19 January 2024].

Appendix

1. Home Page HTML Code

```
<!DOCTYPE html>

<html lang="en">

<head>

  <meta charset="UTF-8">

  <meta name="viewport" content="width=device-width, initial-scale=1.0">

  <title>Branded Watch Shop - Home</title>

  <meta name="author" content="Deepesh Shiwakoti">

  <link rel="stylesheet" href="../Development/styles.css">

  <link rel="icon" type="image/png" href="../Development/WebIcon/icon.png">

</head>


<style>

  *{

    font-family: 'Segoe UI', Tahoma, Geneva, Verdana, sans-serif;

  }

</style>


<body>

  <!-- Navigation bar -->

  <div class="bg-try">

    <nav>

      <div class="logo">

        <h1>Branded Watch Shop</h1>

      </div>

      <ul>
```

```

    </li>
    <a id="home" href="../Development/index.html">Home</a>
    <a id="blog" href="../Development/Blogpage.html">Blog</a>
    <a id="products" href="../Development/ProductPage.html">Product
Page</a>
    <a id="research" href="../Development/ResearchPage.html">Research</a>
    <a id="about" href="../Development/aboutus.html">About us</a>
  </li>
</ul>
</nav>

<!-- Home Page Intro -->
<div class="mainPage" style="font-family:'Segoe UI', Tahoma, Geneva, Verdana,
sans-serif;">
  <div class="text">
    <h2>Welcome to Branded Watch Shop</h2>
    <h1 class="heads">All top brands</h1>
    <h1>at a single place</h1>
    <p>Explore a variety collection of watches from every brand but cheaper and
affordable.</p>
    <button><a href="../ProductPage.html">Explore Now</a></button>
  </div>
  
</div>

<!-- Featured Watches -->
<div class="cardMen">
  <div class="head">
    <h1>Featured <span>Watches</span></h1>

```

```
</div>
<div class="card">
  <div class="crd">
    <a href="../Development/ProductPage.html">
      
    </a>
    <div class="txt">
      <h3>Apple Watch</h3>
      <button><a href="../Development/ProductPage.html">Buy
Now</a></button>
    </div>
  </div>
  <div class="crd">
    <a href="../Development/ProductPage.html">
      
    </a>
    <div class="txt">
      <h3>Samsung Watch</h3>
      <button><a href="../Development/ProductPage.html">Buy
Now</a></button>
    </div>
  </div>
  <div class="crd">
    <a href="../Development/ProductPage.html">
      
    </a>
    <div class="txt">
```

```

        <h3>Pixel Watch</h3>
        <button><a href="../Development/ProductPage.html">Buy
Now</a></button>
    </div>
</div>
</div>
</div>

<!-- Quick Preview of other pages -->
<!-- Added this later so same classes as featured watches -->
<div class="cardMen">
    <div class="head">
        <h1>Featured <span>Pages</span></h1>
    </div>
    <div class="card" style="font-family:'Segoe UI', Tahoma, Geneva, Verdana,
sans-serif;">
        <div class="crd">
            <a href="../Development/Blogpage.html">
                
            </a>
            <div class="txt">
                <h3>Blog Page</h3>
                <button><a href="../Development/Blogpage.html">Visit
Now</a></button>
            </div>
        </div>
    </div>
    <div class="crd">
        <a href="../Development/aboutus.html">

```

```

        </a>

        <div class="txt">

            <h3>About Us Page</h3>

            <button><a href="../Development/aboutus.html">Visit
Now</a></button>

        </div>

    </div>

    <div class="crd">

        <a href="../Development/aboutus.html">

            </a>

            <div class="txt">

                <h3>Research Page</h3>

                <button><a href="../Development/ProductPage.html">Visit
Now</a></button>

            </div>

        </div>

    </div>

</div>

<!-- Footer -->

<div class="footer">

    <div class="Ftext">

        <h1>Branded Watch Shop</h1>
    
```

```
<p>Your trusted destination for branded watches.</p>
</div>
<div class="Ftext">
  <h3>Contact Us</h3>
  <p>Email: bws.customer.support@gmail.com</p>
  <p>Phone: +977 01-452145</p>
  <p>Location: Kamalpokhari, Kathmandu</p>
</div>
<div class="Ftext">
  <h3>Quick Links</h3>
  <p><a href=" ../Development/index.html">Home</a></p>
  <p><a href=" ../Development/Blogpage.html">Blog</a></p>
  <p><a href=" ../Development/ProductPage.html">Product Page</a></p>
</div>
</div>
</body>

</html>
```

2. Blog Page Code

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <meta charset="UTF-8">
    <title> BWS-Blog</title>
    <link rel="stylesheet" href=" ../Development/styles.css">
    <link rel="icon" type="image/png" href=" ../Development/WebIcon/icon.png">
    <meta name="author" content="Diya Ranjit">
```

```
</head>
```

```
<!-- Internal CSS -->
```

```
<style>
```

```
*{
```

```
  margin: 0;
```

```
  padding: 0;
```

```
  font-family: 'Segoe UI';
```

```
}
```

```
.header{
```

```
  background-color: #fff;
```

```
  color: rgb(2, 131, 131);
```

```
  text-align: center;
```

```
  box-shadow: 0px 4px 6px rgba(0,0,0,0.1);
```

```
}
```

```
.main-title{
```

```
  font-family: Segoe UI;
```

```
  font-size: 60px;
```

```
  margin: auto;
```

```
  color: white;
```

```
  padding: 20px;
```

```
  border-radius: 10px;
```

```
  text-align: center;
```

```
}
```

```
.content{
```

```
  display: flex;
```

```
  flex-direction: column;
```

```
  gap: 30px;
```

```
margin-right: 150px;
margin-left: 150px;
margin-top: 20px;
font-size: 20px;
text-align: center;
color: White;
}
.item{
display: flex;
margin-bottom: 20px;
border-radius: 10px;
padding: 10px;
color: black;
}
.image{
width: 180px;
height: auto;
border-radius: 20px;
margin-right: 20px;
}
.textdiya{
flex: 1;
text-align: left;
margin-left: 20px;
color: black;
}
.section-title{
font-size: 50px;
```

```
margin-bottom: 20px;
text-align: center;
color: black;
}
.read-more{
  cursor: pointer;
  color: darkslateblue;
  text-decoration: underline;
}
.expanded{
  max-height: none;
  transition: max-height 0.5s ease-in-out;
}
.more-text{
  display: none;
  color: black;
}

</style>

<body>
  <div class="bg-try">
    <nav>
      <div class="logo">
        <h1>Branded Watch Shop</h1>
      </div>
      <ul>
        <li>
```

```

        <a id="home" href="../Development/index.html">Home</a>
        <a id="blog" href="../Development/Blogpage.html">Blog</a>
        <a id="products" href="../Development/ProductPage.html">Product
Page</a>
        <a id="research"
href="../Development/ResearchPage.html">Research</a>
        <a id="about" href="../Development/aboutus.html">About us</a>
    </li>
</ul>
</nav>
<h1 class="main-title">Blog Page</h1>
<main>
    <div class ="content" style="font-family:'Segoe UI', Tahoma, Geneva, Verdana,
sans-serif;">
        <!-- Inline styling -->
        <article>
            <h2 class="section-title"> TECHNOLOGY OVERVIEW </h2>
            <div class="item">
                
                <div class="textdiya">
                    <p>Our store provides the user with a responsive design which helps to
elevate the user experience. It helps manage customer interactions and provides
secure shopping experience.
                    <span class="more-text">Our responsive design helps to provide a
seamless user experience. </span>
                </p>
                <span class="read-more">read more→</span>
            </div>
        </div>
        <h3 class="section-title"> POSITIVES </h3>

```

```
<div class="item">

    <div class="textdiya">

        <p>We incorporate eco-friendly materials and energy efficient
mechanisms which not only help us to be more productive and improve our
performance but also help us contribute to the planet. Our watches have different
technical aspects incorporated in them such as health monitoring, navigation, long
lasting battery life, enhanced resistance to water and shocks, etc.

        <span class="more-text"> Incorporating technology has helped ensure
that our online store is always accessible and available so that our customers can visit
our store as per their convenience.</span>

        </p>

        <span class="read-more">read more→</span>

    </div>

</div>

<h4 class="section-title">NEGATIVES</h4>

    <div class="item">

        <div class="textdiya">

            <p>However, incorporating such high-level technologies also
comes with its own set of challenges. The cost of making these watches has become
higher not only due to the technical aspect to it but also because of the time and effort
put in by our design team. Often, handling refunds and returns online has become more
difficult online due to technological problems and attempts of frauds.

            <span class="more-text"> It has also become a problem as it
increases customer dissatisfaction and damages the brand's reputation. </span>

            </p>

            <span class="read-more">read more→</span>

        </div>

    </div>
```

```
<h4 class="section-title">IMPACT OF TECHNOLOGY IN SALES </h4>
<div class="item">
  
  <div class="textdiya">
    <p>While adapting to the online business world had been hard but
with time we adapted to the nuances of e-commerce. Our sales drastically increased as
we reached a wider range of customers. It has also helped us know more about
customer preferences, market trends and so much more, which has helped a lot in
terms of business growth and customer service.
    <span class="more-text"> Our customers have shown their
appreciation for the detailed descriptions, high quality images, and customer reviews
which have helped them decide their own purchase. </span>
  </p>
  <span class="read-more">read more→</span>
</div>
</div>
<div class="item">
  
  <div class="textdiya">
    <p>Join the ranks of our satisfied customers who have discovered
the perfect blend of tradition and innovation.</p>
  </div>
</div>
</article>
</div>
</main>
</div>
<!-- Footer -->
<div class="footer">
```

```
<div class="Ftext">
  <h1>Branded Watch Shop</h1>
  <p>Your trusted destination for branded watches.</p>
</div>
<div class="Ftext">
  <h3>Contact Us</h3>
  <p>Email: bws.customer.support@gmail.com</p>
  <p>Phone: +977 01-452145</p>
  <p>Location: Kamalpokhari, Kathmandu</p>
</div>
<div class="Ftext">
  <h3>Quick Links</h3>
  <p><a href="../Development/index.html">Home</a></p>
  <p><a href="../Development/Blogpage.html">Blog</a></p>
  <p><a href="../Development/ProductPage.html">Product Page</a></p>
</div>
</div>
</body>
<script>
  document.querySelectorAll('.read-more').forEach(button =>{
    button.addEventListener('click',function(){
      const item = this.closest('.item');
      const moretext = item.querySelector('.more-text');
      item.classList.toggle('expanded');

      if (item.classList.contains('expanded')) {
        moretext.style.display = 'inline';
        this.textContent = 'read less';
      }
    });
  });
</script>
```

```
    } else{  
        moretext.style.display='none';  
        this.textContent = 'read more→';  
    }  
});  
});  
  
</script>  
</html>
```

3. Product Page HTML Code

```
<!DOCTYPE html>  
<html lang="en">  
<head>  
    <meta charset="UTF-8">  
    <meta name="viewport" content="width=device-width, initial-scale=1.0">  
    <title>product</title>  
    <link rel="stylesheet" href="../Development/styles.css">  
    <link rel="icon" type="image/png" href="../Development/WebIcon/icon.png">  
    <meta name="author" content="Supreme Thapa">  
</head>  
  
<style>  
  
.one{  
    float:left;  
    padding: 20px;  
    align-items: center;
```

```
}  
.bodypro{  
    display:block;  
    padding-left: 14%;  
}  
.Product, .product2{  
    display: inline-block;  
}  
  
.product2{  
    padding-left:14%;  
}  
button{  
    background-color: orange;  
    width: 150px;  
    height: 40px;  
    border-radius: 25px;  
    border: none;  
}  
button:hover{  
    background-color: white;  
    width: 160px;  
    color:black;  
}  
img{  
    border: 2px ridge white;  
    box-shadow: 0 0 20px rgba(0, 0, 0, 0.5);
```

```
}  
h{  
    font-size: 25px;  
    font-family: 'Segoe UI', Tahoma, Geneva, Verdana, sans-serif;  
}  
.bodypro, .Product, .product2, .one{  
    background: transparent;  
}  
  
form{  
    display: flex;  
    justify-content:space-evenly;  
    align-items: stretch;  
    flex-direction: column;  
    padding:30px;  
}  
</style>  
  
<body>  
    <!-- Navigation bar -->  
    <div class="bg-try">  
        <nav>  
            <div class="logo">  
                <h1>Branded Watch Shop</h1>  
            </div>  
            <ul>  
                <li>  
                    <a id="home" href="../Development/index.html">Home</a>
```

```

        <a id="blog" href="../Development/Blogpage.html">Blog</a>
        <a id="products" href="../Development/ProductPage.html">Product
Page</a>

        <a id="research"
href="../Development/ResearchPage.html">Research</a>

        <a id="about" href="../Development/aboutus.html">About us</a>
    </li>
</ul>
</nav>

<!-- Products Listings -->
<div class="bodypro">
    <div class="Product">
        <div class="one" >
        <figcaption style="border: 2px;">
            <center> <h>Pozo </h></center>

            <center>The Pozo watch combines sleek <br> modern design with
exceptional <br> craftsmanship, making it a perfect <br> blend of style and functionality.

            </center> </figcaption><br>

            <center> <h>Rs 15,000</h> <button onclick="addtocart()"> Add to
cart</button><p>Price: <del>Rs 15,000</del> <span style="color: red;">Rs
14,500</span></p></center>
        </div>

        <div class="one">
        <figcaption>
            <center> <h>Rolex </h></center>

            <center>The Rolex watch epitomize luxury <br> and precision,
renowned for<br> its timeless design and <br>unparalleled craftsmanship.

            </center> </figcaption><br>

```

```

        <center> <h>Rs 145,000</h> <button onclick="addtocart()"> Add to
        cart</button><p>Price: <del>Rs 145,000</del> <span style="color: red;">Rs
        135,000</span></p></center>

```

```

    </div>

```

```

</div>

```

```

    <div class="one" >

```

```

        <figcaption >

```

```

            <center> <h>G-Shock</h></center>

```

```

            <center>The G-Shock watch is a rugged <br>blend of durability and
            innovation, <br>designed for ultimate functionality <br>and tough performance.

```

```

        </center> </figcaption><br>

```

```

        <center> <h>Rs 1,200</h> <button onclick="addtocart()"> Add to
        cart</button><p>Price: <del>Rs 1,200</del> <span style="color: red;">Rs
        1,150</span></p></center>

```

```

    </div>

```

```

    <div class="one" >

```

```

        <figcaption style="border: 2px;">

```

```

            <center> <h>I-watch series</h></center>

```

```

            <center>The Apple Watch Series <br>seamlessly merges cutting-edge
            technology <BR>with sleek design, offering <br>unmatched functionality and style.

```

```

        </center> </figcaption><br>

```

```

        <center> <h>Rs 30,000</h> <button onclick="addtocart()"> Add to
        cart</button><p>Price: <del>Rs 30,000</del> <span style="color: red;">Rs
        25,000</span></p></center>

```

```

    </div>

```

```

</div><br>

```

```

<div class="product2">

```

```

    <div class="one" >

    <figcaption style="border: 2px solid;">

        <center> <h>Boat wave</h></center>

        <center> The Boat watch combines stylish <br>design with smart
features, delivering <br>a perfect blend of fashion and <br>functionality for everyday
wear.

    </center></figcaption><br>

    <center> <h>Rs 3,500</h> <button onclick="addtocart()"> Add to
cart</button><p>Price: <del>Rs 3,500</del> <span style="color: red;">Rs
3,000</span></p></center>

</div>

```

```

    <div class="one">

    <figcaption style="border: 2px solid;">

        <center> <h>rado prime</h></center>

        <center>The Rado Prime watch embodies timeless <br>elegance and
innovative design, <br>crafted with precision for those who <br>appreciate luxury and
sophistication.

    </center></figcaption><br>

    <center> <h>Rs 55,000</h> <button onclick="addtocart()"> Add to
cart</button><p>Price: <del>Rs 55,000</del> <span style="color: red;">Rs
45,000</span></p></center>

</div>

```

```

    <div class="one">

    <figcaption style="border: 2px solid;">

        <center> <h>boat flash</h></center>

        <center> The Boat Flash watch combines vibrant <br>design with smart
technology, <br>offering a perfect blend of style <br>and functionality for the modern
lifestyle.

```

```

        </center></figcaption><br>

        <center><h>Rs 4,500</h> <button onclick="addtocart()"> Add to
        cart</button><p>Price: <del>Rs 4,500</del> <span style="color: red;">Rs
        4,000</span></p></center>

    </div>

    <div class="one" >

    <figcaption style="border: 2px solid black;">

        <center> <h>Ben10 the crazy</h></center>

        <center>The Ben 10 Crazy watch captures the adventurous <br>spirit
        with its bold design <br>and fun features, perfect for fans of action and imagination.

    </center></figcaption><br>

    <center><h>Rs 200,000</h> <button onclick="addtocart()"> Add to
    cart</button><p>Price: <del>Rs 200,000</del> <span style="color: red;">Rs
    185,000</span></p></center>

</div>

</div><br>

<div class="product2">

    <div class="one" >

    <figcaption style="border: 2px solid black;">

        <center> <h> Patek philip</h></center>

        <center> Patek Philippe watches are renowned for <br> exceptional
        craftsmanship,<br> and status as one of <br>the most prestigious luxury<br>
        timepieces in the world.

    </center></figcaption><br>

    <center> <h>Rs 250,000</h> <button onclick="addtocart()"> Add to
    cart</button><p>Price: <del>Rs 250,000 </del> <span style="color: red;">Rs
    200,000</span></p></center>

</div>

<div class="one">

```

```

<figcaption style="border: 2px solid black;">
  <center> <h>navitimer classic</h></center>

  <center>Navitimer watches by Breitling are iconic <br>aviation
timepieces, celebrated for their<br> precision, functionality, <br>and distinctive slide for
<br> pilots and enthusiasts alike.

</center></figcaption><br>

  <center> <h>Rs 500,000</h> <button onclick="addtocart()"> Add to
cart</button><p>Price: <del>Rs 500,000</del> <span style="color: red;">Rs
400,000</span></p></center>

</div>

<div class="one">

  <figcaption style="border: 2px solid black;">

    <center> <h>Mini focus</h></center>

    <center> Mini Focus watches are stylish and <br>affordable timepieces,
known for their <br>modern designs <br>and reliable performance,<br> catering to
everyday wearers.

  </center></figcaption><br>

  <center><h>Rs 150,000</h> <button onclick="addtocart()"> Add to
cart</button><p>Price: <del>Rs 150,000</del> <span style="color: red;">Rs
100,000</span></p></center>

</div>

<div class="one" >

  <figcaption style="border: 2px solid black;">

    <center> <h> Sekim the rise</h></center>

    <center>Sikim watches are contemporary<br> and budget-friendly,<br>
offering sleek<br> designs and practical functionality<br> for everyday use.

  </center></figcaption><br>

  <center><h>Rs 465,000</h> <button onclick="addtocart()"> Add to
cart</button><p>Price: <del>Rs 465,000</del> <span style="color: red;">Rs
300,000</span></p></center>

```

```
<div>
</div>
</div>
</div>
<div class="container">
  <h1 style="padding-left:30px; margin-top:20px;">Product Reviews</h1>
  <form id="reviewForm">
    <label for="name">Name:</label>
    <input type="text" id="name" name="name" required>
    <br>
    <label for="rating">Rating:</label>
    <select id="rating" name="rating" required>
      <option value="1">1 Star</option>
      <option value="2">2 Stars</option>
      <option value="3">3 Stars</option>
      <option value="4">4 Stars</option>
      <option value="5">5 Stars</option>
    </select>
    <br>
    <label for="comment">Comment:</label>
    <textarea id="comment" name="comment" required></textarea>
    <br>
    <button onclick="review_msg()" type="submit">Submit Review</button>
  </form>

  <div id="reviews">
    <!-- Reviews will be dynamically inserted here -->
  </div>
```

```
</div>

<!-- Footer -->
<div class="footer">
  <div class="Ftext">
    <h1>Branded Watch Shop</h1>
    <p>Your trusted destination for branded watches.</p>
  </div>
  <div class="Ftext">
    <h3>Contact Us</h3>
    <p>Email: bws.customer.support@gmail.com</p>
    <p>Phone: +977 01-452145</p>
    <p>Location: Kamalpokhari, Kathmandu</p>
  </div>
  <div class="Ftext">
    <h3>Quick Links</h3>
    <p><a href="../Development/index.html">Home</a></p>
    <p><a href="../Development/Blogpage.html">Blog</a></p>
    <p><a href="../Development/ProductPage.html">Product Page</a></p>
  </div>
</div>

<script src="../Development/script.js"></script>
</body>
</html>
```

4. Research Page HTML Code

```
<!DOCTYPE html>
<html lang="en">
<head>
```

```
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>product</title>
<link rel="stylesheet" href="../Development/styles.css">
<link rel="icon" type="image/png" href="../Development/WebIcon/icon.png">
<meta name="author" content="Deepesh Shiwakoti">
</head>
<style>

*{
    margin: 0;
    padding: 0px;
}

#heading{
    text-align: center;
    color:white;
    margin-top: 50px;
}

.images{
    padding: 0;
    display: flex;
    height:400px;
    width: 600px;
    justify-content: space-around;
    margin-right:100px;
    margin-bottom: 10px;
```

```
margin-top: 50px;  
box-shadow: 0 0 20px rgba(0, 0, 0, 0.5);  
}
```

```
.ResearchBody{  
    display: block;  
    padding-left: 14%;  
}
```

```
.ResearchContent{  
    display: flex;  
}
```

```
.LinkText{  
    display: inline;  
    padding-left: 180px;  
    margin-right: 400px;  
    color: white;  
}
```

```
.LinkText a{  
    text-decoration: none;  
    padding: 5px;  
    color: black;  
    border-radius: 20px;  
    border: 0.5px solid black;  
}
```

```
.LinkText a:hover{
    color:black;
    background-color: orange;
    cursor:pointer;
}
```

```
table a{
    text-decoration: none;
    color: black;
}
```

```
table a:hover{
    color:goldenrod;
}
```

```
</style>
```

```
<body>
    <!-- Navigation bar -->
    <div class="bg-try">
        <nav>
            <div class="logo">
                <h1>Branded Watch Shop</h1>
            </div>
            <ul>
                <li>
                    <a id="home" href="../Development/index.html">Home</a>
```

```

        <a id="blog" href="../Development/Blogpage.html">Blog</a>
        <a id="products" href="../Development/ProductPage.html">Product
Page</a>

        <a id="research"
href="../Development/ResearchPage.html">Research</a>

        <a id="about" href="../Development/aboutus.html">About us</a>
    </li>
</ul>
</nav>

<!-- Research Page -->

    <div id="heading" style="font-family:'Segoe UI', Tahoma, Geneva, Verdana,
sans-serif;"><h1>Research Page</h1></div>

    <div class="ResearchBody" style="font-family:'Segoe UI', Tahoma, Geneva,
Verdana, sans-serif;">

        <div class="ResearchContent">

            <div class="images" > </div>

            <div class="images"> </div>

        </div>

        <div>

            <p class="LinkText"><a href="https://www.gurkhawatch.com/">Home
Page Reference 

```

```

<div class="ResearchContent">

    <div class="images" > </div>

    <div class="images" ></div>

</div>

<div>

    <p class="LinkText"><a href="https://www.bobobird.com/blog/">Blog
Page Reference ↻</a></p>

    <p class="LinkText"><a href="../Development/Blogpage.html">Our Blog
Page ↻</a></p>

</div>

<br>

<div class="ResearchContent">

    <div class="images" ></div>

    <div class="images"></div>

</div>

<div>

    <p class="LinkText"><a href="https://www.daraz.com.np/#hp-just-for-
you">Products Page Reference ↻</a></p>

    <p class="LinkText"><a href="../Development/ProductPage.html">Our
Product Page ↻</a></p>

</div>

<br>

<div class="ResearchContent">

```

```

        <div class="images"></div>

```

```

        <div class="images" ></div>

```

```

    </div>

```

```

    <div>

```

```

        <p class="LinkText"><a href="https://islington.edu.np/people">About us
Reference </a></p>

```

```

        <p class="LinkText"><a href="../Development/aboutus.html">Our About
us Page </a></p>

```

```

    </div>

```

```

    <br>

```

```

    <div class="ResearchContent">

```

```

        <div class="images"></div>

```

```

        <div class="images" ></div>

```

```

    </div>

```

```

    <div>

```

```

        <p class="LinkText"><a href="https://www.microsoft.com/en-us/">Footer
Reference </a></p>

```

```

        <p class="LinkText"><a href="../Development/index.html">Our Footer
</a></p>

```

```

    </div>

```

```

</div>

```

```

<div style="margin: 20px; display: flex; justify-content: center; text-align:
center;">

```

```

    <table style="width: 1500px; border: 2px solid black;">

```

```

        <tr style="background-color: #0494e2; color: black; ">

```

```

<th style="border: 1px solid black; font-size: 23px;">Reference Pages
Links</th>

<th style=" border: 1px solid black;font-size: 23px; ">Our Pages
Links</th>

</tr>

<tr>

<td style=" border: 1px solid black;"><a
href="https://www.gurkhawatch.com/">Home Page Reference</a></td>

<td style=" border: 1px solid black;"><a
href=" ../Development/index.html">Our Home Page</a></td>

</tr>

<tr>

<td style=" border: 1px solid black;"><a
href="https://www.bobobird.com/blog/">Blog Page Reference</a></td>

<td style=" border: 1px solid black;"><a
href=" ../Development/Blogpage.html">Our Blog Page</a></td>

</tr>

<tr>

<td style=" border: 1px solid black;"><a
href="https://www.daraz.com.np/#hp-just-for-you">Product Page Reference</a></td>

<td style=" border: 1px solid black;"><a
href=" ../Development/ProductPage.html">Our Product Page</a></td>

</tr>

<tr>

<td style=" border: 1px solid black;"><a
href="https://islington.edu.np/people">About Us Page Reference</a></td>

<td style=" border: 1px solid black;"><a
href=" ../Development/aboutus.html">Our About Us Page</a></td>

</tr>

<tr>

<td style=" border: 1px solid black;"><a
href="https://www.microsoft.com/en-us/">Footer Reference</a></td>

```

```
        <td style=" border: 1px solid black;"><a  
href="../Development/index.html">Our Footer</a></td>
```

```
    </tr>
```

```
  </table>
```

```
</div>
```

```
</div>
```

```
<!-- Footer -->
```

```
<div class="footer">
```

```
  <div class="Ftext">
```

```
    <h1>Branded Watch Shop</h1>
```

```
    <p>Your trusted destination for branded watches.</p>
```

```
  </div>
```

```
  <div class="Ftext">
```

```
    <h3>Contact Us</h3>
```

```
    <p>Email: bws.customer.support@gmail.com</p>
```

```
    <p>Phone: +977 01-452145</p>
```

```
    <p>Location: Kamalpokhari, Kathmandu</p>
```

```
  </div>
```

```
<div class="Ftext">
```

```
  <h3>Quick Links</h3>
```

```
  <p><a href="../Development/index.html">Home</a></p>
```

```
  <p><a href="../Development/Blogpage.html">Blog</a></p>
```

```
  <p><a href="../Development/ProductPage.html">Product Page</a></p>
```

```
</div>
```

```
</div>
```

```
</body>
```

</html>

5. About us Page HTML Code

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
  <meta charset="UTF-8">
```

```
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
```

```
  <meta name="author" content="Sankhar Thapa">
```

```
  <title>About Us</title>
```

```
  <link rel="stylesheet" href="../Development/styles.css">
```

```
  <link rel="icon" type="image/png" href="../Development/WebIcon/icon.png">
```

```
  <style>
```

```
    /* Internal CSS for profile cards */
```

```
    .profile-card {
```

```
      padding: 20px;
```

```
      margin: 20px;
```

```
      transition: transform 0.3s;
```

```
      display: flex;
```

```
    }
```

```
    body {
```

```
      font-family: Segoe UI;
```

```
      line-height: 1.6;
```

```
      margin: 0;
```

```
      padding: 0;
```

```
    }
```

```
    header {
```

```
background: transparent;
color: #ffffff;
text-align: center;
}

main {
padding: 20px;
}

h2 {
color: black;
text-align: center;
}

aside {
background: transparent;
padding-left: 500px;
padding-right: 500px;
border-radius: 8px;
margin-top: 20px;
box-shadow: 0 2px 5px rgba(0, 0, 0, 0.1);
}

form {
display: flex;
flex-direction: column;
}
```

```
label {  
    margin-bottom: 5px;  
}
```

```
input, textarea {  
    margin-bottom: 15px;  
    padding: 10px;  
    border: 1px solid #ccc;  
    border-radius: 4px;  
}
```

```
button {  
    background: orange;  
    color: #ffffff;  
    border: none;  
    padding: 10px;  
    border-radius: 4px;  
    cursor: pointer;  
}
```

```
button:hover {  
    background: grey;  
    color: orange;  
}
```

```
footer {  
    text-align: center;  
    padding: 10px 0;
```

```
background: #35424a;
color: #ffffff;
position: relative;
bottom: 0;
width: 100%;
}
.team-mem{
width: 300px;
height: 300px;
}
.team-mem a{
text-decoration: none;
color:black;
}
.team-mem{
margin-right:200px;
}
.team-mem:hover{
transform: scale(1.05);
}
image{
padding: 20px;
width: fit-content;
}
hr{
width: 200px;
margin: 10px auto;
}
```

```
.members{
  display: flex;
}

img{
  width: 250px;
  height: 250px;
  margin: 5px;
}

p{
  text-align: left;
  font-size: 12px;
  margin: 0px;
}

.foot{
  text-align:center;
}

#done{
  background-color:orange;
  color:black;
}

#done:hover{
  background-color: white;
  color:black;
}
```

```
</style>

</head>
<body>
  <!-- Navigation bar -->
  <div class="bg-try">
    <nav>
      <div class="logo">
        <h1>Branded Watch Shop</h1>
      </div>
      <ul>
        <li>
          <a id="home" href="../Development/index.html">Home</a>
          <a id="blog" href="../Development/Blogpage.html">Blog</a>
          <a id="products" href="../Development/ProductPage.html">Product
Page</a>
          <a id="research"
href="../Development/ResearchPage.html">Research</a>
          <a id="about" href="../Development/aboutus.html">About us</a>
        </li>
      </ul>
    </nav>

    <header>
      <h1>About Us</h1>
    </header>
    <main>
      <h2>Meet Our Team Members</h2>
      <hr>
```

```
<section>

  <div class="profile-card" style="font-family:'Segoe UI', Tahoma, Geneva,
Verdana, sans-serif;">

    <!-- Inline Styling -->

    <div class="members">

      <div class="team-mem">

        <a href="../Development/CV_HTML/CV_Deepesh.html">  </a>

        <h3><a href="../Development/CV_HTML/CV_Deepesh.html">Deepesh
Shiwakoti</a></h3>

        <p><a href="../Development/CV_HTML/CV_Deepesh.html">Team
Leader</a></p>

      </div>

    </div>

    <div class="members">

      <div class="team-mem">

        <a href="../Development/CV_HTML/CV_Shankar.html"></a>

        <h3><a href="../Development/CV_HTML/CV_Shankar.html">Shankar
Thapa</a></h3>

        <p><a
href="../Development/CV_HTML/CV_Shankar.html">Member</a></p>

      </div>

    </div>

    <div class="members">

      <div class="team-mem">

        <a href="../Development/CV_HTML/CV_Suprem.html"></a>

        <h3><a href="../Development/CV_HTML/CV_Suprem.html">Supreme
Thapa</h3></a>

        <p><a
href="../Development/CV_HTML/CV_Suprem.html">Member</a></p>
```

```
</div>
</div>
<div class="members">
  <div class="team-mem">
    <a href="../Development/CV_HTML/CV_Diya.html"></a>
    <h3><a href="../Development/CV_HTML/CV_Diya.html">Diya
Ranjit</a></h3>
    <p><a
href="../Development/CV_HTML/CV_Diya.html">Member</a></p>
  </div>
</div>

</div>
```

```
</section>
```

```
<aside>
```

```
<!-- form with js implementation -->
```

```
<h2>Contact Us</h2>
```

```
<form name="messageForm" onsubmit="validateForm()">
```

```
  <label>First Name: </label>
```

```
  <input type="text" name="fname">
```

```
  <label>Last Name: </label>
```

```
  <input type="text" name="lname">
```

```
<label>Message:</label>

<textarea rows="5" cols="10" name="message" placeholder="Enter your
message"></textarea>

<input id="done" type="submit" value="Submit">
</form>
</aside>
<script src="../Development/script.js"></script>
</main>

<!-- Footer -->
<div class="footer">
  <div class="Ftext">
    <h1>Branded Watch Shop</h1>
    <p>Your trusted destination for branded watches.</p>
  </div>
  <div class="Ftext">
    <h3>Contact Us</h3>
    <p>Email: bws.customer.support@gmail.com</p>
    <p>Phone: +977 01-452145</p>
    <p>Location: Kamalpokhari, Kathmandu</p>
  </div>
  <div class="Ftext">
    <h3>Quick Links</h3>
    <p><a href="../Development/index.html">Home</a></p>
    <p><a href="../Development/Blogpage.html">Blog</a></p>
    <p><a href="../Development/ProductPage.html">Product Page</a></p>
```

```
        </div>
    </div>
</body>
</html>
```

```
</body>
</html>
```

6. External CSS Code

```
/* Overall Page */
```

```
* {
    margin: 0;
    padding: 0;
    font-family: 'Segoe UI';
    box-sizing: border-box;
}
```

```
/* Background image */
```

```
.bg-try{
    background: url(../Development/Website_Background/web-bg-try.jpg);
    background-size: cover;
    background-attachment: fixed;
}
```

```
/* Nav Bar */
```

```
nav {
    top: 0;
    display: flex;
    justify-content: space-between;
```

```
padding: 20px;
margin:0;
border:none;
}
```

```
.logo {
margin-left: 45px;
font-size: 22px;
font-family: Segoe UI;
color:white;
}
```

```
#watch{
display: block;
width: 300px; /* Adjust as needed */
height: auto;
transition: transform 0.3s ease-in-out; /* Smooth animation */
}
```

```
#watch:hover {
transform: scale(1.2); /* 1.2 times the original size */
cursor: pointer;
}
```

```
nav h1 {
font-family:'Segoe UI', Tahoma, Geneva, Verdana, sans-serif
}
```

```
ul {
list-style:none;
```

```
margin-top: 6px;  
display: flex;  
align-items: center;  
}
```

```
ul li a {  
margin-inline: 18px;  
text-decoration: none;  
font-size: 22px;  
font-weight: 650px;  
color: white;  
}
```

```
ul li a: hover {  
  
color: gold;  
}
```

```
ul li i {  
font-size: 22px;  
cursor: pointer;  
}
```

```
/* For display */  
.mainPage {  
display: flex;  
justify-content: space-around;  
align-items: center;
```

```
padding: 40px;  
margin: 0;  
border:none;  
}
```

```
.mainPage .text {  
    max-width: 500px;  
}
```

```
.text h1 {  
    font-size: 48px;  
    color: white;  
}
```

```
.text h2{  
    color:orange;  
}
```

```
.text p {  
    margin-top: 20px;  
    font-size: 18px;  
    color: white;  
}
```

```
.text button {  
    margin-top: 20px;  
    padding: 10px 20px;  
    background-color: orange;  
    border: none;
```

```
    color: white;
    font-size: 16px;
    cursor: pointer;
    border-radius:20px;

}

.text a{
    text-decoration: none;
    color:black;
}

.text button:hover {
    background-color: white;
    border: 2px solid rgb(2, 131, 131);
}

/* Main Products */
.cardMen {
    padding: 40px;

}

.cardMen .head {
    text-align: center;
    margin-bottom: 20px;
}
```

```
.cardMen .head span {  
  color: black;  
}
```

```
.card {  
  display: flex;  
  justify-content: center;  
  gap: 20px;  
}
```

```
.card .crd {  
  background-color: #fff;  
  border-radius: 10px;  
  box-shadow: 0 2px 4px rgba(0, 0, 0, 0.1);  
  width: 300px;  
  padding: 20px;  
  text-align: center;  
}
```

```
.card .crd img {  
  width: 100%;  
  border-radius: 20px;  
}
```

```
.card .crd h3 {  
  margin: 25px 0;  
}
```

```
.card .crd button {
```

```
    padding: 10px;
```

```
    background-color: orange;
```

```
    color: black;
```

```
    border: none;
```

```
    cursor: pointer;
```

```
    font-size: 16px;
```

```
}
```

```
.card .crd button:hover {
```

```
    background-color: rgba(221, 219, 219, 0.945);
```

```
}
```

```
.txt a{
```

```
    text-decoration: none;
```

```
    color:black;
```

```
}
```

```
#brandwatch{
```

```
    width: 225px; /* Adjust as needed */
```

```
    height: auto;
```

```
    transition: transform 0.6s ease-out; /* Smooth animation */
```

```
}
```

```
#brandwatch:hover {
```

```
    transform: scale(1.1); /* 1.2 times the original size */
```

```
    cursor: pointer;
```

```
}
```

```
/* Footer */  
  
.footer {  
    display: flex;  
    justify-content: space-around;  
    background-color: rgb(66, 62, 62);  
    padding: 40px;  
    text-align: center;  
    color: white;  
}  
  
.footer h1, .footer h3 {  
    margin-bottom: 15px;  
}  
  
.footer p {  
    margin: 5px 0;  
}  
  
.Ftext a{  
    text-decoration: none;  
    color:gold;  
}  
  
.Ftext a:hover{  
    color:white;  
}
```

7. External JS Code

// For About us Page Feedback form

```
function validateForm()
{
    var firstName = document.forms["messageForm"]["fname"].value;
    var lastName = document.forms["messageForm"]["lname"].value;
    var messageDetails = document.forms["messageForm"]["message"].value;

    //Alert(messageDetails);
    if (firstName == "" || lastName == "" || messageDetails == "")
    {
        alert("Empty fields are present! Please enter the values...");
    }

    else
    {
        alert("Thank you for your feedback!")
    }
}

// For Product Page
function addtocart(){
    alert("Added to cart successfully")
}

function review_msg(){
    alert("Thank you for rating our watch.")
}
```

8. CV Web Page HTML Code

<!DOCTYPE html>

```
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>CV_Deepesh</title>
  <link rel="icon" type="image/png" href="../CV/cv-icon.png">

  <style>
    *{
      margin: 0;
      padding: 0;
      font-family: 'Times New Roman', Times, serif
    }
    body{
      background:url(..Website_Background/web-bg-try.jpg);

    }
    .container{
      background: #d9d9d9;
      max-width: 800px;
      margin: 60px auto;
      height: 1360px;
      padding: 20px;
      box-shadow: 0 2px 20px rgba(0, 0,0,0.3);
    }
    .header{
      text-align: center;
      background: transparent;
```

```
padding: 4% 0;
color: #fff;
}
.header h1{
margin-top: 10px;
}
.header h3{
text-transform: uppercase;
font-size: 15px;
font-weight: 500;
}
.img-area{
width: 200px;
height: 200px;
border-radius: 50%;
overflow: hidden;
margin: 25px auto;
border: 10px solid #fff;
}
.img-area img{
width: 100%;
}
.main{
display: flex;
}
.left{
flex: 1;
padding: 30px;
```

```
    background: transparent;
}
.left p{
    line-height: 2;
}
.left ul li{
    line-height: 2;
}
h2{
    background: linear-gradient(to right,#0494e2,rgba(255, 255, 255, 0));
    padding: 15px;
    color: #fff;
    margin: 30px 0;
    font-size: 20px;
    border-radius: 0 30px 0 0;
}
.right{
    flex: 1;
}
.right h3{
    margin-bottom: 15px;
}
.rigth p{
    line-height: 2.9;
}
.right ul li{
    line-height: 2;
}
```

```
.heading{
  text-align: center;
}
</style>
</head>
<body>
  <div class="container">
    <div class="img-area">
      
    </div>
    <h1 class="heading">DEEPESH SHIWAKOTI</h1>
    <p>Certified network engineer with over 5 years of hands-on experience in
designing, implementing, and managing IT and
    networking systems. Proficient in Cisco technologies, with extensive expertise
in network simulation tools like Cisco Packet
    Tracer and GNS3. Skilled in leading cross-functional teams to deliver
successful projects, with a strong focus on routing
    protocols, switching technologies, and advanced network services. Aiming to
expand my expertise by pursuing further
    certifications and academic qualifications, with the goal of contributing as a
Network Engineer or Administrator in a dynamic
    organization.</p>

  <div class="main">
    <div class="left">
      <h2>Personal Information</h2>
      <p><strong>Name:</strong>Deepesh Shiwakoti</p>
      <p><strong>Age:</strong>25</p>
      <p><strong>Email:</strong>deepeshshiwakoti9@gmail.com</p>
      <p><strong>Phone:</strong>9865000423</p>
```

Address:Nijgadh-09, Bara, Madhesh Province, Nepal

Education

Secondary Education Examination

Daisy School, 2015

Khairahani, Chitwan, Bagmati Province, Nepal

+2 Science

SOS Hermann Gmeiner School Bharatpur, July 2015 - August 2017

Bharatpur, Chitwan, Bagmati Province, Nepal

Hobbies

- Futsal
- Chess
- Table Tennis
- Trekking

Career Goals

- Intend to pursue CCNP (Cisco Certified Network Professional) certification to deepen expertise in advanced networking,
- including routing and switching, enterprise networking solutions, Service Provider and troubleshooting.
- Plan to pursue a Bachelors and subsequently a Masters degree in a relevant field of IT and networking to deepen academic
- knowledge and complement professional experience.

Aim to work as a Network Administrator or Network Engineer for an ISP or large organization.

<h2>Language</h2>

Nepali

English

Hindi

<h2>Experience</h2>

<p>CCNA Practices, Project on HTML, CSS and JS</p>

</div>

</div>

</div>

</body>

</html>