

Dictionary Operations

Write a Python program to perform the following dictionary operations:

1. Create an empty dictionary and display it.
2. Ask the user how many items to add, then input key-value pairs.
3. Show the dictionary after adding items.
4. Ask the user to update a key's value.
 - oPrint "Value updated" if the key exists
 - oOtherwise print "Key not found"
5. Retrieve and print a value using a key.
 - oIf not found, print "Key not found"
6. Use get() method to retrieve a value.
 - oIf the key doesn't exist, print "Key not found"
7. Delete a key-value pair.
 - oIf the key exists, delete and print "Deleted"
 - oOtherwise print "Key not found"
8. Display the updated dictionary.

Code:

```
# Create an empty dictionary
my_dict = {}
print("Empty Dictionary:", my_dict)

# Ask user how many items to add
n = int(input("Enter number of items to add: "))

# Input key-value pairs
for i in range(n):
    key = input("Enter key: ")
    value = input("Enter value: ")
    my_dict[key] = value

# Show dictionary after adding items
print("Dictionary after adding items:", my_dict)

# Update a key's value
update_key = input("Enter key to update: ")
if update_key in my_dict:
    new_value = input("Enter new value: ")
    my_dict[update_key] = new_value
    print("Value updated")
else:
    print("Key not found")

# Retrieve value using key
search_key = input("Enter key to retrieve value: ")
if search_key in my_dict:
    print("Value:", my_dict[search_key])
else:
    print("Key not found")

# Using get() method
get_key = input("Enter key to get value using get(): ")
value = my_dict.get(get_key)
if value is not None:
    print("Value:", value)
else:
    print("Key not found")
```

```

        print("Key not found")

# Delete a key-value pair
delete_key = input("Enter key to delete: ")
if delete_key in my_dict:
    del my_dict[delete_key]
    print("Deleted")
else:
    print("Key not found")

# Display updated dictionary
print("Updated Dictionary:", my_dict)|

```

Output:

```

>>>
Enter your choice (1-4):
===== RESTART: C:/Users/vijay
Empty Dictionary: {}
Enter number of items to add: 4
Enter key: 3
Enter value: 1
Enter key: 9
Enter value: 4
Enter key: 10
Enter value: 100
Enter key: 355
Enter value: 55
Dictionary after adding items: {'3': '1', '9': '4', '10': '100', '355': '55'}
Enter key to update: 5
Key not found
Enter key to retrieve value: 45
Key not found
Enter key to get value using get(): 222
Key not found
Enter key to delete: 9
Deleted
Updated Dictionary: {'3': '1', '10': '100', '355': '55'}
>>>

```