

Name:Supriya.B Register Number:250701760 Experiment Name:Experiment to understand EDA–Quantitative and Qualitative Analysis

```
import seaborn as sns
import pandas as pd
import numpy as np
import matplotlib.pyplot as plt
%matplotlib inline

tips = sns.load_dataset('tips')

print(tips.head())

sns.displot(tips['total_bill'], kde=True)
plt.show()

sns.displot(tips['total_bill'], kde=False)
plt.show()

sns.jointplot(x='tip', y='total_bill', data=tips)
plt.show()

sns.jointplot(x='tip', y='total_bill', data=tips, kind='reg') plt.show()

sns.jointplot(x='tip', y='total_bill', data=tips, kind='hex') plt.show()

sns.pairplot(tips)
plt.show()

print(tips['time'].value_counts())

sns.pairplot(tips, hue='time')
plt.show()

sns.pairplot(tips, hue='day')
plt.show()

sns.heatmap(tips.corr(numeric_only=True), annot=True)
plt.show()

sns.boxplot(y=tips['total_bill'])
plt.show()

sns.boxplot(y=tips['tip'])
plt.show()

sns.countplot(y=tips['day'])
plt.show()
```

```
sns.countplot(y=tips['sex'])  
plt.show()
```


```
tips['sex'].value_counts().plot(kind='pie')  
plt.show()
```


```
tips['sex'].value_counts().plot(kind='bar')  
plt.show()
```


```
sns.countplot(x=tips['sex'])  
plt.show()
```


```
sns.countplot(data=tips[tips['time'] == 'Dinner'], x='day') plt.show()
```


```
total_bill tip sex smoker day time size  
0 16.99 1.01 Female No Sun Dinner 2  
1 10.34 1.66 Male No Sun Dinner 3  
2 21.01 3.50 Male No Sun Dinner 3  
3 23.68 3.31 Male No Sun Dinner 2  
4 24.59 3.61 Female No Sun Dinner 4
```














```
time
Dinner 176
Lunch 68
Name: count, dtype: int64
```

