

Online Java Compiler - online e... Step-by-step problem solving... chatgpt - Google Search... Ask Gemini

onlinegdb.com/online_java_compiler#

Run Debug Stop Share Save Beautify

Language Java

```
FinancialForecast.java
1 public class FinancialForecast {
2
3     static double futureValue(double presentValue, double growthRate, int years) {
4         if (years == 0) {
5             return presentValue;
6         }
7         return futureValue(presentValue * (1 + growthRate), growthRate, years - 1);
8     }
9
10    public static void main(String[] args) {
11        double presentValue = 100000;
12        double growthRate = 0.08; // 8% growth per year
13        int years = 5;
14
15        double result = futureValue(presentValue, growthRate, years);
16        System.out.println("Future value after " + years + " years: " + result);
17    }
18 }
```

input

Future value after 5 years: 146932.80768000006

...Program finished with exit code 0
Press ENTER to exit console.

News for you
Xbox CEO Asha...

Search

21:49
06-07-2026

Console | (no subje... | Digital-N... | GitHub - | (3942... | Online Ja... | Step-by-... | Compon... | + | Ask Gemini

onlinegdb.com/online_java_compiler#

Run Debug Stop Share Save Beautify

Language Java

```
LibrarySearch.java
24 while (low <= high) {
25     int mid = (low + high) / 2;
26     int cmp = sortedBooks[mid].title.compareToIgnoreCase(title);
27     if (cmp == 0) return mid;
28     else if (cmp < 0) low = mid + 1;
29     else high = mid - 1;
30 }
31 return -1;
32 }
33
34 public static void main(String[] args) {
35     Book[] books = {
36         new Book(1, "The Hobbit", "Tolkien"),
37         new Book(2, "1984", "Orwell"),
38         new Book(3, "Dune", "Herbert")
39     };
40 }
```

input

Linear search found 'Dune' at index: 2
Binary search found 'Dune' at index: 1

...Program finished with exit code 0
Press ENTER to exit console.

28°C
Mostly cloudy

Search

21:25
06-07-2026

Console | (no subje... | Digital-N... | GitHub - | (3942... | Online Ja... | Step-by-... | Compon... | + | Ask Gemini | - |

onlinegdb.com/online_java_compiler#

YouTube | Gmail | lonewolf235 (Prakas... | FREE AI-Enhanced... | Digital-Nurture-Jav... | GitHub - seshadrimr... | All Bookmarks

Run | Debug | Stop | Share | Save | Beautify | Language: Java

```
LibrarySearch.java :
24- while (low <= high) {
25-     int mid = (low + high) / 2;
26-     int cmp = sortedBooks[mid].title.compareToIgnoreCase(title);
27-     if (cmp == 0) return mid;
28-     else if (cmp < 0) low = mid + 1;
29-     else high = mid - 1;
30- }
31- return -1;
32- }
33-
34- public static void main(String[] args) {
35-     Book[] books = {
36-         new Book(1, "The Hobbit", "Tolkien"),
37-         new Book(2, "1984", "Orwell"),
38-         new Book(3, "Dune", "Herbert")
39-     };
40-
41-     int idx = linearSearchByTitle(books, "Dune");
42-     System.out.println("Linear search found 'Dune' at index: " + idx);
43-
44-     Book[] sorted = books.clone();
45-     java.util.Arrays.sort(sorted, (a, b) -> a.title.compareToIgnoreCase(b.title));
46-     int idx2 = binarySearchByTitle(sorted, "Dune");
47-     System.out.println("Binary search found 'Dune' at index: " + idx2);
48- }
49- }
```

Input

...Program finished with exit code 0
Press ENTER to exit console.[]

28°C Mostly cloudy | Search | ENG IN | 21:25 06-07-2026

Console | (no subje... | Digital-N... | GitHub - | (3942... | Online Ja... | Step-by-... | Compon... | + | Ask Gemini | - |

onlinegdb.com/online_java_compiler#

YouTube | Gmail | lonewolf235 (Prakas... | FREE AI-Enhanced... | Digital-Nurture-Jav... | GitHub - seshadrimr... | All Bookmarks

Run | Debug | Stop | Share | Save | Beautify | Language: Java

```
LibrarySearch.java :
1- class Book {
2-     int bookId;
3-     String title;
4-     String author;
5-
6-     Book(int bookId, String title, String author) {
7-         this.bookId = bookId;
8-         this.title = title;
9-         this.author = author;
10-    }
11- }
12-
13- public class LibrarySearch {
14-
15-     static int linearSearchByTitle(Book[] books, String title) {
16-         for (int i = 0; i < books.length; i++) {
17-             if (books[i].title.equalsIgnoreCase(title)) return i;
18-         }
19-         return -1;
20-     }
21-
22-     static int binarySearchByTitle(Book[] sortedBooks, String title) {
23-         int low = 0, high = sortedBooks.length - 1;
24-         while (low <= high) {
25-             int mid = (low + high) / 2;
26-             int cmp = sortedBooks[mid].title.compareToIgnoreCase(title);

```

Input

...Program finished with exit code 0
Press ENTER to exit console.[]

28°C Mostly cloudy | Search | ENG IN | 21:24 06-07-2026

Console | (no subje... | Digital-N... | GitHub - ... | (3942) | Online Ja... | Step-by-... | Compon... | + | Ask Gemini

onlinegdb.com/online_java_compiler#

YouTube | Gmail | lonewolf235 (Prakas... | FREE AI-Enhanced... | Digital-Nurture-Jav... | GitHub - seshadrimr...

Run | Debug | Stop | Share | Save | Beautify | Language: Java

TaskLinkedList.java

```
47         if (head == null) return;
48         if (head.taskId == id) {
49             head = head.next;
50             System.out.println("Deleted task ID " + id);
51             return;
52         }
53         Task prev = head, curr = head.next;
```

input

Added task: Design UI
Added task: Write Backend

All tasks:
1 - Design UI [Pending]
2 - Write Backend [In Progress]
Deleted task ID 1

After deleting task 1:
2 - Write Backend [In Progress]

...Program finished with exit code 0
Press ENTER to exit console.

Console | (no subje... | Digital-N... | GitHub - ... | (3942) | Online Ja... | Step-by-... | Compon... | + | Ask Gemini

onlinegdb.com/online_java_compiler#

YouTube | Gmail | lonewolf235 (Prakas... | FREE AI-Enhanced... | Digital-Nurture-Jav... | GitHub - seshadrimr...

Run | Debug | Stop | Share | Save | Beautify | Language: Java

TaskLinkedList.java

```
47         if (head == null) return;
48         if (head.taskId == id) {
49             head = head.next;
50             System.out.println("Deleted task ID " + id);
51             return;
52         }
53         Task prev = head, curr = head.next;
54         while (curr != null) {
55             if (curr.taskId == id) {
56                 prev.next = curr.next;
57                 System.out.println("Deleted task ID " + id);
58                 return;
59             }
60             prev = curr;
61             curr = curr.next;
62         }
63         System.out.println("Task not found.");
64     }
65
66     public static void main(String[] args) {
67         TaskLinkedList list = new TaskLinkedList();
68         list.addTask(1, "Design UI", "Pending");
69         list.addTask(2, "Write Backend", "In Progress");
70         System.out.println("\nAll tasks:");
71         list.traverse();
72         list.deleteTask(1);
73         System.out.println("\nAfter deleting task 1:");
74         list.traverse();
75     }
76 }
```

TaskLinkedList.java :

```
28 Task_searchTask(int id) {
29     Task temp = head;
30     while (temp != null) {
31         if (temp.taskId == id) return temp;
32         temp = temp.next;
33     }
34     return null;
35 }
36
37
38 void traverse() {
39     Task temp = head;
40     while (temp != null) {
41         System.out.println(temp.taskId + " - " + temp.taskName + " [" + temp.status + "]");
42         temp = temp.next;
43     }
44 }
45
46 void deleteTask(int id) {
47     if (head == null) return;
48     if (head.taskId == id) {
49         head = head.next;
50         System.out.println("Deleted task ID " + id);
51         return;
52     }
53     Task prev = head, curr = head.next;
54     while (curr != null) {
55         if (curr.taskId == id) {
56             prev.next = curr.next;
57             System.out.println("Deleted task ID " + id);
```

```
1 class Task {
2     int taskId;
3     String taskName;
4     String status;
5     Task next;
6
7     Task(int taskId, String taskName, String status) {
8         this.taskId = taskId;
9         this.taskName = taskName;
10        this.status = status;
11    }
12 }
13
14 public class TaskLinkedList {
15     Task head;
16
17     void addTask(int id, String name, String status) {
18         Task newTask = new Task(id, name, status);
19         if (head == null) {
20             head = newTask;
21         } else {
22             Task temp = head;
23             while (temp.next != null) temp = temp.next;
24             temp.next = newTask;
25         }
26         System.out.println("Added task: " + name);
27     }
28
29     Task_searchTask(int id) {
30         Task temp = head;
```

Console | (no subje... | Digital-N... | GitHub - | (3942... | Online Ja... | Step-by-... | Compon... | + | Ask Gemini

onlinegodb.com/online_java_compiler#

YouTube | Gmail | lonewolf235 (Prakas... | FREE AI-Enhanced... | Digital-Nurture-Jav... | GitHub - seshadrimr...

Run | Debug | Stop | Share | Save | Beautify | Language: Java

```
EmployeeManage...
47 }
48
49 void deleteEmployee(int id) {
50     int idx = searchEmployee(id);
51     if (idx == -1) {
52         System.out.println("Employee not found.");
53         return;
54     }
55     for (int i = idx; i < count - 1; i++) {
56         employees[i] = employees[i + 1];
57     }
58     employees[count - 1] = null;
59     count--;
60     System.out.println("Deleted employee ID " + id);
61 }
62
63 public static void main(String[] args) {
64     EmployeeManagementSystem ems = new EmployeeManagementSystem(10);
65     ems.addEmployee(new Employee(1, "Alice", "Manager", 70000));
66     ems.addEmployee(new Employee(2, "Bob", "Developer", 60000));
67     System.out.println("\nAll employees:");
68     ems.traverse();
69     ems.deleteEmployee(1);
70     System.out.println("\nAfter deleting employee 1:");
71     ems.traverse();
72 }
73 }
```

input

Added: 1 - Alice (Manager) \$70000.0
Added: 2 - Bob (Developer) \$60000.0

All employees:
1 - Alice (Manager) \$70000.0
2 - Bob (Developer) \$60000.0
Deleted employee ID 1

After deleting employee 1:
2 - Bob (Developer) \$60000.0

...Program finished with exit code 0
Press ENTER to exit console.

Breaking news
Ram Temple Tru...

Search

21:13
06-07-2026

Console | (no subje... | Digital-N... | GitHub - | (3942... | Online Ja... | Step-by-... | Compon... | + | Ask Gemini

onlinegodb.com/online_java_compiler#

YouTube | Gmail | lonewolf235 (Prakas... | FREE AI-Enhanced... | Digital-Nurture-Jav... | GitHub - seshadrimr...

Run | Debug | Stop | Share | Save | Beautify | Language: Java

```
EmployeeManage...
47 }
48
49 void deleteEmployee(int id) {
50     int idx = searchEmployee(id);
51     if (idx == -1) {
52         System.out.println("Employee not found.");
53         return;
54     }
55     for (int i = idx; i < count - 1; i++) {
56         employees[i] = employees[i + 1];
57     }
58     employees[count - 1] = null;
59     count--;
60     System.out.println("Deleted employee ID " + id);
61 }
62
63 public static void main(String[] args) {
64     EmployeeManagementSystem ems = new EmployeeManagementSystem(10);
65     ems.addEmployee(new Employee(1, "Alice", "Manager", 70000));
66     ems.addEmployee(new Employee(2, "Bob", "Developer", 60000));
67     System.out.println("\nAll employees:");
68     ems.traverse();
69     ems.deleteEmployee(1);
70     System.out.println("\nAfter deleting employee 1:");
71     ems.traverse();
72 }
73 }
```

input

Deleted employee ID 1

Breaking news
Ram Temple Tru...

Search

21:13
06-07-2026

Console | (no subje... | Digital-N... | GitHub - | (3942) Wi... | Online Ja... | Step-by-... | Compon... | + | Ask Gemini | - |

onlinegedb.com/online_java_compiler#

YouTube | Gmail | lonewolf235 (Prakas... | FREE AI-Enhanced... | Digital-Nurture-Jav... | GitHub - seshadrimr... | All Bookmarks

Run | Debug | Stop | Share | Save | Beautify | Language: Java

```
EmployeeManage...
26
27 void addEmployee(Employee e) {
28     if (count < employees.length) {
29         employees[count++] = e;
30         System.out.println("Added: " + e);
31     } else {
32         System.out.println("Array is full.");
33     }
34 }
35
36 int searchEmployee(int id) {
37     for (int i = 0; i < count; i++) {
38         if (employees[i].employeeId == id) return i;
39     }
40     return -1;
41 }
42
43 void traverse() {
44     for (int i = 0; i < count; i++) {
45         System.out.println(employees[i]);
46     }
47 }
48
49 void deleteEmployee(int id) {
50     int idx = searchEmployee(id);
51     if (idx == -1) {
52         System.out.println("Employee not found.");
53     }
54 }
```

input

Deleted employee ID 1

Breaking news
Ram Temple Tru...

Search

21:13
06-07-2026

Console | (no subje... | Digital-N... | GitHub - | (3942) Wi... | Online Ja... | Step-by-... | Compon... | + | Ask Gemini | - |

onlinegedb.com/online_java_compiler#

YouTube | Gmail | lonewolf235 (Prakas... | FREE AI-Enhanced... | Digital-Nurture-Jav... | GitHub - seshadrimr... | All Bookmarks

Run | Debug | Stop | Share | Save | Beautify | Language: Java

```
EmployeeManage...
1 class Employee {
2     int employeeId;
3     String name;
4     String position;
5     double salary;
6
7     Employee(int employeeId, String name, String position, double salary) {
8         this.employeeId = employeeId;
9         this.name = name;
10        this.position = position;
11        this.salary = salary;
12    }
13
14    public String toString() {
15        return employeeId + " - " + name + " (" + position + ") $" + salary;
16    }
17 }
18
19 public class EmployeeManagementSystem {
20     Employee[] employees;
21     int count = 0;
22
23     EmployeeManagementSystem(int capacity) {
24         employees = new Employee[capacity];
25     }
26
27     void addEmployee(Employee e) {
28         if (count < employees.length) {
29             employees[count++] = e;
30             System.out.println("Added: " + e);
31         } else {
32             System.out.println("Array is full.");
33         }
34     }
35
36     int searchEmployee(int id) {
37         for (int i = 0; i < count; i++) {
38             if (employees[i].employeeId == id) return i;
39         }
40         return -1;
41     }
42
43     void traverse() {
44         for (int i = 0; i < count; i++) {
45             System.out.println(employees[i]);
46         }
47     }
48
49     void deleteEmployee(int id) {
50         int idx = searchEmployee(id);
51         if (idx == -1) {
52             System.out.println("Employee not found.");
53         }
54     }
55 }
```

input

Deleted employee ID 1

Breaking news
Ram Temple Tru...

Search

21:13
06-07-2026

Console | (no subje... | Digital-N... | GitHub - | (3942... | Online Ja... | Step-by-... | Compon... | + | Ask Gemini

onlinegodb.com/online_java_compiler#

YouTube | Gmail | lonewolf235 (Prakas... | FREE AI-Enhanced... | Digital-Nurture-Jav... | GitHub - seshadrimr...

Run | Debug | Stop | Share | Save | Beautify | Language: Java

SortingDemo.java

```
44-         if (orders[j].totalPrice < pivot) {
45-             i++;
46-             Order temp = orders[i]; orders[i] = orders[j]; orders[j] = temp;
47-         }
48-         Order temp = orders[i + 1]; orders[i + 1] = orders[high]; orders[high] = temp;
49-         return i + 1;
50-     }
51- }
52-
```

input

```
Bubble sorted:
Order#2 Riya $900.0
Order#1 Amit $2500.0
Order#3 Sam $4200.0

Quick sorted:
Order#2 Riya $900.0
Order#1 Amit $2500.0
Order#3 Sam $4200.0

...Program finished with exit code 0
Press ENTER to exit console.
```

Breaking news
Ram Temple Tru...

Search

ENG IN 21:12 06-07-2026

Console | (no subje... | Digital-N... | GitHub - | (3942... | Online Ja... | Step-by-... | Compon... | + | Ask Gemini

onlinegodb.com/online_java_compiler#

YouTube | Gmail | lonewolf235 (Prakas... | FREE AI-Enhanced... | Digital-Nurture-Jav... | GitHub - seshadrimr...

Run | Debug | Stop | Share | Save | Beautify | Language: Java

SortingDemo.java

```
44-         if (orders[j].totalPrice < pivot) {
45-             i++;
46-             Order temp = orders[i]; orders[i] = orders[j]; orders[j] = temp;
47-         }
48-         Order temp = orders[i + 1]; orders[i + 1] = orders[high]; orders[high] = temp;
49-         return i + 1;
50-     }
51- }
52-
53- public static void main(String[] args) {
54-     Order[] ordersForBubble = {
55-         new Order(1, "Amit", 2500.0),
56-         new Order(2, "Riya", 900.0),
57-         new Order(3, "Sam", 4200.0)
58-     };
59-     bubbleSort(ordersForBubble);
60-     System.out.println("Bubble sorted:");
61-     for (Order o : ordersForBubble) System.out.println(o);
62-
63-     Order[] ordersForQuick = {
64-         new Order(1, "Amit", 2500.0),
65-         new Order(2, "Riya", 900.0),
66-         new Order(3, "Sam", 4200.0)
67-     };
68-     quickSort(ordersForQuick, 0, ordersForQuick.length - 1);
69-     System.out.println("\nQuick sorted:");
70-     for (Order o : ordersForQuick) System.out.println(o);
71- }
72- }
```

input

Breaking news
Ram Temple Tru...

Search

ENG IN 21:12 06-07-2026

Console | (no subje... | Digital-N... | GitHub - ... | (3942... | Online Ja... | Step-by-... | Compon... | + | Ask Gemini | - | X

onlinegdb.com/online_java_compiler#

YouTube | Gmail | lonewolf235 (Prakas... | FREE AI-Enhanced... | Digital-Nurture-Jav... | GitHub - seshadrimr... | All Bookmarks

Run | Debug | Stop | Share | Save | Beautify | Language: Java

SortingDemo.java

```
26         orders[j + 1] = temp;
27     }
28 }
29
30 }
31
32 static void quickSort(Order[] orders, int low, int high) {
33     if (low < high) {
34         int pi = partition(orders, low, high);
35         quickSort(orders, low, pi - 1);
36         quickSort(orders, pi + 1, high);
37     }
38 }
39
40 static int partition(Order[] orders, int low, int high) {
41     double pivot = orders[high].totalPrice;
42     int i = low - 1;
43     for (int j = low; j < high; j++) {
44         if (orders[j].totalPrice < pivot) {
45             i++;
46             Order temp = orders[i]; orders[i] = orders[j]; orders[j] = temp;
47         }
48     }
49     Order temp = orders[i + 1]; orders[i + 1] = orders[high]; orders[high] = temp;
50     return i + 1;
51 }
52
53 public static void main(String[] args) {
54     Order[] ordersForBubble = {
55         // ...
56     }
57 }
```

Input

Breaking news
Ram Temple Tru...

Search

21:12
06-07-2026

Console | (no subje... | Digital-N... | GitHub - ... | (3942... | Online Ja... | Step-by-... | Compon... | + | Ask Gemini | - | X

onlinegdb.com/online_java_compiler#

YouTube | Gmail | lonewolf235 (Prakas... | FREE AI-Enhanced... | Digital-Nurture-Jav... | GitHub - seshadrimr... | All Bookmarks

Run | Debug | Stop | Share | Save | Beautify | Language: Java

SortingDemo.java

```
1 class Order {
2     int orderId;
3     String customerName;
4     double totalPrice;
5
6     Order(int orderId, String customerName, double totalPrice) {
7         this.orderId = orderId;
8         this.customerName = customerName;
9         this.totalPrice = totalPrice;
10    }
11
12    public String toString() {
13        return "Order#" + orderId + " " + customerName + " $" + totalPrice;
14    }
15 }
16
17 public class SortingDemo {
18
19     static void bubbleSort(Order[] orders) {
20         int n = orders.length;
21         for (int i = 0; i < n - 1; i++) {
22             for (int j = 0; j < n - i - 1; j++) {
23                 if (orders[j].totalPrice > orders[j + 1].totalPrice) {
24                     Order temp = orders[j];
25                     orders[j] = orders[j + 1];
26                     orders[j + 1] = temp;
27                 }
28             }
29         }
30     }
31 }
```

Input

28°C
Mostly cloudy

Search

21:12
06-07-2026

Console | (no subje... | Digital-N... | GitHub - | (3942... | Online Ja... | Step-by-... | Compon... | + | Ask Gemini

onlinegodb.com/online_java_compiler#

YouTube | Gmail | lonewolf235 (Prakas... | FREE AI-Enhanced... | Digital-Nurture-Jav... | GitHub - seshadrimr...

Run | Debug | Stop | Share | Save | Beautify | Language: Java

SearchDemo.java

```
19         return -1;
20     }
21
22     static int binarySearch(Product[] sortedProducts, int id) {
23         int low = 0, high = sortedProducts.length - 1;
24         while (low <= high) {
25             int mid = (low + high) / 2;
26             if (sortedProducts[mid].productId == id) return mid;
27             else if (sortedProducts[mid].productId < id) low = mid + 1;
28             else high = mid - 1;
29         }
30         return -1;
31     }
32 }
```

input | stdout | stderr

Compiled Successfully. memory: 55232 time: 0.1 exit code: 0

Linear search found 'Mouse' at index: 2
Binary search found 'Mouse' at index: 1

28°C Mostly cloudy | Search | ENG IN | 21:10 06-07-2026

Loading... | (no subje... | Digital-N... | GitHub - | (3942... | Online Ja... | Step-by-... | Compon... | + | Ask Gemini

onlinegodb.com/online_java_compiler#

YouTube | Gmail | lonewolf235 (Prakas... | FREE AI-Enhanced... | Digital-Nurture-Jav... | GitHub - seshadrimr...

Run | Debug | Stop | Share | Save | Beautify | Language: Java

SearchDemo.java

```
19         return -1;
20     }
21
22     static int binarySearch(Product[] sortedProducts, int id) {
23         int low = 0, high = sortedProducts.length - 1;
24         while (low <= high) {
25             int mid = (low + high) / 2;
26             if (sortedProducts[mid].productId == id) return mid;
27             else if (sortedProducts[mid].productId < id) low = mid + 1;
28             else high = mid - 1;
29         }
30         return -1;
31     }
32 }
33
34 public static void main(String[] args) {
35     Product[] products = {
36         new Product(103, "Keyboard", "Accessories"),
37         new Product(101, "Laptop", "Electronics"),
38         new Product(102, "Mouse", "Accessories")
39     };
40
41     int idx = linearSearch(products, 102);
42     System.out.println("Linear search found 'Mouse' at index: " + idx);
43
44     Product[] sorted = products.clone();
45     java.util.Arrays.sort(sorted, (a, b) -> a.productId - b.productId);
46     int idx2 = binarySearch(sorted, 102);
47     System.out.println("Binary search found 'Mouse' at index: " + idx2);
48 }
```

input | stdout | stderr

28°C Mostly cloudy | Search | ENG IN | 21:08 06-07-2026

onlinegdb.com/online_java_compiler#

```
1 class Product {
2     int productId;
3     String productName;
4     String category;
5
6     Product(int productId, String productName, String category) {
7         this.productId = productId;
8         this.productName = productName;
9         this.category = category;
10    }
11 }
12
13 public class SearchDemo {
14
15     static int linearSearch(Product[] products, int id) {
16         for (int i = 0; i < products.length; i++) {
17             if (products[i].productId == id) return i;
18         }
19         return -1;
20     }
21
22     static int binarySearch(Product[] sortedProducts, int id) {
23         int low = 0, high = sortedProducts.length - 1;
24         while (low <= high) {
25             int mid = (low + high) / 2;
26             if (sortedProducts[mid].productId == id) return mid;
27             else if (sortedProducts[mid].productId < id) low = mid + 1;
28             else high = mid - 1;
29         }
30         return -1;
31     }
32 }
```

input

28°C Mostly cloudy 21:08 06-07-2026

onlinegdb.com/online_java_compiler#

```
34     System.out.println("Updated: " + p);
35 } else {
36     System.out.println("Product ID " + id + " not found.");
37 }
38 }
39
40 void deleteProduct(int id) {
41     if (inventory.remove(id) != null) {
42         System.out.println("Deleted product with ID " + id);
43     } else {
44         System.out.println("Product not found.");
45     }
46 }
47 }
```

input

Added: ID: 101, Name: Laptop, Qty: 10, Price: 55000.0
Added: ID: 102, Name: Mouse, Qty: 50, Price: 500.0
Updated: ID: 101, Name: Laptop, Qty: 8, Price: 54000.0
Deleted product with ID 102
Final inventory:
ID: 101, Name: Laptop, Qty: 8, Price: 54000.0

...Program finished with exit code 0
Press ENTER to exit console.

28°C Mostly cloudy 20:57 06-07-2026

Online Java Compiler

Console Blank - F

(no subject) - sup

Digital-Nurture-J

GitHub - supriya

(3942) Wedding

+

Ask Gemini

—

⌵

×

onlinegdb.com/online_java_compiler#

☆

📄

🔍

⋮

YouTube

Gmail

lonewolf235 (Prakas...

FREE AI-Enhanced...

Digital-Nurture-Jav...

GitHub - seshadrimr...

All Bookmarks

⚡

InventoryManage...

⋮

Run

Debug

Stop

Share

Save

Beautify

⌵

🔍

Language Java ⌵ ⚙️

```
34     System.out.println("Updated: " + p);
35 } else {
36     System.out.println("Product ID " + id + " not found.");
37 }
38 }
39
40 void deleteProduct(int id) {
41     if (inventory.remove(id) != null) {
42         System.out.println("Deleted product with ID " + id);
43     } else {
44         System.out.println("Product ID " + id + " not found.");
45     }
46 }
47
48 void displayAll() {
49     for (Product p : inventory.values()) {
50         System.out.println(p);
51     }
52 }
53
54 public static void main(String[] args) {
55     InventoryManagementSystem ims = new InventoryManagementSystem();
56     ims.addProduct(new Product(101, "Laptop", 10, 55000.0));
57     ims.addProduct(new Product(102, "Mouse", 50, 500.0));
58     ims.updateProduct(101, 8, 54000.0);
59     ims.deleteProduct(102);
60     System.out.println("Final inventory:");
61     ims.displayAll();
62 }
63 }
```

28°C

Mostly cloudy

🔍 Search

🌐

👤

🎨

📁

📅

🔍

📧

📄

📊

📌

⌵

ENG IN

📶

🔊

🔋

20:57

06-07-2026

Online Java Compiler

onlinegdb.com/online_java_compiler#

Run Debug Stop Share Save Beautify

Language Java

```
21- public class InventoryManagementSystem {
22-     HashMap<Integer, Product> inventory = new HashMap<>();
23-
24-     void addProduct(Product p) {
25-         inventory.put(p.productId, p);
26-         System.out.println("Added: " + p);
27-     }
28-
29-     void updateProduct(int id, int newQty, double newPrice) {
30-         if (inventory.containsKey(id)) {
31-             Product p = inventory.get(id);
32-             p.quantity = newQty;
33-             p.price = newPrice;
34-             System.out.println("Updated: " + p);
35-         } else {
36-             System.out.println("Product ID " + id + " not found.");
37-         }
38-     }
39-
40-     void deleteProduct(int id) {
41-         if (inventory.remove(id) != null) {
42-             System.out.println("Deleted product with ID " + id);
43-         } else {
44-             System.out.println("Product ID " + id + " not found.");
45-         }
46-     }
47-
48-     void displayAll() {
49-         for (Product p : inventory.values()) {
50-             System.out.println(p);
51-         }
52-     }
53- }
```

28°C Mostly cloudy 20:57 06-07-2026

Online Java Compiler

onlinegdb.com/online_java_compiler#

Run Debug Stop Share Save Beautify

Language Java

```
1- import java.util.HashMap;
2-
3- class Product {
4-     int productId;
5-     String productName;
6-     int quantity;
7-     double price;
8-
9-     Product(int productId, String productName, int quantity, double price) {
10-         this.productId = productId;
11-         this.productName = productName;
12-         this.quantity = quantity;
13-         this.price = price;
14-     }
15-
16-     public String toString() {
17-         return "ID: " + productId + ", Name: " + productName + ", Qty: " + quantity + ", Price: " + price;
18-     }
19- }
20-
21- public class InventoryManagementSystem {
22-     HashMap<Integer, Product> inventory = new HashMap<>();
23-
24-     void addProduct(Product p) {
25-         inventory.put(p.productId, p);
26-         System.out.println("Added: " + p);
27-     }
28-
29-     void updateProduct(int id, int newQty, double newPrice) {
30-         if (inventory.containsKey(id)) {
31-             Product p = inventory.get(id);
32-             p.quantity = newQty;
33-             p.price = newPrice;
34-             System.out.println("Updated: " + p);
35-         } else {
36-             System.out.println("Product ID " + id + " not found.");
37-         }
38-     }
39-
40-     void deleteProduct(int id) {
41-         if (inventory.remove(id) != null) {
42-             System.out.println("Deleted product with ID " + id);
43-         } else {
44-             System.out.println("Product ID " + id + " not found.");
45-         }
46-     }
47-
48-     void displayAll() {
49-         for (Product p : inventory.values()) {
50-             System.out.println(p);
51-         }
52-     }
53- }
```

28°C Mostly cloudy 20:56 06-07-2026

ChatGPT x Step-by- x Online Ja x Console i x (no subje x Digital-N x GitHub - x (3942) W x + Ask Gemini

onlinegdb.com/online_java_compiler#

YouTube Gmail lonewolf235 (Prakas... FREE AI-Enhanced... Digital-Nurture-Jav... GitHub - seshadrimr...

Run Debug Stop Share Save Beautyfy

Language Java

InventoryManage...

```
1 import java.util.HashMap;
2
3 class Product {
4     int productId;
5     String productName;
6     int quantity;
7     double price;
8
9     Product(int productId, String productName, int quantity, double price) {
10         this.productId = productId;
11         this.productName = productName;
12         this.quantity = quantity;
13         this.price = price;
14     }
15
16     public String toString() {
17         return "ID: " + productId + ", Name: " + productName + ", Qty: " + quantity + ", Price: " + price;
18     }
19 }
20
21 public class InventoryManagementSystem {
22     HashMap<Integer, Product> inventory = new HashMap<>();
23
24     void addProduct(Product p) {
25         inventory.put(p.productId, p);
26         System.out.println("Added: " + p);
27     }
28
29     void updateProduct(int id, int newQty, double newPrice) {
30         if (inventory.containsKey(id)) {
```

28°C Mostly cloudy Search ENG IN 20:56 06-07-2026