Exp. No. 11
APPLICATION DEPLOYMENT AND MIGRATION IN ZOHO CREATOR

AIM

To deploy and migrate a Zoho Creator application (**Event Registration**) across the Stage and Production environments using the **Environments** feature, and to publish a new version (V3.0) of the application from Stage to Production without affecting the live users.

PROCEDURE

Step 1: Open the Environments page

Log in to Zoho Creator and click **Environments** under the **DEPLOY** section in the left menu. The page shows two columns, **Stage** and **Production**. The *Event Registration* application has already been added to the environment and is deployed as **Version 2.0** (dated Oct 06, 2026) in both Stage and Production. The status **Changes available** below the application name shows that the Development copy has changes that are not yet published.




Fig. 1: Event Registration deployed as Version 2.0 in Stage and Production

Step 2: Make changes in the Development environment

Go to **Applications** on the home page and choose **Edit** under the **Development** environment of the Event Registration application. Make the required improvements to the application; here, **time** and **notes** fields were added to the form. These changes are visible only to the developer until they are published.

Step 3: Publish the changes to the Stage environment

On the Environments page, click **Publish** and choose **Publish to Stage**. The *Staging - Publish to Stage Environment* window opens. Fill in the details: **Title** (*version 3.0*), **Description** (*i added time, notes*), **Type** (*Major*, used for enhancements and updates; *Minor* is used for minimal changes and bug fixes) and the **Email Notification** address. The **Application Versions** table on the right shows the version changing from **V2.0 to V3.0**. A warning states that the application will be in maintenance mode and inaccessible until the publish is complete. Click **Publish**.




Fig. 2: Publish to Stage Environment dialog (V2.0 → V3.0)

Step 4: Verify the new version in Stage

After the publish to Stage is initiated, it takes a few minutes to complete and an email is sent when it finishes. On the Environments page, the **Stage** column now shows **Version 3.0** while **Production** still shows **Version 2.0**. The application status is shown as **Locked** while the deployment is in progress. The application can be tested in Stage at this point and the live users are not affected.




Fig. 3: Stage has Version 3.0, Production still has Version 2.0

Step 5: Publish (migrate) to the Production environment

Click **Publish** and select **Publish to Production**. The *Version - Publish to Production Environment* window opens. Under **Publishing Options**, **Publish Now** starts the process immediately, while **Publish Later** schedules it for a chosen date, time and time zone (GMT+05:30 Chennai, Kolkata). Enter the e-mail address in **Send Mail Notification**. The **Selected Versions** table shows the version title *Version 3.0*, the application *Event Registration* and the description *I added keywords, notes, time*. Click **Publish**; the application stays in maintenance mode until the publish finishes.





Fig. 4: Publish to Production Environment dialog (Publish Now selected)

OUTPUT

Before the migration to Production, the Environments page shows the new version only in Stage.

Output: Before migration to Production

Stage contains **V3.0** (the tested version) whereas Production still runs **V2.0**. This confirms that the new changes (time and notes) were first isolated in Stage and did not affect the live application.



Output: Stage = 3.0, Production = 2.0

Once the Production publish is completed, the same version (V3.0) is available in Production and the updated Event Registration application (with the time and notes fields) is available to the end users.

RESULT

Thus, the Event Registration application was successfully deployed and migrated in Zoho Creator. Version 2.0 was first available in the Stage and Production environments, the changes were then published to Stage as Version 3.0 for testing, and finally Version 3.0 was published to the Production environment using the Environments feature.