

Make My Figure desktop tutorial

Visual review sheet for the author - representative screenshots and same-data showcases


Every image is either a capture of the real desktop application (automation/run_tutorial.py, offscreen, 1680 x 1000) or a figure rendered by the application's own renderer from the tutorial datasets (showcase/build_showcase.py). Presets are loaded from their files and applied with the application's own apply function. All datasets are simulated. Data integrity per showcase pair: audit/showcase_data_integrity.csv.

Getting started - navigation captures (full window is appropriate here)

start screen



workspace with the bundled box / violin example



Column mapping - the ambiguous table

Data preview: col_A, measurement_2, condition_code, thing, score_final, id_value

	col_A	measurement_2	condition_code	thing	score_final	id_value
1	item_01	2.644	C0	label1	12.45	1001
2	item_02	0.998	C0	label2	12.74	1002
3	item_03	2.883	C0	label3	12.58	1003
4	item_04	2.491	C0	label4	13.12	1004

2. Map columns as proposed for the box plot

2. Map columns

x

y

hue

the same table mapped for a scatter (x, y, color, label)

2. Map columns


x

y

color

label


figure crop: scatter with per-group regression




Showcase 1 - one dataset, publication presets (manuscript typography)

same 40 observations (7 / 9 / 11 / 13 per group); presets are experimental evidence-derived presets, not journal-approved


A default rendering




B preset Box + observations (outline) + statistics



C preset Violin + observations




D preset Bar + observations (jittered)




Showcase 1 - the same observations, six point treatments (presentation typography)

point_size, point_jitter_width, point_fill, point_edge, point_edge_width, point_arrangement, point_alpha - the data never change


J1 small narrow jitter




J2 large moderate jitter




J3 open circles




J4 black edged filled



J5 beeswarm




J6 centered no jitter




Showcase 2 - volcano, default versus refined (presentation typography)

A default: raw P axis, 10 labels, profile marker size




B refined: adjusted P (FDR) axis, labelled boxes, larger markers




Showcase 3 - heatmap, basic versus refined (30 most variable features in both)

A basic: unscaled values, auto colormap, clustered columns
B refined: row z-score, RdBu_r, columns in file order, labelled
C the Hierarchical clustering plot type draws the tree




Showcase 4 and 5 - scatter and survival, basic versus refined


scatter A basic




scatter B refined: colour by cell line, r / R² / P / n



Kaplan-Meier A default



Kaplan-Meier B refined: percent, 50 % line, log-rank P




Tutorial chapter - showing individual observations and controlling jitter

01_defaults_options.png


3. Options

Kind	box
Show individual observations	☒
Point arrangement	jitter
Jitter width (fraction of spacing)	0.35
Point size (pt; 0 = adaptive)	0.0
Point marker	0
Point fill	filled
Point edge	dark
Point edge width (pt)	0.50
Point opacity (0 = adaptive)	0.00
Box / violin width (fraction of spacing)	0.50
Box fill	light
Box line width (pt; 0 = style)	0.00
Median line width (pt; 0 = style)	0.00
Whisker cap width (fraction of box width)	0.50
Show outlier markers	☐
Violin opacity	0.45
Orientation	vertical
Group spacing (x 1.0)	1.00
Category order	data
Sample-size labels	none
X-axis label angle	auto


03_jitter_narrow.png




04_point_size_60.png




05_open_circles.png



07_box_outline_n_labels.png




08_statistics_brackets.png




Tutorial chapter - preview, apply, keep adjusting


09_preview_dialog.png



10_after_preset.png




11_adjusted_after_preset.png




Tutorial chapter - publication presets (real UI captures)


02_preset_panel_default.png




03_preset_panel_experimental.png




04_preview_dialog_violin.png



01_before_preset.png



05_after_violin_preset.png



07_after_89mm_preset.png

