A considered mark.

Refined vector architecture for an evidence-led real estate advisory.



Modular structure. Continuous opportunity. One disciplined visual language.

Built on a common geometry.

One cap height connects the brick architecture with the continuous ribbon.



01 / BRICK

H = 100 units; nominal stem = 14.

Brick rows share a 21.5-unit pitch.

Separate blocks retain clean joints.

02 / RHYTHM

Custom letterforms and fixed spacing.

Curved C and P overshoot by 2 units.

Straight letterforms sit on one baseline.

03 / CONTINUITY

OO uses reflected cubic handles.

Open underpass creates the crossing.

No coloured patch or raster mask.

Three standard lockups.

Choose the composition that fits the space; keep the supplied proportions.



HORIZONTAL / everyday brand signature



TAGLINE / campaigns and brand introduction



STACKED / square and portrait formats

Gold has a specific job.

Use flat gold as the production master. Reserve metallic shading for larger digital work.

BLACK

#0B0B0B

SIGNATURE GOLD

#C6A15B

HIGHLIGHT GOLD

#E6C98A

Production guidance

Flat 2-colour: black + gold fills only. Solid black and solid white masters are also included.

Digital metallic: vector gold gradient; simulated sheen, not a metallic ink specification.

Screen print: assign the two fills to separate inks. Foil: use the single-colour silhouette.

HEX values are RGB targets. Match physical gold to the chosen stock, ink or foil with a supplier proof.

Starting CMYK conversions only: gold 0 / 19 / 54 / 22; black 0 / 0 / 0 / 96. Profile before printing.

Give the mark room.

Clear space is measured from the outer artwork, not from the SVG canvas.

CLEAR SPACE

H = height of the brick B.

Keep at least 1H clear on every side.

Exported lockups include that padding.

Do not stretch, retype or close the ribbon gap.

MINIMUM ARTWORK WIDTH

Horizontal	180 px	40 mm / 1.57 in
With tagline	440 px	100 mm / 3.94 in
Stacked + tagline	340 px	80 mm / 3.15 in
B icon	16 px	6 mm / 0.24 in
OO motif	32 px	10 mm / 0.39 in

SMALL-SIZE BEHAVIOUR

Use the simplified B at 16 px. Use the detailed B at 32 px and 64 px.

Use the horizontal wordmark without the caption when the caption cannot remain readable.

Sizes are conservative starting rules, not printer-certified limits. Proof on the actual substrate.



16 px



32 px



64 px