In [1]:
```
import pandas as pd
import matplotlib.pyplot as plt
import numpy as np
```

In [4]:
```
df =  pd.read_csv(r'C:\Users\Lenovo\Desktop\SURAJ_TASK1\Metadata_Country_API_SP.
```

In [5]:
```
df
```

Out[5]:

	Country Code	Region	IncomeGroup	SpecialNotes	TableName	Unnamed: 5
0	ABW	Latin America & Caribbean	High income	NaN	Aruba	NaN
1	AFE	NaN	NaN	26 countries, stretching from the Red Sea in t...	Africa Eastern and Southern	NaN
2	AFG	South Asia	Low income	The reporting period for national accounts dat...	Afghanistan	NaN
3	AFW	NaN	NaN	22 countries, stretching from the westernmost ...	Africa Western and Central	NaN
4	AGO	Sub-Saharan Africa	Lower middle income	The World Bank systematically assesses the app...	Angola	NaN
...	...	...	...	...	...	...
260	XKX	Europe & Central Asia	Upper middle income	NaN	Kosovo	NaN
261	YEM	Middle East & North Africa	Low income	The World Bank systematically assesses the app...	Yemen, Rep.	NaN
262	ZAF	Sub-Saharan Africa	Upper middle income	Fiscal year end: March 31; reporting period fo...	South Africa	NaN
263	ZMB	Sub-Saharan Africa	Lower middle income	National accounts data were rebased to reflect...	Zambia	NaN
264	ZWE	Sub-Saharan Africa	Lower middle income	National Accounts data are reported in Zimbabw...	Zimbabwe	NaN

265 rows × 6 columns

In [6]:
```
gender_counts = df['Region'].value_counts()
bar_width = 0.9
x=range(len(gender_counts.index))


plt.bar(gender_counts.index,gender_counts.values)
```

```
plt.xlabel('Region')
plt.ylabel('Count')
plt.title('Distribution of Region')
plt.xticks(x,gender_counts.index,rotation=45)
plt.tight_layout()
plt.show()
```



In [7]:
```
df.shape
```

Out[7]: (265, 6)

In [8]:
```
df.info()
```

```
<class 'pandas.core.frame.DataFrame'>
RangeIndex: 265 entries, 0 to 264
Data columns (total 6 columns):
 #   Column        Non-Null Count  Dtype  
---  ------        --------------  -----  
 0   Country Code  265 non-null    object 
 1   Region        217 non-null    object 
 2   IncomeGroup   216 non-null    object 
 3   SpecialNotes  127 non-null    object 
 4   TableName     265 non-null    object 
 5   Unnamed: 5    0 non-null      float64
dtypes: float64(1), object(5)
memory usage: 12.6+ KB
```

In [9]:
```
df.describe()
```

Out[9]:

	Unnamed: 5
count	0.0
mean	NaN
std	NaN
min	NaN
25%	NaN
50%	NaN
75%	NaN
max	NaN

In [10]:
```
df.isnull().sum()
```

Out[10]:
```
Country Code      0
Region           48
IncomeGroup      49
SpecialNotes    138
TableName         0
Unnamed: 5      265
dtype: int64
```

In [11]:
```
df.info()
```

```
<class 'pandas.core.frame.DataFrame'>
RangeIndex: 265 entries, 0 to 264
Data columns (total 6 columns):
 #   Column        Non-Null Count  Dtype  
---  ------        --------------  -----  
 0   Country Code  265 non-null    object 
 1   Region        217 non-null    object 
 2   IncomeGroup   216 non-null    object 
 3   SpecialNotes  127 non-null    object 
 4   TableName     265 non-null    object 
 5   Unnamed: 5    0 non-null      float64
dtypes: float64(1), object(5)
memory usage: 12.6+ KB
```

In [ ]:
```

```