

```
1 use assignment;
2 CREATE TABLE EmployeeDetail
3 (
4     EmployeeID INT PRIMARY KEY,
5     FirstName VARCHAR(50),
6     LastName VARCHAR(50),
7     Salary INT,
8     JoiningDate DATETIME,
9     Department VARCHAR(50),
10    Gender VARCHAR(10)
11 );
12
13 INSERT INTO EmployeeDetail
14 VALUES
15 (1, 'Vikas', 'Ahlawat', 600000, '2013-02-12 11:16:00', 'IT', 'Male'),
16 (2, 'nikita', 'Jain', 530000, '2013-02-14 11:16:00', 'HR', 'Female'),
17 (3, 'Ashish', 'Kumar', 1000000, '2013-02-14 11:16:00', 'IT', 'Male'),
18 (4, 'Nikhil', 'Sharma', 480000, '2013-02-15 11:16:00', 'HR', 'Male'),
19 (5, 'anish', 'kadian', 500000, '2013-02-16 11:16:00', 'Payroll', 'Male');
20 select * from EmployeeDetail;
21
22 ----- ↗
23 ----- ↗
24 -----
25
26 --1. Write a query to get all employee detail from "EmployeeDetail" table
27 select * from EmployeeDetail;
28
29 --3. Write a query to get FirstName in upper case as "First Name".
30 select UPPER(FirstName) as FIRSTNAME from EmployeeDetail;
31
32 --4. Write a query to get FirstName in lower case as "First Name".
33 select LOWER(FirstName) as firstname from EmployeeDetail;
34
35 --5. Write a query for combine FirstName and LastName and display it as ↗
36    "Name" (also include white space between first name & last name)
37 select CONCAT(firstname, ' ', lastname) as Name from EmployeeDetail;
38
39 -- i. Select employee detail whose name is "Vikas"
40 select * from EmployeeDetail where FirstName='Vikas';
41
42 -- ii. Get all employee detail from EmployeeDetail table whose ↗
43    "FirstName" start with latter 'a'.
44 select * from EmployeeDetail where FirstName like 'a%';
45
46 -- iii. Get all employee detail from EmployeeDetail table whose ↗
```

```
"FirstName" start with letter 'n'.
45 select * from EmployeeDetail where FirstName like 'n%';
46
47 -- iv. Get all employee details from EmployeeDetail table whose
    "FirstName" end with 'h'
48 select * from EmployeeDetail where FirstName like '%h';
49
50 --6. Get all employee detail from EmployeeDetail table whose "FirstName"
    start with any single character between 'a-p'
51 select * from EmployeeDetail where FirstName like '[a-p]';
52
53 --7. Get all employee detail from EmployeeDetail table whose "FirstName"
    not start with any single character between 'a-p'
54 select * from EmployeeDetail where FirstName not like '[a-p]';
55
56 --8. Get all employee detail from EmployeeDetail table whose "Gender"
    end with 'le' and contain 4 letters. The Underscore(_) Wildcard
    Character represents any single character
57 select * from EmployeeDetail where Gender like '__le';
58
59 --9. Get all employee detail from EmployeeDetail table whose "FirstName"
    start with 'A' and contain 5 letters
60 select * from EmployeeDetail where FirstName like 'a_____';
61
62 --10. Get all employee detail from EmployeeDetail table whose "FirstName"
    containing '%'. ex:-"Vik%as".
63 select * from EmployeeDetail where FirstName like '%[%]';
64
65 --11. Get all unique "Department" from EmployeeDetail table
66 select DISTINCT Department from EmployeeDetail;
67
68 --12. Get the highest "Salary" from EmployeeDetail table.
69 select max(salary) as HIGHSALARY from EmployeeDetail;
70
71 --13. Get the lowest "Salary" from EmployeeDetail table
72 select min(salary) as LOWSALARY from EmployeeDetail;
73
74 --14. Show "JoiningDate" in "dd mmm yyyy" format, ex- "15 Feb 2013"
75 select format(joiningdate,'dd MMM yyyy') from EmployeeDetail;
76
77 --15. Show "JoiningDate" in "yyyy/mm/dd" format, ex- "2013/02/15"
78 select format(JoiningDate,'yyyy/MM/dd') from EmployeeDetail;
79
80 --16. Show only time part of the "JoiningDate"
81 select CONVERT(time,JoiningDate) from EmployeeDetail;
82
83 --17. Get only Year part of "JoiningDate"
84 select YEAR(JoiningDate) from EmployeeDetail;
85
```

```
86 --18. Get only Month part of "JoiningDate"
87 select MONTH(JoiningDate) from EmployeeDetail;
88
89 --19. Get system date
90 select getdate();
91
92 --20. Get UTC date.a. Get the first name, current date, joiningdate and
      diff between current date and joining date in months.
93 SELECT FirstName,GETDATE() AS CurrentDate,JoiningDate,DATEDIFF
      (MONTH,JoiningDate,GETDATE()) AS MonthsDiff FROM EmployeeDetail;
94
95 --21. Get the first name, current date, joiningdate and diff between
      current date and joining date in days.
96 SELECT FirstName,GETDATE() AS CurrentDate,JoiningDate,DATEDIFF
      (DAY,JoiningDate,GETDATE()) AS DayDiff FROM EmployeeDetail;
97
98 --22. Get all employee details from EmployeeDetail table whose joining
      year is 2013
99 select * from EmployeeDetail where year(JoiningDate)='2013';
100
101 --23. Get all employee details from EmployeeDetail table whose joining
      month is Jan(1)
102 select * from EmployeeDetail where MONTH(JoiningDate)=1;
103
104 --24. Get all employee details from EmployeeDetail table whose joining
      month is feb(2)
105 select * from EmployeeDetail where MONTH(JoiningDate)=2;
106
107 --25. Get how many employee exist in "EmployeeDetail" table
108 select COUNT(EmployeeID) as totalemployee from EmployeeDetail;
109
110 --26. Select only one/top 1 record from "EmployeeDetail" table
111 select top 1 * from EmployeeDetail;
112
113 --27. Select all employee detail with First name "Vikas","Ashish", and
      "Nikhil".
114 select * from EmployeeDetail where FirstName in
      ('vikas','ashish','nikhil');
115
116 --28. Select all employee detail with First name not in "Vikas","Ashish",
      and "Nikhil"
117 select * from EmployeeDetail where FirstName not in
      ('vikas','ashish','nikhil');
118
119 --29. Select first name from "EmployeeDetail" table after removing white
      spaces from right side
120 select RTRIM(FirstName) from EmployeeDetail;
121
122 --30. Select first name from "EmployeeDetail" table after removing white
```

```
spaces from left side
123 select LTRIM(FirstName) from EmployeeDetail;
124
125 --31. Display first name and Gender as M/F.(if male then M, if Female
    then F)
126 select FirstName,
127 case
128 when Gender='Male' then 'M'
129 when Gender='Female' then 'F'
130 end as gender
131 from EmployeeDetail;
132
133 --32. Select first name from "EmployeeDetail" table prefixed with "Hello
134 select 'Hello ' + FirstName as prefixed from EmployeeDetail;
135
136 --33. Get employee details from "EmployeeDetail" table whose Salary
    greater than 600000
137 select * from EmployeeDetail where Salary > 600000;
138
139 --34. Get employee details from "EmployeeDetail" table whose Salary less
    than 700000
140 select * from EmployeeDetail where Salary < 700000;
141
142 --35. Get employee details from "EmployeeDetail" table whose Salary
    between 500000 than 600000
143 select * from EmployeeDetail where Salary between 500000 and 600000;
144
145 -----
    -----
    -----
146 --Create ProjectDetail Table and insert records in the table
147 CREATE TABLE ProjectDetail
148 (
149     ProjectDetailID INT PRIMARY KEY,
150     EmployeeDetailID INT,
151     ProjectName VARCHAR(100)
152 );
153 INSERT INTO ProjectDetail
154 VALUES
155 (1,1, 'Task Track'),
156 (2,1, 'CLP'),
157 (3,1, 'Survey Management'),
158 (4,2, 'HR Management'),
159 (5,3, 'Task Track'),
160 (6,3, 'GRS'),
161 (7,3, 'DDS'),
162 (8,4, 'HR Management'),
163 (9,6, 'GL Management');
164
```

```
165 --1. Give records of ProjectDetail table
166 select * from ProjectDetail;
167
168 --2. Write the query to get the department and department wise total(sum)
      salary from "EmployeeDetail" table.
169 select Department, sum(salary) as totalsalary from EmployeeDetail group by
      Department;
170
171 --3. Write the query to get the department and department wise total(sum)
      salary, display it in ascending order according to salary.
172 select Department, sum(salary) as totalsalary from EmployeeDetail group by
      Department order by totalsalary asc;
173
174 --4. Write the query to get the department and department wise total(sum)
      salary, display it in descending order according to salary
175 select Department, sum(salary) as totalsalary from EmployeeDetail group by
      Department order by totalsalary desc;
176
177 --5. Write the query to get the department, total no. of departments,
      total(sum) salary with respect to department from "EmployeeDetail"
      table.
178 select Department, COUNT(*) as total_dept, sum(salary) as totalsalary from
      EmployeeDetail group by Department;
179
180 --6. Get department wise average salary from "EmployeeDetail" table order
      by salary ascending
181 select Department, AVG(Salary) as AVGSALARY from EmployeeDetail group by
      Department order by AVGSALARY asc;
182
183 --7. Get department wise maximum salary from "EmployeeDetail" table order
      by salary ascending
184 select Department, MAX(Salary) as MAXSALARY from EmployeeDetail group by
      Department order by MAXSALARY asc;
185
186 --8. Get department wise minimum salary from "EmployeeDetail" table order
      by salary ascending.
187 select Department, Min(Salary) as MINSALARY from EmployeeDetail group by
      Department order by MINSALARY asc;
188
189 --9. Get department wise minimum salary from "EmployeeDetail" table order
      by salary descending
190 select Department, Min(Salary) as MINSALARY from EmployeeDetail group by
      Department order by MINSALARY desc;
191
192 --10. Join both the table that is Employee and ProjectDetail based on
      some common paramter
193 select * from EmployeeDetail E inner join ProjectDetail P on E.EmployeeID
      = P.EmployeeDetailID;
194
```

C:\CoachX\SQL\SQL Assign Solutions\SQL_Assign_Sol_6.sql	6
---	---

```

195 --11. Get employee name, project name order by firstname from
      "EmployeeDetail" and "ProjectDetail" for those employee which have
      assigned project already.
196 select E.FirstName,P.ProjectName from EmployeeDetail E inner join
      ProjectDetail P on E.EmployeeID = P.EmployeeDetailID order by
      e.FirstName;
197
198 --12. Get employee name, project name order by firstname from
      "EmployeeDetail" and "ProjectDetail" for all employee even they have
      not assigned project.
199 select e.FirstName,p.ProjectName from EmployeeDetail e left join
      ProjectDetail p on e.EmployeeID = p.EmployeeDetailID order by
      e.FirstName;
200
201 --13. Get employee name, project name order by firstname from
      "EmployeeDetail" and "ProjectDetail" for all employee if project is not
      assigned then display "-No Project Assigned"
202 select e.FirstName, ISNULL(P.ProjectName,'No Project Assigned') AS
      ProjectName from EmployeeDetail e left join ProjectDetail p on
      e.EmployeeID = p.EmployeeDetailID order by e.FirstName;
203
204 --14. Get all project name even they have not matching any employeeid, in
      left table, order by firstname from "EmployeeDetail" and "ProjectDetail"
205 select e.FirstName,p.ProjectName from EmployeeDetail e right join
      ProjectDetail p on e.EmployeeID = p.EmployeeDetailID order by
      e.FirstName;
206
207 --15. Get complete record (employeename, project name) from both tables
      ([EmployeeDetail],[ProjectDetail]), if no match found in any table then
      show NULL
208 select e.FirstName,p.ProjectName from EmployeeDetail e full outer join
      ProjectDetail p on e.EmployeeID = p.EmployeeDetailID;
209
210 --16. Get complete record (employeename, project name) from both tables
      ([EmployeeDetail],[ProjectDetail]), if no match found in any table then
      show NULL
211 select * from EmployeeDetail e full outer join ProjectDetail p on
      e.EmployeeID = p.EmployeeDetailID;
212
213 --17. Write down the query to fetch EmployeeName & Project who has assign
      more than one project
214 select e.FirstName, COUNT(p.ProjectName) as totalproject from
      EmployeeDetail e inner join ProjectDetail p on e.EmployeeID =
      p.EmployeeDetailID
215 group by e.FirstName having COUNT(p.ProjectName) >1;
216
217 --19. Write down the query to fetch ProjectName on which more than one
      employee are working along with EmployeeName
218 select p.ProjectName,count(e.FirstName) as totalemployee from

```

```
EmployeeDetail e inner join ProjectDetail p on e.EmployeeID =  
p.EmployeeDetailID  
219 group by p.ProjectName having count(e.FirstName) > 1;  
220  
221 SELECT P.ProjectName, STRING_AGG(E.FirstName, ', ') AS EmployeeNames FROM  
EmployeeDetail E INNER JOIN ProjectDetail P ON E.EmployeeID =  
P.EmployeeDetailID  
222 GROUP BY P.ProjectName HAVING COUNT(DISTINCT E.EmployeeID) > 1;  
223  
224 --20. Apply Cross Join in Both the tables  
225 select * from EmployeeDetail cross join ProjectDetail;  
226
```