


Risk Assessment Workbench — Test Execution Report

HumAId Risk Governance · Genius Hacks Q3 2026 · QA · Run FINAL09251251 · 2026-09-25T07:21:47Z → 2026-09-25T07:32:26Z (UTC)



1. Summary

Verdict: not ready for release. The core workflow works end to end — a request can be submitted, assessed with AI assistance, finalized, voted on and decided, with an append-only audit trail that exports to PDF — and several governance rules hold: residual risk can never reach zero, a mitigation cap of 1.0 or more is rejected, override and edit reasons are mandatory, AI drafts block finalization, and audit records cannot be edited or deleted.

However, 3 critical defects defeat the human-in-the-loop controls the product exists to enforce:

- the finalize gate passes on an empty assessment;
- any user id can be submitted as the acting finalizer, voter or config author;
- the public deployment runs in Development mode with authentication bypassed.

High-severity gaps include:

- finalized assessments are not locked;
- committee votes can be silently overwritten;
- document versioning fails;
- UI document extraction never reads the document, and correcting an extracted field from the UI always fails;
- committee members vote without seeing the assessment.

2. Scope, approach and environment

APPLICATION UNDER TEST

Azure Container Apps (dev) · .NET 10 API + React SPA served from the same origin · PostgreSQL · Azure AI Foundry for the AI touchpoints · Blob storage for documents. Deployed bundle index-YRyGki1L.js (last modified 24 Sep 2026 17:45 UTC). It is newer than the release/1.00 checkout used for code review (for example, it includes an audit PDF export), so treat the root-cause notes as pointers to verify against the deployed commit.

TOOLING

Playwright 1.63.0 (Chromium desktop 1440×900 and Pixel 7 emulation), @axe-core/playwright for WCAG 2.1 A/AA, Playwright API request context for REST testing. Every test records its own test-case ID, requirement, steps, expected and actual result, so this report and the CSV catalogue come from the executed code.

TEST DATA

Synthetic only. Every record created is prefixed [QA-E2E FINAL09251251]. Seeded users: Priya Owens (Product Owner), Amara Chen / Sam Okafor (Analysts), Jordan Blake / Riley Voss (Committee), Taylor Finch (Admin). Configuration values changed during testing were written back to their baseline values (mitigation cap 0.85, quorum 2).

TEST TYPES

Type	Cases	Pass / Fail / Skip	
Negative	31	14 / 17 / 0	
API	26	20 / 6 / 0	
Functional	26	20 / 6 / 0	
Security	15	5 / 10 / 0	
Accessibility	8	2 / 6 / 0	
Responsive	7	7 / 0 / 0	
Performance	4	3 / 1 / 0	
E2E	3	3 / 0 / 0	

PROJECTS

Project	Cases	Pass / Fail / Skip	
nfr	12	5 / 7 / 0	
api	56	30 / 26 / 0	

ui-mobile	7	7 / 0 / 0	
ui-desktop	45	32 / 13 / 0	

NOT COVERED IN THIS RUN

- Auth0 Universal Login flow, because no tenant is configured (see DEF-010).
- E-mail and in-app notifications (US-1.3 AC2, US-8.1 AC2, US-8.3 AC2), which are not implemented.
- Direct database immutability (US-9.2) at the SQL level; tested through the API only.
- AI output quality at scale, which is covered by the /evals framework rather than this suite. Here AI outputs were checked for structure and grounding.
- Load and soak testing beyond a 25-request burst.

3. Defect register (31)

Status comes from this run: **Open - reproduced** means a linked test failed; **Not reproduced** means all linked tests passed.

DEF-001 **Critical** **Open - reproduced**

Readiness gate passes vacuously - an assessment with nothing mapped, reviewed or scored can be finalized and routed to committee

Area

Assessment / Finalize (Epic 6)

Requirement

US-6.3, US-8.1, CLAUDE.md "no AI output reaches committee without a review gate"

Expected

Readiness requires at least one mapped category, a reviewed narrative and a score per category; finalize/route are refused otherwise.

Actual

GET /Readiness returns isReady=true for a brand-new assessment with zero categories; Finalize and Route both return 200 and the item appears in the committee queue. The UI Finalize tab says "Ready to finalize." with the button enabled.

Probable root cause

AssessmentService.CheckReadinessAsync only loops over active categories - with none, both outstanding lists are empty so IsReady is true.

Suggested fix

Treat "no active categories" (and "category without a score") as outstanding items; add a DB-level check in func_finalizeAssessment as well.

Linked tests

[TC-API-031](#) **FAILED** [TC-UI-031](#) **FAILED**

DEF-002

Critical

Open - reproduced

No server-side role enforcement; acting user is taken from the request body

Area

Authorization (all modules)

Requirement

US-6.3 AC3, US-8.2, US-10.1, NFR-SEC

Expected

403 for actions outside the caller's role; the actor is derived from the authenticated token, never from the payload.

Actual

A Product Owner id is accepted as committeeMemberUserId (vote recorded and counted toward quorum -> decision "Deferred"), as the finalizing analyst, and as the author of a scoring-config change. Menu hiding is the only role restriction.

Probable root cause

Controllers accept ActorUserId / CommitteeMemberUserId / DecidedByUserId in DTOs and have no role/policy checks ([Authorize] only).

Suggested fix

Resolve the user from the JWT subject, add role policies per endpoint, and validate committee membership before counting a vote.

Linked tests

[TC-API-083](#)

FAILED

[TC-SEC-003](#)

FAILED

[TC-UI-010](#)

FAILED

DEF-010 **Critical** **Open - reproduced**

Deployed Container App runs in Development mode with the auth bypass active

Area

Deployment / Authentication

Requirement

NFR-SEC, CLAUDE.md production readiness

Expected

Auth0 JWT validation on the public URL; OpenAPI and dev bypass disabled outside local dev.

Actual

Every API answers anonymous callers (user e-mails, all requests, config); a forged "alg:none" bearer token is accepted; /openapi/v1.json publishes all 45 routes; the SPA offers "Continue without signing in (local dev only)".

Probable root cause

Container App has ASPNETCORE_ENVIRONMENT=Development and AUTH0_DOMAIN unset, so Program.cs registers DevBypassAuthHandler and MapOpenApi; the SPA was built without VITE_AUTH0_* values.

Suggested fix

Set ASPNETCORE_ENVIRONMENT=Production (or Staging) plus AUTH0_DOMAIN/AUTH0_AUDIENCE on the Container App; build the SPA with the Auth0 env vars; restrict ingress until then.

Linked tests

[TC-SEC-001](#) **FAILED** [TC-SEC-002](#) **FAILED** [TC-SEC-004](#) **FAILED** [TC-UI-001](#) **FAILED**

DEF-019 **High** **Open - reproduced** **CORS reflects any Origin**

Area

Security / CORS

Requirement

NFR-SEC

Expected

Only the deployed webapp origin is allowed (the SPA is same-origin, so none is needed at all).

Actual

GET and pre-flight requests from Origin https://evil.example receive Access-Control-Allow-Origin: https://evil.example.

Probable root cause

Likely an allow-all CORS policy on the Container App ingress or a wildcard CORS_ALLOWED_ORIGINS value (ops/README documents localhost only).

Suggested fix

Remove the ingress CORS policy / set CORS_ALLOWED_ORIGINS to the app's own origin.

Linked tests

[TC-SEC-006](#) **FAILED**

DEF-003

High

Open - reproduced

A committee member's vote is silently overwritten when they vote again

Area

Committee voting (Epic 8)

Requirement

US-8.2 AC5, US-9.2

Expected

Re-vote rejected (409), or a new versioned vote row with the original kept.

Actual

Second vote by the same member returns 200 with the SAME vote id; the votes table now shows only the new vote (Approve -> Reject).

Probable root cause

func_castCommitteeVote uses ON CONFLICT (assessment_id, committee_member_user_id) DO UPDATE.

Suggested fix

Insert-only votes (reject duplicates) or append a new version and keep history; audit before/after.

Linked tests

[TC-API-084](#)

FAILED

DEF-030

High

Open - reproduced

API accepts blank conditions / whitespace-only rationale

Area

Committee voting (Epic 8)

Requirement

US-8.2 AC2-AC4

Expected

400 - conditions / rationale must contain text.

Actual

ApproveWithConditions with conditionsText "" -> 200; Defer with rationale " " -> 200. Only the UI validates.

Probable root cause

CHECK constraints test only IS NOT NULL; service does not trim/validate.

Suggested fix

Validate non-blank (trimmed) in CommitteeService and tighten the CHECK to length(trim(x)) > 0.

Linked tests

[TC-API-083](#)

FAILED

DEF-007 High Open - reproduced

Finalized assessment is not locked - narrative, score and category edits still succeed

Area

Assessment lock (Epic 6)

Requirement

US-6.3 AC2

Expected

Writes to a Finalized assessment rejected (409) and controls disabled in the UI.

Actual

After Finalize (and even after routing), Narrative/Edit, Scoring/Override and CategoryMapping/Override all return 200; UI keeps every editing control enabled.

Probable root cause

No status guard in the Narrative / Scoring / CategoryMapping services or their stored functions.

Suggested fix

Guard every write path on assessment.status <> Finalized (DB function + service) and disable controls in AssessmentWorkspace.jsx.

Linked tests

[TC-API-082](#) FAILED [TC-UI-045](#) FAILED

DEF-008 High Open - reproduced

Replacing a document (new version) always fails with HTTP 500

Area

Intake / attachments (Epic 1)

Requirement

US-1.2 AC2

Expected

Version 2 created; version 1 retained and marked superseded.

Actual

AttachDocumentFile and AttachDocument with supersedesAttachmentId both return 500 "Failed to attach document."; only version 1 rows can ever be created.

Probable root cause

Probable: func_attachDocument RETURNS TABLE (id, version_number), whose OUT columns shadow the table columns, making "UPDATE change_request_attachment ... WHERE id = ..." ambiguous in PL/pgSQL.

Suggested fix

Qualify the columns (a.id) or rename the OUT params; add a test for the replacement path.

Linked tests

[TC-API-017](#) FAILED

DEF-020 **High** **Open - reproduced**

UI "Extract with AI" sends the file NAME as the document text - nothing is extracted

Area

Document extraction UI (Epic 4)

Requirement

US-4.1

Expected

Extraction runs on the server-side extracted text of the attachment.

Actual

Clicking Extract with AI on vendor-due-diligence.pdf shows "Extraction complete" but "Nothing extracted yet."; the same document text sent via the API extracts vendor, jurisdiction (Malta), data scope, etc.

Probable root cause

webapp/src/pages/AssessmentWorkspace.jsx ExtractionTab posts documentText: attachment.fileName.

Suggested fix

Let the API load change_request_attachment.extracted_text by attachmentId (drop documentText from the client contract).

Linked tests

[TC-UI-036](#) **FAILED**

DEF-033 **High** **Open - reproduced** **Correcting an extracted field from the UI always fails**

Area

Extraction UI (Epic 4)

Requirement

US-4.2

Expected

Correction saved; original AI value retained in the audit trail.

Actual

Clicking Correct shows "Failed to correct extracted field." (HTTP 500); the field keeps its AI value. The same correction through the API with an actorUserId succeeds (TC-API-051).

Probable root cause

ExtractionTab.correct() in AssessmentWorkspace.jsx omits actorUserId from input, so Guid.Empty is written and fails the actor foreign key.

Suggested fix

Send currentUser.id (better: take the actor from the token server-side, see DEF-002) and map the FK failure to 400.

Linked tests

[TC-UI-037](#) **FAILED**

DEF-016 **High** **Open - reproduced** **Scoring-config changes apply to in-flight assessments**

Area

Scoring configuration (Epic 10)

Requirement

US-10.1 AC1

Expected

In-flight assessments keep the configuration version in force when they started unless explicitly re-run.

Actual

An assessment opened while the cap was 0.85 was scored with 0.80 immediately after the cap was changed.

Probable root cause

func_calculateAndSaveRiskScore reads the currently active scoring_config instead of the version pinned on the assessment (fk_assessment_scoring_config_version exists but is unused).

Suggested fix

Pin the config version at OpenWorkspace and read that version during calculation.

Linked tests

[TC-API-102](#) **FAILED**

DEF-021 **High** **Open - reproduced**

Committee vote panel does not show the assessment being voted on

Area

Committee UI (Epic 8)

Requirement

US-8.2 AC1, US-8.1 AC1

Expected

Full read-only assessment (narrative, scores, cited policy, analyst overrides) visible before voting.

Actual

The Review panel shows only request number/title, the vote form and the vote list - no narrative, scores, cited policy or override history.

Probable root cause

CommitteeQueue.jsx VotePanel renders no assessment content.

Suggested fix

Render a read-only assessment summary (reuse the workspace data endpoints) above the vote form.

Linked tests

[TC-UI-051](#) **FAILED**

DEF-006

High

Open - reproduced

Upload type check trusts the client Content-Type; rejections return 500

Area

Intake / attachments (Epic 1)

Requirement

US-1.2 AC1, NFR-SEC

Expected

Type validated by extension + magic bytes; clear 400 "Allowed: PDF, DOCX, XLSX".

Actual

malicious.exe uploaded as application/pdf is accepted (200). .txt and .exe with their real types return 500 "Failed to attach document." instead of a clear 400 naming the allowed formats; the UI shows the same generic toast.

Probable root cause

ChangeRequestService checks only the supplied Content-Type; its InvalidOperationException is not caught by the controller.

Suggested fix

Sniff file signatures, check extension, and map validation exceptions to 400.

Linked tests

[TC-API-018](#)

FAILED

[TC-UI-025](#)

FAILED

DEF-005

Medium

Open - reproduced

Validation failures surface as HTTP 500 with a generic message

Area

API error handling (cross-cutting)

Requirement

NFR, US-1.1, US-3.2, US-7.1, US-10.1, US-10.2

Expected

400 with a message saying what is wrong.

Actual

Unknown/empty change type, reliance decision "Maybe", inherent 0/6 or effectiveness 1.5/-0.2, workflow value "{not json", blank scoring-config reason and unsupported uploads all return 500 "Failed to ...". The UI then shows e.g. "Failed to calculate risk score."

Probable root cause

BaseApiController only converts service-level InvalidOperationExceptions caught in specific controllers; PostgresException from CHECK/RAISE bubbles to the generic 500.

Suggested fix

Validate inputs in the services (or FluentValidation) and map PostgresException 23514/P0001 to 400 centrally.

Linked tests

[TC-API-013](#) FAILED [TC-API-014](#) FAILED [TC-API-042](#) FAILED [TC-API-101](#) FAILED [TC-API-103](#) FAILED [TC-UI-042](#) FAILED

DEF-009

Medium

Open - reproduced

No server-side validation of mandatory fields or field length

Area

Intake (Epic 1)

Requirement

US-1.1 AC3, NFR-SEC

Expected

400 listing the missing fields; bounded lengths.

Actual

A request with empty title and description is created (200, new CR number); a 20,000-character title is accepted.

Probable root cause

SubmitChangeRequestInput has no validation; only the SPA checks.

Suggested fix

Add [Required]/[MaxLength] or explicit checks in ChangeRequestService.

Linked tests

[TC-API-013](#) FAILED [TC-SEC-010](#) FAILED

DEF-011

Medium

Open - reproduced

Relying on the same passage for a second category discards the decision

Area

Policy research (Epic 3)

Requirement

US-3.2, US-9.1

Expected

One reliance row per (assessment, category, passage).

Actual

RecordReliance for chunk X under Customers & Entities then Delivery Channels returns the SAME id; only the first category keeps the row, so the second category still shows "No policy reviewed".

Probable root cause

func_recordPolicyReliance ON CONFLICT (assessment_id, policy_chunk_id) - risk_category_id is not in the key.

Suggested fix

Include risk_category_id in the unique key.

Linked tests

[TC-API-043](#) FAILED

DEF-012

Medium

Open - reproduced

AI category proposal is inconsistent - Vendor onboarding sometimes omits Delivery Channels

Area

AI category mapping (Epic 2)

Requirement

US-2.1, CLAUDE.md change-type mapping

Expected

Vendor onboarding -> Customers & Entities + Delivery Channels (the documented primary mapping).

Actual

Across runs the same kind of Vendor request was mapped to Customers & Entities only (API lifecycle, 3 of 3 runs) and to Customers & Entities + Delivery Channels (UI, final run). The primary mapping is left to the model.

Probable root cause

The deterministic change-type -> category baseline is not enforced; the proposal is left entirely to the model.

Suggested fix

Seed the primary categories deterministically and let the model add/justify extras (and add an eval case).

Linked tests

[TC-API-032](#) FAILED

DEF-013

Medium

Open - reproduced

Controls library is empty, so credited controls cannot be traced

Area

Scoring (Epic 7)

Requirement

US-7.1 AC3

Expected

A seeded controls library per category with configured mitigation weights, selectable in the Scoring tab.

Actual

GET /Scoring/Controls/{id} returns 0 controls for all four categories; the UI always sends controllIdsCredited: [].

Probable root cause

No seed data for controls; no control picker in the UI.

Suggested fix

Seed synthetic controls and add a multi-select to ScoringTab.

Linked tests

[TC-API-073](#) FAILED

DEF-022

Medium

Open - reproduced

Requester sees "Decisioned" only - no decision, conditions or notifications

Area

Decision outcome / notifications (Epics 1, 8)

Requirement

US-8.3 AC1-AC3, US-1.3 AC2

Expected

Request status Approved / Rejected / Deferred / Approved-with-Conditions with the conditions attached; PO notified.

Actual

After an Approved-with-Conditions decision, My Requests shows status "Decisioned"; the outcome and conditions are not visible to the Product Owner and no notification exists.

Probable root cause

change_request.status is set to the generic Decisioned; MyRequests.jsx has no decision view; notifications not implemented.

Suggested fix

Store the resolution on the request, show it (with conditions) on My Requests, add in-app notifications.

Linked tests

[TC-UI-055](#) FAILED

DEF-024 **Medium** **Open - reproduced** **No structured type-specific fields per change type**

Area

Intake UI (Epic 1)

Requirement

US-1.1 AC2

Expected

Structured, mandatory fields per change type.

Actual

Vendor and Geography show the same single free-text "Type-specific details" box; no vendor name / jurisdiction / data-scope or target country fields.

Probable root cause

Intake.jsx renders one generic textarea.

Suggested fix

Define a per-type field schema and render/validate it (client + server).

Linked tests

[TC-UI-022](#) **FAILED**

DEF-026 **Medium** **Open - reproduced**

Policy results show no source link, effective date or relevance rationale

Area

Policy research UI (Epic 3)

Requirement

US-3.1 AC1-AC2

Expected

Link to the source document, version/effective date, and why it was ranked.

Actual

Each result shows section reference and passage text only, although the API returns sourceUrl and effectiveDate.

Probable root cause

PolicyTab renders only sectionRef and chunkText.

Suggested fix

Render documentTitle, sourceUrl (link), effectiveDate and rank/rationale.

Linked tests

[TC-UI-035](#) **FAILED**

DEF-027 **Medium** **Open - reproduced** **Extracted-field correction has no reason input**

Area

Extraction UI (Epic 4 / 6)

Requirement

US-4.2 AC1, US-6.1 AC1

Expected

Analyst enters a reason for material corrections (mandatory), optional for formatting fixes.

Actual

The Correct button always sends reason "Analyst correction" and isMaterialChange=true; the analyst cannot state why.

Probable root cause

Hard-coded values in ExtractionTab.correct().

Suggested fix

Add a reason field and a "material change" toggle.

Linked tests

[TC-UI-037](#) **FAILED**

DEF-028 **Medium** **Not reproduced** **Examiner export of the audit trail**

Area

Audit (Epic 9)

Requirement

US-6.2 AC2, US-9.1 AC3

Expected

Durable, human-readable export with before/after state per entry.

Actual

Initial run found no export control in the repository source. The deployed build does provide "Export PDF" (verified: valid PDF downloaded). On-screen entries still show action/actor/reason without before/after values.

Probable root cause

Not implemented.

Suggested fix

Add a server-side PDF/CSV export of GET /Audit/{id} including before/after JSON.

Linked tests

[TC-UI-046](#) **PASSED**

DEF-032

Medium

Open - reproduced

Policy corpus has 5 passages - most core FFIEC topics return nothing

Area

Policy corpus / RAG (Epic 3)

Requirement

US-3.1, CLAUDE.md data strategy #2

Expected

A corpus covering the FFIEC / FATF sections the four categories cite.

Actual

Only 5 passages exist in total; wire transfer, correspondent banking, PEP, sanctions, MSB and other core topics return no match.

Probable root cause

Seed corpus is a placeholder.

Suggested fix

Ingest the FFIEC BSA/AML manual sections + FATF lists (chunk + index) as planned.

Linked tests

[TC-API-044](#) FAILED

DEF-017

Medium

Open - reproduced

Missing security headers; server banner disclosed

Area

Security headers

Requirement

NFR-SEC

Expected

Standard hardening headers present; banner removed.

Actual

No Strict-Transport-Security, Content-Security-Policy, X-Content-Type-Options, X-Frame-Options or Referrer-Policy; "Server: Kestrel".

Probable root cause

No header middleware; Kestrel AddServerHeader default.

Suggested fix

Add a security-headers middleware and KestrelServerOptions.AddServerHeader = false.

Linked tests

[TC-SEC-005](#) FAILED

DEF-029

Medium

Open - reproduced

WCAG 2.1 AA violations on most screens (see axe evidence per screen)

Area

Accessibility

Requirement

NFR-A11Y

Expected

No critical/serious violations.

Actual

axe-core: button-name [critical] on every signed-in screen (icon-only buttons such as the mobile menu / sidebar close and the select triggers have no accessible name); label [critical] x4 on Configuration (Rule key, Reason, Value, Category not associated); color-contrast [serious] x7 in the workspace (muted text); scrollable-region-focusable [serious] on My Requests.

Probable root cause

See evidence - typically colour contrast and form controls without programmatic labels (<Label> without htmlFor on selects/inputs).

Suggested fix

Associate labels (htmlFor/aria-labelledby), fix contrast tokens, add accessible names.

Linked tests

[TC-A11Y-002](#) FAILED [TC-A11Y-003](#) FAILED [TC-A11Y-004](#) FAILED [TC-A11Y-005](#) FAILED [TC-A11Y-006](#) FAILED [TC-A11Y-007](#) FAILED

DEF-014

Low

Open - reproduced

Overridden score still attributed to "System"

Area

Scoring (Epic 7)

Requirement

US-7.2

Expected

scoredBy = "Analyst" (and the analyst id) for overrides.

Actual

After an analyst override the score row has isOverride=true but scoredBy="System".

Probable root cause

func_overrideRiskScore does not update scored_by.

Suggested fix

Set scored_by = 'Analyst' in the override function.

Linked tests

[TC-API-072](#) FAILED

DEF-018 Low Open - reproduced **Database error codes leak into user-facing messages**

Area

API error messages

Requirement

NFR-SEC

Expected

Clean domain message without PostgreSQL SQLSTATE codes.

Actual

e.g. "P0001: A reason is required to edit an AI-drafted narrative section".

Probable root cause

PostgresException.Message passed through.

Suggested fix

Use PostgresException.MessageText or map to domain messages.

Linked tests

[TC-SEC-007](#) FAILED

DEF-023 Low Open - reproduced **Missing-field message does not list which fields are missing**

Area

Intake UI (Epic 1)

Requirement

US-1.1 AC3

Expected

Message / inline errors naming only the missing fields.

Actual

Always "Change type, title, and description are required." even when only one is missing; no inline field errors.

Probable root cause

Single static toast in Intake.jsx.

Suggested fix

Compute the missing list; add aria-invalid + inline messages.

Linked tests

[TC-UI-021](#) FAILED

DEF-031 Low Open - reproduced **Unpaginated request list is slow; large JS bundle**

Area

Performance

Requirement

NFR-PERF

Expected

p95 < 1.5 s for reads; paged lists; code-split bundle.

Actual

GET /api/ChangeRequest p95 ~2.4 s (grows with every request - no paging); DOMContentLoaded ~2.4 s; ~650 KB JS.

Probable root cause

func_getAllChangeRequests returns every row; single Vite chunk.

Suggested fix

Add paging/filters; lazy-load pages.

Linked tests

[TC-PERF-003](#) FAILED

DEF-025 Low Observed (exploratory) **User switcher truncates the role ("ProductOwne")**

Area

UI shell

Requirement

NFR-UX

Expected

Full label or ellipsis with a tooltip.

Actual

Header switcher reads "Priya Owens — ProductOwne" at 1440 px.

Probable root cause

Fixed w-56 trigger.

Suggested fix


Widen / add truncate + title.

Linked tests

Exploratory observation - see TC-UI-003 / TC-UI-023 screenshots

4. Requirements traceability

Requirement	Test cases	Result
Data- Ingestion	TC-API-004 , TC-API-020	2/2 passed

NFR-A11Y	TC-A11Y-001 , TC-A11Y-002 , TC-A11Y-003 , TC-A11Y-004 , TC-A11Y-005 , TC-A11Y-006 , TC-A11Y-007 , TC-A11Y-008	2/8 passed	
NFR-OPS	TC-API-001	1/1 passed	
NFR-PERF	TC-PERF-001 , TC-PERF-002 , TC-PERF-003 , TC-PERF-004	3/4 passed	
NFR-SEC	TC-API-041 , TC-SEC-001 , TC-SEC-002 , TC-SEC-003 , TC-SEC-004 , TC-SEC-005 , TC-SEC-006 , TC-SEC-007 , TC-SEC-008 , TC-SEC-009 , TC-SEC-010 , TC-UI-001 , TC-UI-010 , TC-UI-070	4/14 passed	
NFR-UX	TC-RWD-001 , TC-RWD-002 , TC-RWD-003 , TC-RWD-004 , TC-RWD-005 , TC-RWD-006 , TC-RWD-007	7/7 passed	
RAG	TC-API-044	0/1 passed	
Roles	TC-API-002 , TC-UI-002 , TC-UI-003 , TC-UI-004 , TC-UI-005 , TC-UI-006 , TC-UI-007 , TC-UI-008 , TC-UI-009	9/9 passed	
US-1.1	TC-API-010 , TC-API-011 , TC-API-012 , TC-API-013 , TC-API-014 , TC-SEC-010 , TC-UI-020 , TC-UI-021 , TC-UI-022 , TC-UI-023	5/10 passed	
US-1.2	TC-API-017 , TC-API-018 , TC-SEC-008 , TC-UI-024 , TC-UI-025 , TC-UI-026	3/6 passed	
US-1.3	TC-API-015 , TC-API-016 , TC-API-019 , TC-UI-027 , TC-UI-055	4/5 passed	
US-2.1	TC-API-003 , TC-API-032 , TC-UI-032	2/3 passed	
US-2.2	TC-API-033 , TC-UI-033	2/2 passed	
US-3.1	TC-API-040 , TC-API-041 , TC-API-044 , TC-UI-034 , TC-UI-035	3/5 passed	
US-3.2	TC-API-042 , TC-API-043 , TC-UI-034	1/3 passed	
US-4.1	TC-API-050 , TC-UI-036	1/2 passed	
US-4.2	TC-API-051 , TC-UI-037	1/2 passed	

US-5.1	TC-API-060 , TC-API-061 , TC-UI-038 , TC-UI-039	4/4 passed	
US-5.2	TC-API-062	1/1 passed	
US-6.1	TC-API-033 , TC-API-063 , TC-UI-033 , TC-UI-040	4/4 passed	
US-6.2	TC-UI-046	1/1 passed	
US-6.3	TC-API-030 , TC-API-031 , TC-API-061 , TC-API-081 , TC-API-082 , TC-SEC-003 , TC-UI-030 , TC-UI-031 , TC-UI-039 , TC-UI-044 , TC-UI-045	6/11 passed	
US-7.1	TC-API-070 , TC-API-071 , TC-API-073 , TC-UI-041 , TC-UI-042	2/5 passed	
US-7.2	TC-API-072 , TC-UI-043	1/2 passed	
US-8.1	TC-API-031 , TC-API-081 , TC-UI-044 , TC-UI-050	3/4 passed	
US-8.2	TC-API-080 , TC-API-083 , TC-API-084 , TC-API-085 , TC-UI-051 , TC-UI-052 , TC-UI-053 , TC-UI-054	5/8 passed	
US-8.3	TC-API-085 , TC-UI-054 , TC-UI-055	2/3 passed	
US-9.1	TC-API-043 , TC-API-090 , TC-UI-046	2/3 passed	
US-9.2	TC-API-084 , TC-API-091	1/2 passed	
US-10.1	TC-API-100 , TC-API-101 , TC-API-102 , TC-SEC-003 , TC-UI-062	2/5 passed	
US-10.2	TC-API-103 , TC-UI-060 , TC-UI-061	2/3 passed	

5. Test cases and evidence (120)

TC-A11Y-001 Sign-in gate has no critical or serious WCAG violations

PASSED

Requirement NFR-A11Y Type Accessibility Priority P2 Project nfr Duration 4.1 s

STEPS

1. Open Sign-in gate
2. Run axe-core with wcag2a, wcag2aa, wcag21a, wcag21aa tags

EXPECTED

Zero critical / serious violations

ACTUAL

no violations

EVIDENCE (1 SCREENSHOT, 1 JSON)

TC-A11Y-002 Submit Request has no critical or serious WCAG violations

FAILED

Requirement NFR-A11Y Type Accessibility Priority P2 Project nfr Duration 5.6 s

Defects [DEF-029](#)

STEPS

1. Open Submit Request
2. Run axe-core with wcag2a, wcag2aa, wcag21a, wcag21aa tags

EXPECTED

Zero critical / serious violations

ACTUAL

button-name [critical] x3

FAILURE DETAIL

Error: expect(received).toEqual(expected) // deep equality - Expected - 1 + Received + 3

EVIDENCE (1 SCREENSHOT, 1 JSON)

TC-A11Y-003 My Requests has no critical or serious WCAG violations

FAILED

Requirement NFR-A11Y Type Accessibility Priority P2 Project nfr Duration 8.6 s

Defects [DEF-029](#)

STEPS

1. Open My Requests
2. Run axe-core with wcag2a, wcag2aa, wcag21a, wcag21aa tags

EXPECTED

Zero critical / serious violations

ACTUAL

button-name [critical] x1; scrollable-region-focusable [serious] x1

FAILURE DETAIL

```
Error: expect(received).toEqual(expected) // deep equality   - Expected   - 1 + Received   + 4
```

EVIDENCE (1 SCREENSHOT, 1 JSON)

TC-A11Y-004 Assessments inbox has no critical or serious WCAG violations

FAILED

Requirement NFR-A11Y Type Accessibility Priority P2 Project nfr Duration 8.1 s

Defects [DEF-029](#)

STEPS

1. Open Assessments inbox
2. Run axe-core with wcag2a, wcag2aa, wcag21a, wcag21aa tags

EXPECTED

Zero critical / serious violations

ACTUAL

button-name [critical] x1

FAILURE DETAIL

```
Error: expect(received).toEqual(expected) // deep equality   - Expected   - 1 + Received   + 3
```

EVIDENCE (1 SCREENSHOT, 1 JSON)

TC-A11Y-005 Assessment workspace has no critical or serious WCAG violations

FAILED

Requirement NFR-A11Y Type Accessibility Priority P2 Project nfr Duration 7.4 s

Defects [DEF-029](#)

STEPS

1. Open Assessment workspace
2. Run axe-core with wcag2a, wcag2aa, wcag21a, wcag21aa tags

EXPECTED

Zero critical / serious violations

ACTUAL

button-name [critical] x2; color-contrast [serious] x7

FAILURE DETAIL

```
Error: expect(received).toEqual(expected) // deep equality   - Expected   - 1 + Received   + 4
```

EVIDENCE (1 SCREENSHOT, 1 JSON)

TC-A11Y-006 Committee Queue has no critical or serious WCAG violations

FAILED

Requirement NFR-A11Y Type Accessibility Priority P2 Project nfr Duration 7.0 s

Defects [DEF-029](#)

STEPS

1. Open Committee Queue
2. Run axe-core with wcag2a, wcag2aa, wcag21a, wcag21aa tags

EXPECTED

Zero critical / serious violations

ACTUAL

button-name [critical] x1

FAILURE DETAIL

```
Error: expect(received).toEqual(expected) // deep equality   - Expected   - 1 + Received   + 3
```

EVIDENCE (1 SCREENSHOT, 1 JSON)

TC-A11Y-007 Configuration has no critical or serious WCAG violations

FAILED

Requirement NFR-A11Y Type Accessibility Priority P2 Project nfr Duration 6.3 s

Defects [DEF-029](#)

STEPS

1. Open Configuration
2. Run axe-core with wcag2a, wcag2aa, wcag21a, wcag21aa tags

EXPECTED

Zero critical / serious violations

ACTUAL

button-name [critical] x2; label [critical] x4

FAILURE DETAIL

```
Error: expect(received).toEqual(expected) // deep equality - Expected - 1 + Received + 4
```

EVIDENCE (1 SCREENSHOT, 1 JSON)

TC-A11Y-008 Core flow is keyboard operable

PASSED

Requirement NFR-A11Y Type Accessibility Priority P3 Project nfr Duration 4.3 s

STEPS

1. Tab to "Continue without signing in" and press Enter
2. Tab to the user switcher and open it with Enter
3. Arrow to "Priya Owens" and press Enter

EXPECTED

Every step works with keyboard only; focus is visible

ACTUAL

gate, switcher and user choice all operable by keyboard

EVIDENCE (1 SCREENSHOT, 0 JSON)

TC-API-001 Health check endpoint responds

PASSED

Requirement NFR-OPS Type API Priority P1 Project api Duration 0.9 s

STEPS

1. GET /api/Ping

EXPECTED

200 with data "pong" in the OperationResult envelope

ACTUAL

200 "pong" in 866 ms

EVIDENCE (0 SCREENSHOTS, 1 JSON)

TC-API-002 Seeded users cover all four roles

PASSED

Requirement Roles Type API Priority P2 Project api Duration 0.8 s

STEPS

1. GET /api/User

EXPECTED

Users exist for ProductOwner, Analyst, CommitteeMember and Admin

ACTUAL

6 users; roles = Admin, Analyst, CommitteeMember, ProductOwner

EVIDENCE (0 SCREENSHOTS, 1 JSON)

TC-API-003 Risk categories are exactly the four FFIEC categories, each citable

PASSED

Requirement US-2.1 Type API Priority P1 Project api Duration 0.8 s

STEPS

1. GET /api/CategoryMapping/Categories

EXPECTED

4 categories (Products & Services, Customers & Entities, Geographic Locations, Delivery Channels) each with an FFIEC citation

ACTUAL

Categories: Customers & Entities | Delivery Channels | Geographic Locations | Products & Services; all cite FFIEC BSA/AML Manual

EVIDENCE (0 SCREENSHOTS, 1 JSON)

TC-API-004 Mock-systems lookups (CRM / core banking / vendor mgmt) return synthetic data

PASSED

Requirement Data-Ingestion Type API Priority P2 Project api Duration 1.8 s

STEPS

1. GET /api/DataIngestion/MockCustomers
2. GET .../MockProducts
3. GET .../MockVendors

EXPECTED

Each lookup returns a non-empty id/label list

ACTUAL

MockCustomers=6, MockProducts=5, MockVendors=4

EVIDENCE (0 SCREENSHOTS, 3 JSON)

TC-API-010 Submit a valid change request

PASSED

Requirement US-1.1 Type API Priority P1 Project api Duration 1.2 s

STEPS

1. POST /api/ChangeRequest/Submit with type Product, title, description, PO user id, linked mock product

EXPECTED

200; unique request number CR-YYYY-NNNNN; status "Submitted"; submittedAt timestamp

ACTUAL

CR-2026-00045, status Submitted, submittedAt 2026-09-25T07:21:58.094958+00:00

EVIDENCE (0 SCREENSHOTS, 1 JSON)

TC-API-011 Every one of the six change types is accepted

PASSED

Requirement US-1.1 Type API Priority P2 Project api Duration 2.3 s

STEPS

1. Submit with changeType=Product
2. Submit with changeType=Feature
3. Submit with changeType=Process
4. Submit with changeType=Vendor
5. Submit with changeType=Geography
6. Submit with changeType=CustomerSegment

EXPECTED

All six types accepted (200)

ACTUAL

Product=200, Feature=200, Process=200, Vendor=200, Geography=200, CustomerSegment=200

EVIDENCE (0 SCREENSHOTS, 6 JSON)

TC-API-012 Request numbers are unique

PASSED

Requirement US-1.1 Type API Priority P1 Project api Duration 1.1 s

STEPS

1. GET /api/ChangeRequest (all)
2. Compare request numbers

EXPECTED

No duplicate request numbers

ACTUAL

46 requests, 46 distinct numbers

EVIDENCE (0 SCREENSHOTS, 1 JSON)

TC-API-013 Submission with missing mandatory fields is rejected

FAILED

Requirement US-1.1 Type Negative Priority P1 Project api Duration 1.2 s

Defects [DEF-009](#) [DEF-005](#)

STEPS

1. POST Submit with empty title and description
2. POST Submit with empty changeType

EXPECTED

400 Bad Request listing the missing fields; nothing persisted

ACTUAL

empty title/description -> 200 CR-2026-00052; empty changeType -> 500 Failed to submit change request.

FAILURE DETAIL

```
Error: expect(received).toBe(expected) // Object.is equality    Expected: 400 Received: 200
Error: expect(received).toBe(expected) // Object.is equality    Expected: 400 Received: 500
```

EVIDENCE (0 SCREENSHOTS, 2 JSON)

TC-API-014 Unknown change type is rejected

FAILED

Requirement US-1.1 Type Negative Priority P2 Project api Duration 1.2 s Defects [DEF-005](#)

STEPS

1. POST Submit with changeType="Crypto"

EXPECTED

400 - only the six defined change types are allowed

ACTUAL

500 Failed to submit change request.

FAILURE DETAIL

```
Error: expect(received).toBe(expected) // Object.is equality    Expected: 400    Received: 500
```

EVIDENCE (0 SCREENSHOTS, 1 JSON)

TC-API-015 Get change request by id; unknown id returns 404

PASSED

Requirement US-1.3 Type API Priority P2 Project api Duration 2.4 s

STEPS

1. GET /api/ChangeRequest/{existing id}
2. GET /api/ChangeRequest/{random guid}
3. GET /api/ChangeRequest/not-a-guid

EXPECTED

200 with record; 404 for unknown guid; 404 for malformed id (route constraint)

ACTUAL

existing=200, unknown=404 "Change request not found.", malformed=404

EVIDENCE (0 SCREENSHOTS, 4 JSON)

TC-API-016 "My requests" returns only the requesting user's items with days elapsed

PASSED

Requirement US-1.3 Type API Priority P2 Project api Duration 1.7 s

STEPS

1. GET /api/ChangeRequest/ForUser/{PO id}
2. GET /api/ChangeRequest/ForUser/{Analyst id}

EXPECTED

PO list contains the QA requests with status and daysElapsed; analyst (never submitted) gets an empty list

ACTUAL

PO has 47 requests; analyst has 0

EVIDENCE (0 SCREENSHOTS, 2 JSON)

TC-API-017 Attach PDF, DOCX and XLSX; re-upload creates a new version

FAILED

Requirement US-1.2 Type API Priority P1 Project api Duration 2.5 s Defects [DEF-008](#)

STEPS

1. Submit a Vendor request
2. POST AttachDocumentFile with a PDF
3. POST with a DOCX and an XLSX
4. POST PDF again with supersedesAttachmentId
5. GET /{id}/Attachments

EXPECTED

All three formats accepted; the replacement is version 2 and version 1 is still listed (not overwritten)

ACTUAL

pdf v1, docx v1, xlsx v1; replacement (supersedesAttachmentId) -> 500 "Failed to attach document."; pdf versions stored: [1]

FAILURE DETAIL

```
Error: replacing a document must create version 2  expect(received).toBe(expected) // Object.is equality
```

EVIDENCE (0 SCREENSHOTS, 6 JSON)

TC-API-018 Unsupported / unsafe file types are rejected with a clear message

FAILED

Requirement US-1.2 Type Negative Priority P1 Project api Duration 2.0 s Defects [DEF-006](#)

STEPS

1. Upload unsupported.txt as text/plain
2. Upload malicious.exe as application/x-msdownload
3. Upload malicious.exe spoofed as application/pdf

EXPECTED

All three rejected with 400 and a message naming the allowed formats

ACTUAL

txt -> 500 "Failed to attach document."; exe -> 500 "Failed to attach document."; exe-as-pdf -> 200 "
{\"id\":\"6aaa2f77-6005-46ec-a4ed-4b47a76a5d83\",\"version\":1}"

FAILURE DETAIL

```
Error: expect(received).toBe(expected) // Object.is equality   Expected: 400 Received: 500
Error: expect(received).toBe(expected) // Object.is equality   Expected: 400 Received: 500
Error: expect(received).toBe(expected) // Object.is equality   Expected: 400 Received: 200
Error: expect(received).toMatch(expected)   Expected pattern: /PDF, DOCX, XLSX/ Received string:
"Failed to attach document."
```

EVIDENCE (0 SCREENSHOTS, 4 JSON)

TC-API-019 Clarification request is recorded against the change request

PASSED

Requirement US-1.3 Type API Priority P3 Project api Duration 1.7 s

STEPS

1. POST /api/ChangeRequest/{id}/RequestClarification as analyst
2. GET audit trail

EXPECTED

200 with clarification id; audit trail shows who asked what

ACTUAL

clarification id 7be6b406-d0e6-4907-aa52-7afc7ea12b65; audit events: ChangeRequest.Created, Clarification.Requested

EVIDENCE (0 SCREENSHOTS, 3 JSON)

TC-API-020 External snapshot is ingested when a mock entity is linked

PASSED

Requirement Data-Ingestion Type API Priority P2 Project api Duration 1.9 s

STEPS

1. Submit a Product request linked to mock product "Cross-Border Wire Transfer Plus"
2. GET /api/DataIngestion/Snapshot/{id}
3. Submit a Process request (no linked entity)
4. GET snapshot

EXPECTED

Linked request has a snapshot (200); unlinked request returns 404 "No external snapshot"

ACTUAL

linked -> 200; unlinked -> 404 "No external snapshot linked to this change request."

EVIDENCE (0 SCREENSHOTS, 4 JSON)

TC-API-030 Open assessment workspace is idempotent

PASSED

Requirement US-6.3 Type API Priority P1 Project api Duration 2.4 s

STEPS

1. Submit a Vendor request (PO) linked to a mock vendor
2. POST /api/Assessment/OpenWorkspace/{crlId} twice
3. GET /api/Assessment/ByChangeRequest/{crlId}

EXPECTED

Both calls return the same assessment id; the request moves to InAssessment

ACTUAL

CR-2026-00060: assessment eba39f9c-a4ba-40cf-946d-fa0a3da1bb98 (same on 2nd open: true); status InAssessment

EVIDENCE (0 SCREENSHOTS, 6 JSON)

TC-API-031 Finalize and route are blocked while nothing has been reviewed

FAILED

Requirement US-6.3 / US-8.1 Type Negative Priority P1 Project api Duration 2.6 s

Defects [DEF-001](#)

STEPS

1. Submit a separate "probe" request and open its workspace (no categories, no narrative, no policy)
2. GET Readiness
3. POST Finalize
4. POST Committee/Route

EXPECTED

Readiness is false; Finalize and Route rejected (400) with the outstanding items listed

ACTUAL

CR-2026-00061: readiness.isReady=true with 0 categories; finalize -> 200 "Finalized"; route -> 200 "Routed"; in committee queue: true

FAILURE DETAIL

```
Error: an assessment with no mapped categories is not "ready"  expect(received).toBe(expected)
// Object.is equality
Error: finalize with zero categories mapped must be blocked  expect(received).toBe(expected) //
Object.is equality
Error: expect(received).toBe(expected) // Object.is equality  Expected: 400 Received: 200
```

EVIDENCE (0 SCREENSHOTS, 6 JSON)

TC-API-032 AI proposes FFIEC categories with citations for a Vendor request

FAILED

Requirement US-2.1 Type API Priority P1 Project api Duration 2.2 s Defects [DEF-012](#)

STEPS

1. POST /api/CategoryMapping/Propose?assessmentId&changeRequestId (Azure AI Foundry)

EXPECTED

Only FFIEC categories; Vendor maps to Customers & Entities + Delivery Channels; each row has a citation; source AiProposed

ACTUAL

AI proposed in 2122 ms: Customers & Entities [AiProposed] "FFIEC BSA/AML Manual - Risks Associated with Money Laundering and Terrorist Fina"

FAILURE DETAIL

```
Error: CLAUDE.md mapping: Vendor onboarding -> Customers/Entities + Delivery Channels  
expect(received).toEqual(expected) // deep equality
```

EVIDENCE (0 SCREENSHOTS, 1 JSON)

TC-API-033 Category override requires a reason; AI original retained

PASSED

Requirement US-2.2 / US-6.1 Type Negative Priority P1 Project api Duration 2.8 s

STEPS

1. POST CategoryMapping/Override (add Geographic Locations) with empty reason
2. Repeat with a reason
3. Remove Delivery Channels with a reason, then re-add it
4. GET mapping and audit trail

EXPECTED

Blank reason -> 400; with reason -> saved; audit shows the AI proposal and each override with its reason

ACTUAL

blank reason -> 400 "P0001: A reason is required to override a category mapping"; add -> 200; remove -> 200; re-add -> 200; active now: Customers & Entities, Geographic Locations, Delivery Channels; 4 category audit events

EVIDENCE (0 SCREENSHOTS, 6 JSON)

TC-API-040 Policy search returns ranked, citable FFIEC/FATF passages

PASSED

Requirement US-3.1 Type API Priority P1 Project api Duration 1.7 s

STEPS

1. GET PolicyResearch/Search?queryText=beneficial ownership
2. GET with riskCategoryId filter
3. GET with nonsense text

EXPECTED

Ranked results (rank desc) each with document title, source URL, section ref and effective date; nonsense -> empty list

ACTUAL

"beneficial ownership": 1 hits in 792 ms, top = FFIEC BSA/AML Examination Manual Risks Associated with Money Laundering and Terrorist Financing - Beneficial Ownership (<https://bsaaml.ffiec.gov>), effectiveDate=2014-01-01T00:00:00; filtered: 2; nonsense: 0

EVIDENCE (0 SCREENSHOTS, 4 JSON)

TC-API-041 Policy search input validation / injection safety

PASSED

Requirement US-3.1 / NFR-SEC Type Security Priority P2 Project api Duration 2.1 s

STEPS

1. Search queryText=' OR 1=1; DROP TABLE policy_chunk;--
2. Search queryText= <script>alert(1)</script>
3. Search with empty queryText
4. Search topK=100000

EXPECTED

No 500s; injection payloads treated as literal text; empty query rejected (400) or returns []; topK capped

ACTUAL

sqli -> 200 (0 rows); xss -> 200; empty -> 400; topK=100000 -> 200 (5 rows); corpus intact -> 1 rows

EVIDENCE (0 SCREENSHOTS, 5 JSON)

TC-API-042 Record policy reliance decisions

FAILED

Requirement US-3.2 Type API Priority P1 Project api Duration 2.8 s Defects [DEF-005](#)

STEPS

1. RecordReliance ReliedUpon for each active category
2. RecordReliance NotRelevant for another chunk
3. RecordReliance with decision "Maybe"
4. GET reliance

EXPECTED

Valid decisions recorded; invalid decision rejected with 400

ACTUAL

3 ReliedUpon + NotRelevant(200) recorded; list has 4; invalid "Maybe" -> 500 "Failed to record policy reliance."

FAILURE DETAIL

```
Error: invalid enum should be a 400, not a 500    expect(received).toBe(expected) // Object.is equality
```

EVIDENCE (0 SCREENSHOTS, 6 JSON)

TC-API-043 One passage relied upon for two categories keeps both decisions

FAILED

Requirement US-3.2 / US-9.1 Type Negative Priority P2 Project api Duration 1.9 s

Defects [DEF-011](#)

STEPS

1. On the probe assessment: RecordReliance chunk X for Customers & Entities
2. RecordReliance the same chunk X for Delivery Channels
3. GET reliance

EXPECTED

Two reliance rows (one per category) - the second decision does not overwrite the first

ACTUAL

ids returned: fa89511e-927e-4f91-b3a4-1168a983f4ba / fa89511e-927e-4f91-b3a4-1168a983f4ba (SAME row); rows for chunk X: 2

FAILURE DETAIL

```
Error: expect(received).toBe(expected) // Object.is equality    Expected: 2    Received: 1
```

EVIDENCE (0 SCREENSHOTS, 3 JSON)

TC-API-044 Policy corpus covers the core FFIEC risk topics

FAILED

Requirement US-3.1 / RAG Type API Priority P2 Project api Duration 3.2 s

Defects [DEF-032](#)

STEPS

1. Search "wire transfer"
2. Search "correspondent banking"
3. Search "politically exposed"
4. Search "sanctions"
5. Search "money services business"
6. Search "prepaid"
7. Search "cash-intensive"
8. Search "high-risk jurisdiction"

EXPECTED

At least one relevant passage for each core FFIEC / FATF topic the categories rely on

ACTUAL

wire transfer=0, correspondent banking=3, politically exposed=1, sanctions=1, money services business=1, prepaid=1, cash-intensive=1, high-risk jurisdiction=0; 2/8 topics have no passage; broad query returns 5 passages in total

FAILURE DETAIL

Error: wire transfer expect(received).toBeGreaterThan(expected)
Error: high-risk jurisdiction expect(received).toBeGreaterThan(expected)

EVIDENCE (0 SCREENSHOTS, 9 JSON)

TC-API-050 AI extracts structured fields from the document with confidence and source excerpts

PASSED

Requirement US-4.1 Type API Priority P1 Project api Duration 3.4 s

STEPS

1. POST DocumentExtraction/Extract with the due-diligence document text
2. GET extracted fields

EXPECTED

Key/value fields (e.g. jurisdiction = Malta) each with confidence, needsReview flag and source excerpt; source AiExtracted

ACTUAL

3312 ms: vendor_name=QuickPay Processing Ltd (conf 1, review=false); vendor_jurisdiction=Malta (conf 1, review=false); data_access_scope=cardholder PII and settlement files (conf 1, review=false); customer_types_affected=retail cardholders, MSB merchants (conf 1, review=false); delivery_channel=API, non-face-to-face (conf 1, review=false)

EVIDENCE (0 SCREENSHOTS, 1 JSON)

TC-API-051 Extracted-field correction: material change needs a reason; original retained

PASSED

Requirement US-4.2 Type Negative Priority P1 Project api Duration 2.5 s

STEPS

1. Correct field with isMaterialChange=true and no reason
2. Correct with isMaterialChange=false and no reason (formatting)
3. Correct with material change and a reason
4. GET fields + audit

EXPECTED

Material/no-reason -> 400; trivial/no-reason -> 200; material with reason -> 200; audit keeps AI original and corrected value

ACTUAL

material/no reason -> 400 "A reason is required for this correction - it materially changes the field's meaning."; trivial -> 200; material+reason -> 200; 7 extraction audit events; field vendor_name now "QA corrected value"

EVIDENCE (0 SCREENSHOTS, 5 JSON)

TC-API-060 AI drafts one narrative section per category, labelled AiDrafted

PASSED

Requirement US-5.1 Type API Priority P1 Project api Duration 10.4 s

STEPS

1. POST Narrative/Draft for each active category

EXPECTED

One section per category with status AiDrafted and non-empty narrative text

ACTUAL

Customers & Entities: 896 chars in 3550 ms, flags=[] | Geographic Locations: 885 chars in 3000 ms, flags=[] | Delivery Channels: 1626 chars in 3786 ms, flags=["Malta is considered a higher-risk jurisdiction for AML purposes", "The vendor uses nested account arrangements"]

EVIDENCE (0 SCREENSHOTS, 3 JSON)

TC-API-061 Finalize is blocked while a section is still AI-drafted

PASSED

Requirement US-5.1 / US-6.3 Type Negative Priority P1 Project api Duration 1.2 s

STEPS

1. GET Readiness
2. POST Finalize

EXPECTED

Readiness lists every AI-drafted section; Finalize -> 400 naming them

ACTUAL

outstanding=["Customers & Entities","Geographic Locations","Delivery Channels"]; finalize -> 400
"Narrative not yet reviewed for: Customers & Entities, Geographic Locations, Delivery Channels"

EVIDENCE (0 SCREENSHOTS, 2 JSON)

TC-API-062 Regenerate one section with feedback; others untouched; prior version kept

PASSED

Requirement US-5.2 Type API Priority P2 Project api Duration 4.2 s

STEPS

1. Snapshot all sections
2. POST Narrative/Draft for category #1 with regenerationFeedback
3. Compare sections
4. Check audit for the prior version

EXPECTED

Only category #1 text changes; other sections identical; audit retains earlier draft

ACTUAL

regenerated in 2559 ms; section #1 changed, 2 other sections unchanged; narrative audit events: AiDrafted, AiDrafted, AiDrafted, AiDrafted

EVIDENCE (0 SCREENSHOTS, 4 JSON)

TC-API-063 Narrative edit requires a reason; review/accept sets analyst status

PASSED

Requirement US-6.1 Type Negative Priority P1 Project api Duration 1.9 s

STEPS

1. POST Narrative/Edit with empty reason
2. POST Narrative/Edit on category #1 with reason
3. POST Narrative/Review (accept as-is) for the rest
4. GET sections

EXPECTED

Blank reason -> 400; edited section = AnalystEdited; accepted sections = AnalystReviewed

ACTUAL

no reason -> 400 "P0001: A reason is required to edit an AI-drafted narrative section"; edit -> 200; statuses: Customers & Entities=AnalystEdited, Geographic Locations=AnalystReviewed, Delivery Channels=AnalystReviewed

EVIDENCE (0 SCREENSHOTS, 5 JSON)

TC-API-070 Residual risk = inherent - (effectiveness x mitigation factor), always > 0

PASSED

Requirement US-7.1 Type API Priority P1 Project api Duration 1.5 s

STEPS

1. Scoring/Calculate inherent=4, effectiveness=0.8 on category #1
2. Calculate the extreme case inherent=1, effectiveness=1.0 on category #2
3. GET scores

EXPECTED

residual = $4 - 0.8 \times mf$ exactly; extreme case residual still > 0 ; inherent, mitigation and residual all shown

ACTUAL

cat#1: $4 - 0.8 \times 0.85 = 3.32$; extreme 1 - $1.0 \times 0.85 = 0.15 (> 0)$

EVIDENCE (0 SCREENSHOTS, 3 JSON)

TC-API-071 Out-of-range scoring inputs are rejected cleanly

FAILED

Requirement US-7.1 Type Negative Priority P2 Project api Duration 2.0 s

STEPS

1. Calculate inherent=0
2. Calculate inherent=6
3. Calculate effectiveness=1.5
4. Calculate effectiveness=-0.2

EXPECTED

Each rejected with 400 and a validation message (never a residual ≤ 0 persisted)

ACTUAL

(0, 0.5) -> 500 "Failed to calculate risk score."; (6, 0.5) -> 500 "Failed to calculate risk score."; (3, 1.5) -> 500 "Failed to calculate risk score."; (3, -0.2) -> 500 "Failed to calculate risk score."

FAILURE DETAIL

```
Error: should be a 400 validation error, not a 500  expect(received).toBe(expected) // Object.is equality
Error: should be a 400 validation error, not a 500  expect(received).toBe(expected) // Object.is equality
Error: should be a 400 validation error, not a 500  expect(received).toBe(expected) // Object.is equality
Error: should be a 400 validation error, not a 500  expect(received).toBe(expected) // Object.is equality
```

EVIDENCE (0 SCREENSHOTS, 5 JSON)

TC-API-072 Score override: reason mandatory, residual must stay > 0, labelled as override

FAILED

Requirement US-7.2 Type Negative Priority P1 Project api Duration 2.9 s Defects [DEF-014](#)

STEPS

1. Override residual=2.5 with blank reason
2. Override residual=0 with reason
3. Override residual=-1
4. Override residual=2.5 with reason
5. GET scores + audit

EXPECTED

Blank reason / zero / negative -> 400; valid override saved with isOverride=true, scoredBy Analyst, reason; audit keeps the calculated value

ACTUAL

blank -> 400; zero -> 400 "residual_rating must be greater than zero - controls mitigate risk, they never eliminate it."; negative -> 400; valid -> 200; row: residual 2.5, isOverride=true, scoredBy=System, reason="Vendor has had two prior regulatory findings"; RiskScore audit: Calculated, Calculated, Calculated, Overridden

FAILURE DETAIL

```
Error: an analyst override should be attributed to the Analyst, not System
expect(received).toBe(expected) // Object.is equality
```

EVIDENCE (0 SCREENSHOTS, 6 JSON)

TC-API-073 Controls library per category

FAILED

Requirement US-7.1 Type API Priority P3 Project api Duration 1.8 s Defects [DEF-013](#)

STEPS

1. GET Scoring/Controls/{categoryId} for each of the 4 categories

EXPECTED

Each category has at least one configured control (name + description) so credited controls and their weights are traceable

ACTUAL

controls per category: products=0, customers=0, geo=0, channels=0

FAILURE DETAIL

Error: US-7.1 AC3 needs a controls library to credit and trace
`expect(received).toBeGreaterThan(expected)`

EVIDENCE (0 SCREENSHOTS, 4 JSON)

TC-API-080 Committee vote is rejected before the assessment is routed

PASSED

Requirement US-8.2 Type Negative Priority P1 Project api Duration 1.2 s

STEPS

1. POST Committee/Vote on an assessment still InAssessment

EXPECTED

400 "not in the committee queue ... Route it first"

ACTUAL

400 "Assessment eba39f9c-a4ba-40cf-946d-fa0a3da1bb98 is not in the committee queue (change request status: InAssessment). Route it first."

EVIDENCE (0 SCREENSHOTS, 1 JSON)

TC-API-081 Finalize records the analyst; route puts it in the committee queue

PASSED

Requirement US-6.3 / US-8.1 Type API Priority P1 Project api Duration 2.7 s

STEPS

1. GET Readiness (expect ready)
2. POST Finalize as Amara Chen
3. POST Committee/Route
4. GET Committee/Queue and change request status
5. GET audit

EXPECTED

Finalize 200; status Finalized; route 200; request appears in queue; CR status PendingCommittee; audit names the finalizing analyst

ACTUAL

finalize 200, route 200; in queue: true; CR status PendingCommittee; finalize audit actor "Amara Chen"

EVIDENCE (0 SCREENSHOTS, 6 JSON)

TC-API-082 Edits after finalization are blocked (assessment locked)

FAILED

Requirement US-6.3 Type Negative Priority P1 Project api Duration 1.8 s Defects [DEF-007](#)

STEPS

1. After finalize: POST Narrative/Edit
2. POST Scoring/Override
3. POST CategoryMapping/Override
4. POST Finalize again

EXPECTED

All rejected - a finalized assessment is locked

ACTUAL

narrative edit -> 200; score override -> 200; category add -> 200; re-finalize -> 400

FAILURE DETAIL

```
Error: narrative edit after finalize expect(received).not.toBe(expected) // Object.is equality
Error: score override after finalize expect(received).not.toBe(expected) // Object.is equality
Error: category change after finalize expect(received).not.toBe(expected) // Object.is equality
```

EVIDENCE (0 SCREENSHOTS, 4 JSON)

TC-API-083 Vote validation: conditions / rationale mandatory; only committee members may vote

FAILED

Requirement US-8.2 Type Negative Priority P1 Project api Duration 3.7 s

Defects [DEF-002](#) [DEF-030](#)

STEPS

1. On the routed probe assessment, as Jordan Blake: vote ApproveWithConditions with blank conditions
2. Vote Reject with no rationale
3. Vote Defer with whitespace rationale
4. Vote "Maybe"
5. Vote as the Product Owner (not a committee member)
6. GET votes + decision

EXPECTED

Every case rejected with 400/403; no vote recorded for a non-committee user; no decision reached

ACTUAL

AWC blank -> 200; Reject none -> 400; Defer whitespace -> 200; "Maybe" -> 400 "Approve-with-conditions requires conditions text; reject/defer require a rationale."; PO vote -> 200; recorded votes: Jordan Blake=Defer, Priya Owens=Approve; decision: Deferred

FAILURE DETAIL

```
Error: blank conditions  expect(received).toBe(expected) // Object.is equality
Error: whitespace-only rationale  expect(received).toBe(expected) // Object.is equality
Error: Product Owner must not be able to vote  expect(received).toContain(expected) // indexOf
Error: no decision should result from invalid / non-member votes
expect(received).toBe(expected) // Object.is equality
```

EVIDENCE (0 SCREENSHOTS, 7 JSON)

TC-API-084 A member vote cannot be silently replaced

FAILED

Requirement US-8.2 / US-9.2 Type Negative Priority P2 Project api Duration 4.3 s

Defects [DEF-003](#)

STEPS

1. On a second routed probe: Jordan Blake votes Approve
2. Jordan Blake votes again (Reject with rationale)
3. GET votes

EXPECTED

Second vote rejected (400/409) - or, if re-voting is allowed, both versions retained; the first vote is never overwritten in place

ACTUAL

first -> 200 id 90d10b72-34ab-4700-8eee-2e4e68b76145; second -> 200 id 90d10b72-34ab-4700-8eee-2e4e68b76145 (SAME row - overwritten); votes table now: Jordan Blake=Reject; vote audit events: 2

FAILURE DETAIL

```
Error: re-vote should be rejected  expect(received).toContain(expected) // indexOf
Error: first vote must not be overwritten  expect(received).toBe(expected) // Object.is equality
```

EVIDENCE (0 SCREENSHOTS, 8 JSON)

TC-API-085 Individual votes recorded; quorum resolves the decision conservatively

PASSED

Requirement US-8.2 / US-8.3 Type API Priority P1 Project api Duration 3.3 s

STEPS

1. Jordan Blake votes ApproveWithConditions with conditions
2. Riley Voss votes Approve (quorum = 2)
3. GET votes, decision, change request
4. Late vote after decision

EXPECTED

Each vote stored with member name; decision ApprovedWithConditions carrying the conditions; CR status Decisioned; late vote rejected

ACTUAL

vote1 200; vote2 200; votes: Jordan Blake=ApproveWithConditions, Riley Voss=Approve; decision ApprovedWithConditions "Jordan Blake: Annual on-site audit of the vendor; PII encrypted at rest"; CR Decisioned; late vote -> 400

EVIDENCE (0 SCREENSHOTS, 6 JSON)

TC-API-090 Audit trail reconstructs the full history in order

PASSED

Requirement US-9.1 Type API Priority P1 Project api Duration 1.1 s

STEPS

1. GET /api/Audit/{crlId}

EXPECTED

Chronological events covering submission, upload, AI outputs, overrides with reasons, reliance, scores, finalize, route, each vote, decision; actor shown as a person or system/AI

ACTUAL

38 events, chronological; entity types: ChangeRequest, ExternalSnapshot, Attachment, CategoryMapping, PolicyReliance, ExtractedField, NarrativeSection, RiskScore, Assessment, CommitteeVote, CommitteeDecision, MockSystemsFeedback

EVIDENCE (0 SCREENSHOTS, 1 JSON)

TC-API-091 Audit records cannot be modified or deleted through the API

PASSED

Requirement US-9.2 Type Security Priority P1 Project api Duration 2.2 s

STEPS

1. PUT /api/Audit/{crlId}
2. DELETE /api/Audit/{crlId}
3. PATCH /api/Audit/{crlId}
4. GET trail again

EXPECTED

No write verbs exposed (404/405); trail unchanged

ACTUAL

PUT 405, DELETE 405, PATCH 405; events before=38 after=38

EVIDENCE (0 SCREENSHOTS, 5 JSON)

TC-API-100 Mitigation factor ≥ 1.0 (or < 0) is rejected at configuration time

PASSED

Requirement US-10.1 Type Negative Priority P1 Project api Duration 1.3 s

STEPS

1. POST Scoring/Config maxMitigationFactor=1.0
2. ... =1.5
3. ... =-0.1
4. ... =0.999

EXPECTED

1.0 / 1.5 / -0.1 rejected with 400 and an explicit "residual risk would reach zero" message; 0.999 is the largest accepted value class

ACTUAL

1 -> 400 "max_mitigation_factor must be in [0, 1.0) - a value of 1.0 or more would let residual risk reach zero."; 1.5 -> 400 "max_mitigation_factor must be in [0, 1.0) - a value of 1.0 or more would let residual risk reach zero."; -0.1 -> 400 "max_mitigation_factor must be in [0, 1.0) - a value of 1.0 or more would let residual risk reach zero."

EVIDENCE (0 SCREENSHOTS, 3 JSON)

TC-API-101 Scoring configuration change requires a reason

FAILED

Requirement US-10.1 Type Negative Priority P1 Project api Duration 0.8 s

Defects [DEF-005](#)

STEPS

1. POST Scoring/Config maxMitigationFactor=0.85 (unchanged) with blank reason

EXPECTED

400 - reason is mandatory

ACTUAL

500 "Failed to update scoring configuration."

FAILURE DETAIL

Error: expect(received).toBe(expected) // Object.is equality Expected: 400 Received: 500

EVIDENCE (0 SCREENSHOTS, 1 JSON)

TC-API-102 Config change applies only to assessments started afterwards

FAILED

Requirement US-10.1 Type API Priority P2 Project api Duration 2.5 s Defects [DEF-016](#)

STEPS

1. Open a probe assessment (config at baseline)
2. Change Customers & Entities cap to 0.80 (reason given)
3. Calculate a score on the probe assessment
4. Restore the cap to the baseline

EXPECTED

The in-flight probe still uses the cap in force when it started (0.85), not 0.80

ACTUAL

probe started at 0.85; after change to 0.80 the in-flight calc used mf=0.8 (residual 2.2)

FAILURE DETAIL

Error: expect(received).toBe(expected) // Object.is equality Expected: 0.85 Received: 0.8

EVIDENCE (0 SCREENSHOTS, 5 JSON)

TC-API-103 Workflow rules: listed in plain form; reason mandatory; invalid JSON rejected

FAILED

Requirement US-10.2 Type Negative Priority P1 Project api Duration 2.3 s

Defects [DEF-005](#)

STEPS

1. GET /api/WorkflowRule
2. POST CommitteeQuorum with blank reason
3. POST CommitteeQuorum with value "{not json"
4. POST CommitteeQuorum {"quorum": 2} (unchanged) with reason

EXPECTED

Rules readable (key + JSON value); blank reason -> 400; invalid JSON -> 400; valid save -> 200

ACTUAL

rules: CommitteeQuorum={"quorum": 2}; blank reason -> 400 "A reason is required to change a workflow rule."; invalid JSON -> 500 "Failed to update workflow rule."; valid -> 200; quorum now {"quorum": 2}

FAILURE DETAIL

```
Error: invalid JSON should be a 400, not a 500  expect(received).toBe(expected) // Object.is equality
```

EVIDENCE (0 SCREENSHOTS, 5 JSON)

TC-PERF-001 Read API latency (10 samples per endpoint)

PASSED

Requirement NFR-PERF Type Performance Priority P2 Project nfr Duration 19.3 s

STEPS

1. GET /api/Ping x10
2. GET /api/User x10
3. GET /api/ChangeRequest x10
4. GET /api/Committee/Queue x10
5. GET /api/CategoryMapping/Categories x10
6. GET /api/PolicyResearch/Search?queryText=customer&topK=5 x10

EXPECTED

p95 < 1,500 ms for every read endpoint; no errors

ACTUAL

Ping: p50 271 / p95 905 ms; User: p50 301 / p95 310 ms; ChangeRequest: p50 322 / p95 835 ms; Committee/Queue: p50 301 / p95 304 ms; CategoryMapping/Categories: p50 301 / p95 307 ms; PolicyResearch/Search?queryText=customer&topK=5: p50 299 / p95 304 ms

EVIDENCE (0 SCREENSHOTS, 1 JSON)

TC-PERF-002 Burst of 25 concurrent reads

PASSED

Requirement NFR-PERF Type Performance Priority P3 Project nfr Duration 1.9 s

STEPS

1. Fire 25 parallel GET /api/ChangeRequest

EXPECTED

All 200; p95 < 3,000 ms (Burstable-tier DB, 1 container)

ACTUAL

25 parallel: 0 errors; p50 1459 ms, p95 1807 ms, max 1819 ms; wall 1842 ms

EVIDENCE (0 SCREENSHOTS, 1 JSON)

TC-PERF-003 Initial page load and bundle size

FAILED

Requirement NFR-PERF Type Performance Priority P2 Project nfr Duration 3.5 s

Defects [DEF-031](#)

STEPS

1. Cold load / in a fresh context
2. Read Navigation Timing and resource sizes

EXPECTED

DOMContentLoaded < 2 s, load < 3 s; JS transferred < 500 KB

ACTUAL

TTFB 776 ms, DOMContentLoaded 2704 ms, load 2716 ms, JS 654 KB, CSS 55 KB

FAILURE DETAIL

Error: expect(received).toBeLessThan(expected) Expected: < 2000 Received: 2704
Error: expect(received).toBeLessThan(expected) Expected: < 500 Received: 654

EVIDENCE (1 SCREENSHOT, 1 JSON)

TC-PERF-004 Screen-to-screen navigation responsiveness

PASSED

Requirement NFR-PERF Type Performance Priority P3 Project nfr Duration 7.0 s

STEPS

1. As Amara Chen click Assessments until the table renders
2. Open the first request until tabs render

EXPECTED

Each transition renders in < 2 s

ACTUAL

inbox table 953 ms; workspace 449 ms

EVIDENCE (1 SCREENSHOT, 0 JSON)

TC-RWD-001 Sidebar collapses behind a menu button on mobile

PASSED

Requirement NFR-UX Type Responsive Priority P2 Project ui-mobile Duration 6.4 s

STEPS

1. Open the app on a Pixel 7 viewport as Priya Owens
2. Check the sidebar is off-canvas
3. Tap the menu button
4. Tap "My Requests"

EXPECTED

Sidebar hidden by default, slides in on menu tap, closes after navigating

ACTUAL

sidebar off-canvas by default; opens on menu tap; closes after choosing a screen

EVIDENCE (3 SCREENSHOTS, 0 JSON)

TC-RWD-002 "Submit Request" fits a 412 px viewport without horizontal scrolling

PASSED

Requirement NFR-UX Type Responsive Priority P3 Project ui-mobile Duration 6.0 s

STEPS

1. As Priya Owens open Submit Request on Pixel 7
2. Measure document scroll width vs viewport

EXPECTED

scrollWidth <= clientWidth (no page-level horizontal scroll); content readable

ACTUAL

scrollWidth 412 px vs viewport 412 px

EVIDENCE (1 SCREENSHOT, 0 JSON)

TC-RWD-003 "My Requests" fits a 412 px viewport without horizontal scrolling

PASSED

Requirement NFR-UX Type Responsive Priority P3 Project ui-mobile Duration 6.8 s

STEPS

1. As Priya Owens open My Requests on Pixel 7
2. Measure document scroll width vs viewport

EXPECTED

scrollWidth <= clientWidth (no page-level horizontal scroll); content readable

ACTUAL

scrollWidth 412 px vs viewport 412 px

EVIDENCE (1 SCREENSHOT, 0 JSON)

TC-RWD-004 "Assessments" fits a 412 px viewport without horizontal scrolling

PASSED

Requirement NFR-UX Type Responsive Priority P3 Project ui-mobile Duration 6.9 s

STEPS

1. As Amara Chen open Assessments on Pixel 7
2. Measure document scroll width vs viewport

EXPECTED

scrollWidth <= clientWidth (no page-level horizontal scroll); content readable

ACTUAL

scrollWidth 412 px vs viewport 412 px

EVIDENCE (1 SCREENSHOT, 0 JSON)

TC-RWD-005 "Committee Queue" fits a 412 px viewport without horizontal scrolling

PASSED

Requirement NFR-UX Type Responsive Priority P3 Project ui-mobile Duration 6.0 s

STEPS

1. As Jordan Blake open Committee Queue on Pixel 7
2. Measure document scroll width vs viewport

EXPECTED

scrollWidth <= clientWidth (no page-level horizontal scroll); content readable

ACTUAL

scrollWidth 412 px vs viewport 412 px

EVIDENCE (1 SCREENSHOT, 0 JSON)

TC-RWD-006 "Configuration" fits a 412 px viewport without horizontal scrolling

PASSED

Requirement NFR-UX Type Responsive Priority P3 Project ui-mobile Duration 5.9 s

STEPS

1. As Taylor Finch open Configuration on Pixel 7
2. Measure document scroll width vs viewport

EXPECTED

scrollWidth <= clientWidth (no page-level horizontal scroll); content readable

ACTUAL

scrollWidth 412 px vs viewport 412 px

EVIDENCE (1 SCREENSHOT, 0 JSON)

TC-RWD-007 Assessment workspace tabs are reachable on mobile

PASSED

Requirement NFR-UX Type Responsive Priority P3 Project ui-mobile Duration 6.3 s

STEPS

1. As Amara Chen open the first request in Assessments
2. Scroll the tab strip to "Audit" and open it

EXPECTED

Tab strip scrolls horizontally inside its container; page itself does not overflow; Audit tab opens

ACTUAL

Audit tab opened; page scrollWidth 412 vs 412

EVIDENCE (1 SCREENSHOT, 0 JSON)

TC-SEC-001 Protected endpoints require authentication

FAILED

Requirement NFR-SEC Type Security Priority P1 Project api Duration 2.8 s

Defects [DEF-010](#)

STEPS

1. GET /api/User with no Authorization header
2. GET /api/ChangeRequest with no Authorization header
3. GET /api/Committee/Queue with no Authorization header
4. GET /api/WorkflowRule with no Authorization header
5. GET /api/CategoryMapping/Categories with no Authorization header
6. GET /api/DataIngestion/MockCustomers with no Authorization header

EXPECTED

Every [Authorize] endpoint returns 401 to an anonymous caller

ACTUAL

anonymous access: /api/User=200, /api/ChangeRequest=200, /api/Committee/Queue=200, /api/WorkflowRule=200, /api/CategoryMapping/Categories=200, /api/DataIngestion/MockCustomers=200 (includes user e-mails and all change requests)

FAILURE DETAIL

```
Error: /api/User expect(received).toBe(expected) // Object.is equality
Error: /api/ChangeRequest expect(received).toBe(expected) // Object.is equality
Error: /api/Committee/Queue expect(received).toBe(expected) // Object.is equality
Error: /api/WorkflowRule expect(received).toBe(expected) // Object.is equality
Error: /api/CategoryMapping/Categories expect(received).toBe(expected) // Object.is equality
Error: /api/DataIngestion/MockCustomers expect(received).toBe(expected) // Object.is equality
```

EVIDENCE (0 SCREENSHOTS, 6 JSON)

TC-SEC-002 A forged bearer token is rejected

FAILED

Requirement NFR-SEC Type Security Priority P1 Project api Duration 0.9 s

Defects [DEF-010](#)

STEPS

1. GET /api/User with "Authorization: Bearer forged.jwt.token"

EXPECTED

401 invalid_token

ACTUAL

200

FAILURE DETAIL

Error: expect(received).toBe(expected) // Object.is equality Expected: 401 Received: 200

EVIDENCE (0 SCREENSHOTS, 1 JSON)

TC-SEC-003 Server-side role enforcement - actor ids cannot be spoofed

FAILED

Requirement NFR-SEC / US-6.3 / US-10.1 Type Security Priority P1 Project api Duration 2.5 s

Defects [DEF-002](#)

STEPS

1. Finalize a probe assessment with actorUserId = Product Owner
2. Save scoring config (unchanged value) with actorUserId = Product Owner
3. GET audit to see who is recorded

EXPECTED

Both rejected with 403 - only Analysts finalize, only Admin/Analyst configure; the acting user comes from the token, not the request body

ACTUAL

finalize as Product Owner -> 200 (audit records finalizer "Priya Owens"); scoring config as Product Owner -> 200

FAILURE DETAIL

Error: expect(received).toBe(expected) // Object.is equality Expected: 403 Received: 200
Error: expect(received).toBe(expected) // Object.is equality Expected: 403 Received: 200

EVIDENCE (0 SCREENSHOTS, 5 JSON)

TC-SEC-004 API specification is not publicly exposed in the deployed environment

FAILED

Requirement NFR-SEC Type Security Priority P2 Project api Duration 1.1 s

Defects [DEF-010](#)

STEPS

1. GET /openapi/v1.json

EXPECTED

404 - OpenAPI is mapped only in Development; the deployed app should not run as Development

ACTUAL

200; 45 API paths disclosed

FAILURE DETAIL

Error: expect(received).toBe(expected) // Object.is equality Expected: 404 Received: 200

EVIDENCE (0 SCREENSHOTS, 1 JSON)

TC-SEC-005 Security response headers

FAILED

Requirement NFR-SEC Type Security Priority P2 Project api Duration 0.8 s

Defects [DEF-017](#)

STEPS

1. GET / and GET /api/Ping
2. Inspect response headers

EXPECTED

Strict-Transport-Security, Content-Security-Policy, X-Content-Type-Options: nosniff, X-Frame-Options/frame-ancestors and Referrer-Policy present; no Server banner

ACTUAL

missing: strict-transport-security, content-security-policy, x-content-type-options, x-frame-options, referrer-policy; server: "Kestrel"

FAILURE DETAIL

```
Error: strict-transport-security  expect(received).toBeTruthy()  
Error: content-security-policy  expect(received).toBeTruthy()  
Error: x-content-type-options  expect(received).toBeTruthy()  
Error: x-frame-options  expect(received).toBeTruthy()  
Error: referrer-policy  expect(received).toBeTruthy()  
Error: server banner  expect(received).toBeFalsy()
```

EVIDENCE (0 SCREENSHOTS, 1 JSON)

TC-SEC-006 CORS does not trust arbitrary origins

FAILED

Requirement NFR-SEC Type Security Priority P1 Project api Duration 1.1 s

Defects [DEF-019](#)

STEPS

1. OPTIONS /api/ChangeRequest/Submit with Origin: https://evil.example and Access-Control-Request-Method: POST

EXPECTED

No Access-Control-Allow-Origin for the foreign origin

ACTUAL

GET ACAO="https://evil.example"; preflight 200 ACAO="https://evil.example"

FAILURE DETAIL

Error: expect(received).toBeUndefined() Received: "https://evil.example"

EVIDENCE (0 SCREENSHOTS, 1 JSON)

TC-SEC-007 Error responses do not leak internals

FAILED

Requirement NFR-SEC Type Security Priority P3 Project api Duration 1.5 s

Defects [DEF-018](#)

STEPS

1. POST Submit with malformed JSON
2. POST Scoring/Calculate with an unknown assessment id
3. POST Narrative/Edit with blank reason

EXPECTED

Generic messages - no stack traces, SQL, Npgsql/PL-pgSQL error codes or table names

ACTUAL

malformed JSON -> 400; unknown assessment -> 500 "Failed to calculate risk score."; blank reason -> 400 "P0001: A reason is required to edit an AI-drafted narrative section"; leak markers found: P0001

FAILURE DETAIL

Error: internal error codes in user-facing messages expect(received).toEqual(expected) // deep equality

EVIDENCE (0 SCREENSHOTS, 2 JSON)

TC-SEC-008 Uploaded documents are not publicly readable from blob storage

PASSED

Requirement NFR-SEC / US-1.2 Type Security Priority P1 Project api Duration 4.1 s

STEPS

1. Read a storagePath from an attachment list
2. GET it anonymously
3. List the container anonymously

EXPECTED

403/404 - documents are private

ACTUAL

blob GET 403, container list 403 (storage account name is disclosed in API responses)

EVIDENCE (0 SCREENSHOTS, 1 JSON)

TC-SEC-009 HTTP is redirected to HTTPS

PASSED

Requirement NFR-SEC Type Security Priority P2 Project api Duration 0.6 s

STEPS

1. GET http://<host>/ without following redirects

EXPECTED

301/302/307/308 to https://

ACTUAL

301 -> https://ca-gh-hrg-workbench-dev.jollyplant-1cbb4459.eastus2.azurecontainerapps.io/

TC-SEC-010 Input length limits on free-text fields

FAILED

Requirement NFR-SEC / US-1.1 Type Security Priority P3 Project api Duration 1.7 s

Defects [DEF-009](#)

STEPS

1. Submit a change request with a 20,000-character title

EXPECTED

400 - title length is bounded

ACTUAL

200 CR-2026-00065

FAILURE DETAIL

Error: expect(received).toBe(expected) // Object.is equality Expected: 400 Received: 200

EVIDENCE (0 SCREENSHOTS, 1 JSON)

TC-UI-001 Deployed environment requires sign-in (no anonymous bypass)

FAILED

Requirement NFR-SEC Type Security Priority P1 Project ui-desktop Duration 4.6 s

Defects [DEF-010](#)

STEPS

1. Open the deployed URL in a fresh browser session

EXPECTED

Visitor is redirected to Auth0 Universal Login; no "continue without signing in" option exists outside local dev

ACTUAL

Page shows "Auth0 is not configured" notice with a "Continue without signing in (local dev only)" button - one click gives full access

FAILURE DETAIL

Error: anonymous bypass must not be offered on a deployed environment
expect(received).toBe(expected) // Object.is equality

EVIDENCE (1 SCREENSHOT, 0 JSON)

TC-UI-002 Entering the console lands on the first user with a user switcher

PASSED

Requirement Roles Type Functional Priority P2 Project ui-desktop Duration 5.0 s

STEPS

1. Open the app and continue past the gate
2. Open the "Acting as" switcher

EXPECTED

Header shows the acting user; switcher lists all six seeded users with their roles

ACTUAL

6 users: Taylor Finch — Admin | Amara Chen — Analyst | Sam Okafor — Analyst | Jordan Blake — CommitteeMember | Riley Voss — CommitteeMember | Priya Owens — ProductOwner; console errors: 0

EVIDENCE (1 SCREENSHOT, 0 JSON)

TC-UI-003 Navigation for Priya Owens shows only their role's screens

PASSED

Requirement Roles Type Functional Priority P1 Project ui-desktop Duration 4.3 s

STEPS

1. Act as Priya Owens
2. Read the sidebar navigation

EXPECTED

Sidebar shows exactly: Submit Request, My Requests

ACTUAL

sidebar: Submit Request, My Requests

EVIDENCE (1 SCREENSHOT, 0 JSON)

TC-UI-004 Navigation for Amara Chen shows only their role's screens

PASSED

Requirement Roles Type Functional Priority P1 Project ui-desktop Duration 3.8 s

STEPS

- 1. Act as Amara Chen
- 2. Read the sidebar navigation

EXPECTED

Sidebar shows exactly: Assessments

ACTUAL

sidebar: Assessments

EVIDENCE (1 SCREENSHOT, 0 JSON)

TC-UI-005 Navigation for Sam Okafor shows only their role's screens

PASSED

Requirement Roles Type Functional Priority P1 Project ui-desktop Duration 3.9 s

STEPS

- 1. Act as Sam Okafor
- 2. Read the sidebar navigation

EXPECTED

Sidebar shows exactly: Assessments

ACTUAL

sidebar: Assessments

EVIDENCE (1 SCREENSHOT, 0 JSON)

TC-UI-006 Navigation for Jordan Blake shows only their role's screens

PASSED

Requirement Roles Type Functional Priority P1 Project ui-desktop Duration 4.1 s

STEPS

- 1. Act as Jordan Blake
- 2. Read the sidebar navigation

EXPECTED

Sidebar shows exactly: Committee Queue

ACTUAL

sidebar: Committee Queue

EVIDENCE (1 SCREENSHOT, 0 JSON)

TC-UI-007 Navigation for Riley Voss shows only their role's screens

PASSED

Requirement Roles Type Functional Priority P1 Project ui-desktop Duration 4.3 s

STEPS

- 1. Act as Riley Voss
- 2. Read the sidebar navigation

EXPECTED

Sidebar shows exactly: Committee Queue

ACTUAL

sidebar: Committee Queue

EVIDENCE (1 SCREENSHOT, 0 JSON)

TC-UI-008 Navigation for Taylor Finch shows only their role's screens

PASSED

Requirement Roles Type Functional Priority P1 Project ui-desktop Duration 3.8 s

STEPS

1. Act as Taylor Finch
2. Read the sidebar navigation

EXPECTED

Sidebar shows exactly: Configuration

ACTUAL

sidebar: Configuration

EVIDENCE (1 SCREENSHOT, 0 JSON)

TC-UI-009 Selected user persists across reloads

PASSED

Requirement Roles Type Functional Priority P3 Project ui-desktop Duration 5.3 s

STEPS

1. Act as Amara Chen
2. Reload the page and pass the gate again

EXPECTED

Still acting as Amara Chen (stored in localStorage)

ACTUAL

after reload the switcher reads "Amara Chen — Analyst▼"

EVIDENCE (1 SCREENSHOT, 0 JSON)

TC-UI-010 Role screens are protected server-side, not only hidden in the menu

FAILED

Requirement NFR-SEC Type Security Priority P1 Project ui-desktop Duration 4.7 s

Defects [DEF-002](#)

STEPS

1. Act as Priya Owens (Product Owner)
2. From the PO browser session call the analyst-only Finalize and committee-only Vote endpoints with the PO id

EXPECTED

The server refuses (401/403) - hiding menu items is not access control

ACTUAL

From the Product Owner session: committee queue readable (2 items), workflow config readable (HTTP 200); menu hiding is the only restriction

FAILURE DETAIL

```
Error: PO should not read config expect(received).toBe(expected) // Object.is equality
```

EVIDENCE (1 SCREENSHOT, 0 JSON)

TC-UI-020 Change type offers exactly the six defined types

PASSED

Requirement US-1.1 Type Functional Priority P1 Project ui-desktop Duration 4.6 s

STEPS

1. Open Submit Request
2. Open the Change type dropdown

EXPECTED

Product, Feature, Process, Vendor, Geography, CustomerSegment

ACTUAL

Product, Feature, Process, Vendor, Geography, CustomerSegment

EVIDENCE (1 SCREENSHOT, 0 JSON)

TC-UI-021 Submitting with mandatory fields empty is blocked with a message

FAILED

Requirement US-1.1 Type Negative Priority P1 Project ui-desktop Duration 6.2 s

Defects [DEF-023](#)

STEPS

1. Leave all fields empty
2. Click Submit request
3. Fill only title
4. Click Submit request

EXPECTED

Submission blocked; message lists the missing fields

ACTUAL

blocked with toast "Change type, title, and description are required." (generic - does not list which fields are missing; no inline field errors)

FAILURE DETAIL

```
Error: message should name only the missing fields (change type, description)
expect(received).not.toMatch(expected)
```

EVIDENCE (2 SCREENSHOTS, 0 JSON)

TC-UI-022 Type-specific fields appear for each change type

FAILED

Requirement US-1.1 Type Functional Priority P1 Project ui-desktop Duration 6.1 s

Defects [DEF-024](#)

STEPS

1. Select Vendor
2. Look for vendor name / jurisdiction / data access scope fields
3. Select Geography
4. Look for target country/region field
5. Select Process

EXPECTED

Vendor shows vendor name, jurisdiction and data-access-scope fields; Geography shows target country/region; linked-entity lookup appears for Product/Feature/Vendor/Geography/CustomerSegment, not Process

ACTUAL

Vendor: 0 jurisdiction field(s); Geography: 0 country/region field(s); only a generic free-text "Type-specific details" box plus a linked-entity lookup; Process linked lookup shown: false

FAILURE DETAIL

Error: Vendor requires structured vendor name / jurisdiction / data scope fields
expect(received).toBeGreaterThan(expected)
Error: Geography requires a target country/region field
expect(received).toBeGreaterThan(expected)

EVIDENCE (3 SCREENSHOTS, 0 JSON)

TC-UI-023 Submit a Vendor change request end to end

PASSED

Requirement US-1.1 Type E2E Priority P1 Project ui-desktop Duration 6.9 s

STEPS

1. Select Vendor
2. Enter title, description, details
3. Pick a linked vendor from the bank systems
4. Submit

EXPECTED

Success toast with new CR number; form resets

ACTUAL

created CR-2026-00066; form reset

EVIDENCE (2 SCREENSHOTS, 0 JSON)

TC-UI-024 Attach PDF, DOCX and XLSX to the request

PASSED

Requirement US-1.2 Type Functional Priority P1 Project ui-desktop Duration 20.2 s

STEPS

1. In "Attach a supporting document" pick the new request
2. Choose vendor-due-diligence.pdf, Attach
3. Repeat with product-spec.docx and control-matrix.xlsx

EXPECTED

Each upload shows "Document attached - text extracted server-side"

ACTUAL

vendor-due-diligence.pdf: attached; product-spec.docx: attached; control-matrix.xlsx: attached

EVIDENCE (3 SCREENSHOTS, 0 JSON)

TC-UI-025 Unsupported file type is rejected with a clear message

FAILED

Requirement US-1.2 Type Negative Priority P1 Project ui-desktop Duration 6.1 s

Defects [DEF-006](#)

STEPS

1. Pick the request
2. Force-select unsupported.txt (bypassing the picker filter)
3. Attach

EXPECTED

Error message naming the allowed formats (PDF, DOCX, XLSX)

ACTUAL

toast: "Failed to attach document."

FAILURE DETAIL

Error: message should state the allowed formats `expect(received).toMatch(expected)`

EVIDENCE (1 SCREENSHOT, 0 JSON)

TC-UI-026 Attach without choosing a file is blocked

PASSED

Requirement US-1.2 Type Negative Priority P3 Project ui-desktop Duration 4.5 s

STEPS

1. Click Attach document with nothing selected

EXPECTED

Toast "Pick a request and a file."

ACTUAL

Toast "Pick a request and a file." shown

EVIDENCE (1 SCREENSHOT, 0 JSON)

TC-UI-027 My Requests shows status and days elapsed

PASSED

Requirement US-1.3 Type Functional Priority P1 Project ui-desktop Duration 5.7 s

STEPS

1. Open My Requests
2. Find the new request

EXPECTED

Row shows request #, type Vendor, title, status Submitted, days elapsed 0

ACTUAL

CR-2026-00066 | Vendor | [QA-E2E FINAL09251251] UI lifecycle - onboard Malta settlement vendor | Submitted | 0

EVIDENCE (1 SCREENSHOT, 0 JSON)

TC-UI-030 Analyst inbox lists the request; workspace opens with seven tabs

PASSED

Requirement US-6.3 Type Functional Priority P1 Project ui-desktop Duration 5.3 s

STEPS

1. Act as Amara Chen (Analyst)
2. Open Assessments
3. Click Open on the new request

EXPECTED

Workspace header shows CR number + title; tabs Categories, Policy, Extraction, Narrative, Scoring, Finalize, Audit; status InProgress

ACTUAL

CR-2026-00066 opened; tabs: Categories, Policy, Extraction, Narrative, Scoring, Finalize, Audit

EVIDENCE (2 SCREENSHOTS, 0 JSON)

TC-UI-031 Finalize tab on an untouched assessment does not offer finalization

FAILED

Requirement US-6.3 Type Negative Priority P1 Project ui-desktop Duration 6.6 s

Defects [DEF-001](#)

STEPS

1. Open the workspace before any category, policy or narrative work
2. Open the Finalize tab

EXPECTED

Outstanding work is listed and the Finalize button is disabled

ACTUAL

Readiness card says "Ready to finalize."; Finalize button enabled = true (nothing has been mapped, reviewed or scored). Not clicked, so the flow can continue.

FAILURE DETAIL

```
Error: Finalize must be disabled on an empty assessment  expect(received).toBe(expected) //
Object.is equality
```

EVIDENCE (1 SCREENSHOT, 0 JSON)

TC-UI-032 Propose categories with AI - FFIEC categories with citations

PASSED

Requirement US-2.1 Type Functional Priority P1 Project ui-desktop Duration 8.1 s

STEPS

1. Categories tab -> Propose with AI
2. Wait for "AI proposal saved"

EXPECTED

Mapped categories list shows FFIEC categories, each labelled "AI - <citation>"

ACTUAL

AI mapped: Customers & Entities, Delivery Channels; citations: AI — FFIEC BSA/AML Manual - Risks Associated with Money Laundering and Terrorist Financing: Customers | AI — FFIEC BSA/AML Manual - Risks Associated with Money Laundering and Terrorist Financing: Products and Services (Delivery Channels)

EVIDENCE (2 SCREENSHOTS, 0 JSON)

TC-UI-033 Adding or removing a category requires a reason

PASSED

Requirement US-2.2 / US-6.1 Type Negative Priority P1 Project ui-desktop Duration 8.0 s

STEPS

1. Select "Geographic Locations" in Add a category, leave Reason blank, click Add
2. Click Remove on a mapped category with Reason blank
3. Enter a reason and Add Geographic Locations

EXPECTED

Both blank-reason attempts blocked with "A reason is required..."; with a reason the category is added as "Analyst added"

ACTUAL

blank reason blocked for add and remove; mapped now: Customers & Entities, Delivery Channels, Geographic Locations; sources: AI — FFIEC BSA/AML Manual - Risks Associated with Money Laundering and Terrorist Financing: Customers | AI — FFIEC BSA/AML Manual - Risks Associated with Money Laundering and Terrorist Financing: Products and Services (Delivery Channels) | Analyst added

EVIDENCE (3 SCREENSHOTS, 0 JSON)

TC-UI-034 Policy search, relied-upon decisions per category

PASSED

Requirement US-3.1 / US-3.2 Type Functional Priority P1 Project ui-desktop Duration 10.1 s

STEPS

1. Policy tab
2. For each mapped category: pick it in the filter, search "risk", mark a passage not used before as "Relied upon"
3. Search nonsense text

EXPECTED

Results show section reference + passage; each decision toast "Marked ReliedUpon" and appears under Reliance decisions recorded; nonsense -> "No matches."

ACTUAL

3 distinct passages relied upon across 3 categories; 3 decisions listed; nonsense query -> "No matches."

EVIDENCE (4 SCREENSHOTS, 0 JSON)

TC-UI-035 Search results show source document, version and effective date

FAILED

Requirement US-3.1 Type Functional Priority P2 Project ui-desktop Duration 6.1 s

Defects [DEF-026](#)

STEPS

1. Policy tab -> search "beneficial ownership"
2. Inspect a result

EXPECTED

Each result shows its relevance rationale, a link to the source document and its effective date

ACTUAL

result shows section ref + passage text only; links to source: 0; effective date shown: false; relevance rationale: none (API returns sourceUrl/effectiveDate but the UI drops them)

FAILURE DETAIL

```
Error: link to source document  expect(received).toBeGreaterThan(expected)
Error: effective date visible  expect(received).toBe(expected) // Object.is equality
```

EVIDENCE (1 SCREENSHOT, 0 JSON)

TC-UI-036 AI extraction runs against the uploaded document content

FAILED

Requirement US-4.1 Type Functional Priority P1 Project ui-desktop Duration 10.7 s

Defects [DEF-020](#)

STEPS

- 1. Extraction tab
- 2. Click "Extract with AI" on vendor-due-diligence.pdf (v1)
- 3. Wait for "Extraction complete"
- 4. Read extracted fields

EXPECTED

Fields populated from the PDF text (vendor QuickPay, jurisdiction Malta, PII scope) with source excerpts; low-confidence fields flagged "Needs review"

ACTUAL

0 fields (); 0 flagged "Needs review"; mentions Malta: false; mentions QuickPay: false. The UI sends documentText = attachment.fileName, so the model only ever sees "vendor-due-diligence.pdf".

FAILURE DETAIL

Error: expect(received).toBeGreaterThan(expected) Expected: > 0 Received: 0

EVIDENCE (2 SCREENSHOTS, 0 JSON)

TC-UI-037 Correct an extracted field

[re-run](#)

FAILED

Requirement US-4.2 Type Functional Priority P2 Project ui-desktop Duration 11.6 s

Defects [DEF-033](#) [DEF-027](#)

STEPS

1. Extraction tab
2. Type a corrected value for the first field
3. Click Correct

EXPECTED

Toast "Field corrected"; field shows the new value with source AnalystCorrected; original retained in audit

ACTUAL

clicked Correct on vendor_name with "Malta (QA corrected)" -> toast "Failed to correct extracted field."; badges: AiExtracted. The UI request carries no actorUserId (and a hard-coded reason "Analyst correction"), so the API rejects it; the same correction via API with an actor id succeeds (TC-API-051).

FAILURE DETAIL

```
Error: correction should be saved  expect(received).toMatch(expected)
Error: a reason input should exist for material corrections
expect(received).toBeGreaterThan(expected)
```

EVIDENCE (1 SCREENSHOT, 0 JSON)

TC-UI-038 Draft narratives with AI; labelled pending review

PASSED

Requirement US-5.1 Type Functional Priority P1 Project ui-desktop Duration 19.4 s

STEPS

1. Narrative tab
2. Click "Draft with AI" on each category card

EXPECTED

Each card shows AI narrative text and the badge "AI-drafted - pending analyst review"

ACTUAL

3 of 3 sections drafted and labelled "AI-drafted — pending analyst review"

EVIDENCE (1 SCREENSHOT, 0 JSON)

TC-UI-039 Finalize is blocked while narratives are AI-drafted

PASSED

Requirement US-5.1 / US-6.3 Type Negative Priority P1 Project ui-desktop Duration 5.6 s

STEPS

1. Finalize tab

EXPECTED

"Narrative not reviewed: <categories>" shown; Finalize and Route disabled

ACTUAL

Narrative not reviewed: Customers & Entities, Delivery Channels, Geographic Locations; Finalize enabled=false

EVIDENCE (1 SCREENSHOT, 0 JSON)

TC-UI-040 Narrative edit needs a reason; accept-as-is and edit clear the AI label

PASSED

Requirement US-6.1 Type Negative Priority P1 Project ui-desktop Duration 10.4 s

STEPS

1. Narrative tab
2. Category #1: type new text, leave reason blank, Save edit
3. Enter a reason, Save edit
4. Other categories: Accept as-is

EXPECTED

Blank reason blocked ("New text and a reason are both required."); edited card -> "Analyst edited"; accepted -> "Analyst reviewed"

ACTUAL

Customers & Entities = Analyst edited; Delivery Channels, Geographic Locations = Analyst reviewed

EVIDENCE (2 SCREENSHOTS, 0 JSON)

TC-UI-041 Calculate scores - residual shown and always > 0

PASSED

Requirement US-7.1 Type Functional Priority P1 Project ui-desktop Duration 8.7 s

STEPS

1. Scoring tab
2. Category #1: inherent 5, effectiveness 1 -> Calculate
3. Other categories: inherent 3, effectiveness 0.5 -> Calculate

EXPECTED

Inherent, Mitigation and Residual shown; residual = inherent - effectiveness x mitigation; even at full effectiveness residual > 0

ACTUAL

Customers & Entities: $5 - 1 \times 0.85 = 4.15$; Delivery Channels: $3 - 0.5 \times 0.85 = 2.58$; Geographic Locations: $3 - 0.5 \times 0.85 = 2.58$

EVIDENCE (1 SCREENSHOT, 0 JSON)

TC-UI-042 Invalid score input shows a validation message

FAILED

Requirement US-7.1 Type Negative Priority P2 Project ui-desktop Duration 6.1 s

Defects [DEF-005](#)

STEPS

1. Scoring tab
2. Category #1: inherent 9 -> Calculate

EXPECTED

Clear validation message ("inherent must be 1-5"); stored score unchanged

ACTUAL

message shown: "Failed to calculate risk score."

FAILURE DETAIL

Error: should say what is wrong, not a generic failure `expect(received).not.toMatch(expected)`

EVIDENCE (1 SCREENSHOT, 0 JSON)

TC-UI-043 Score override: reason required, zero rejected, override labelled

PASSED

Requirement US-7.2 Type Negative Priority P1 Project ui-desktop Duration 8.9 s

STEPS

1. Scoring tab, category #1
2. Override residual 2 with blank reason
3. Override residual 0 with a reason
4. Override residual 2.5 with a reason

EXPECTED

Blank reason blocked; 0 rejected ("must be greater than zero"); valid override shows "Analyst override" badge

ACTUAL

blank reason blocked; 0 rejected; 2.5 saved with "Analyst override" badge; residual now 2.5

EVIDENCE (3 SCREENSHOTS, 0 JSON)

TC-UI-044 Finalize and route to committee

PASSED

Requirement US-6.3 / US-8.1 Type E2E Priority P1 Project ui-desktop Duration 6.9 s

STEPS

1. Finalize tab: expect "Ready to finalize."
2. Click Finalize
3. Click Route to committee

EXPECTED

Toasts "Assessment finalized" and "Routed to committee"; header badge Finalized; Finalize button reads "Finalized"

ACTUAL

finalized + routed; header status badge "Finalized"

EVIDENCE (2 SCREENSHOTS, 0 JSON)

TC-UI-045 Finalized assessment is read-only in the workspace

FAILED

Requirement US-6.3 Type Negative Priority P1 Project ui-desktop Duration 6.3 s

Defects [DEF-007](#)

STEPS

1. Re-open the finalized workspace
2. Check Propose / Add / Save edit / Calculate / Override controls

EXPECTED

Editing controls disabled or hidden once finalized

ACTUAL

after finalize: "Propose with AI" enabled=true, "Calculate" enabled=true

FAILURE DETAIL

```
Error: expect(received).toBe(expected) // Object.is equality    Expected: false Received: true
Error: expect(received).toBe(expected) // Object.is equality    Expected: false Received: true
```

EVIDENCE (1 SCREENSHOT, 0 JSON)

TC-UI-046 Audit tab reconstructs every AI output and human decision with reasons

re-run

PASSED

Requirement US-9.1 / US-6.2 Type Functional Priority P1 Project ui-desktop Duration 7.4 s

Defects [DEF-028](#)

STEPS

1. Audit tab

EXPECTED

Chronological list including ChangeRequest.Submitted, Attachment.Uploaded, CategoryMapping (AI + overrides with reasons), NarrativeSection, RiskScore Calculated/Overridden, Assessment.Finalized, routing; actor names shown; export available

ACTUAL

33 events; includes reasons "geographic exposure": true, "EDD": true, override: true; export button: true
Export PDF downloaded "audit-trail-CR-2026-00066.pdf" (73383 bytes, header %PDF-)

EVIDENCE (2 SCREENSHOTS, 0 JSON)

TC-UI-050 Routed assessment appears in the committee queue

PASSED

Requirement US-8.1 Type Functional Priority P1 Project ui-desktop Duration 4.3 s

STEPS

1. Act as Jordan Blake (Committee)
2. Open Committee Queue

EXPECTED

Queue row shows request #, type and title with a Review button

ACTUAL

queue row: CR-2026-00066Vendor[QA-E2E FINAL09251251] UI lifecycle - onboard Malta settlement vendorReview

EVIDENCE (1 SCREENSHOT, 0 JSON)

TC-UI-051 Committee sees the full assessment before voting

FAILED

Requirement US-8.2 Type Functional Priority P1 Project ui-desktop Duration 4.8 s

Defects [DEF-021](#)

STEPS

1. Open Review on the queue item

EXPECTED

Panel shows the narrative per category, residual scores, cited policy and the analyst override history, read-only

ACTUAL

vote panel contains only the title, vote form and vote list - narrative:false scores:false policy:false overrides:false

FAILURE DETAIL

```
Error: scores visible to committee expect(received).toBe(expected) // Object.is equality
Error: cited policy visible to committee expect(received).toBe(expected) // Object.is equality
```

EVIDENCE (1 SCREENSHOT, 0 JSON)

TC-UI-052 Vote validation: conditions / rationale mandatory

PASSED

Requirement US-8.2 Type Negative Priority P1 Project ui-desktop Duration 6.0 s

STEPS

1. Choose ApproveWithConditions, leave conditions blank, Submit vote
2. Choose Reject, leave rationale blank, Submit
3. Choose Defer, leave rationale blank, Submit

EXPECTED

Each blocked with the matching message; nothing recorded

ACTUAL

all three blank submissions blocked client-side; "No votes yet." still shown

EVIDENCE (2 SCREENSHOTS, 0 JSON)

TC-UI-053 First member votes Approve-with-Conditions

PASSED

Requirement US-8.2 Type Functional Priority P1 Project ui-desktop Duration 6.5 s

STEPS

1. As Jordan Blake choose ApproveWithConditions
2. Enter conditions
3. Submit vote

EXPECTED

Toast "Vote cast"; vote list shows "Jordan Blake - ApproveWithConditions" with the conditions; no decision yet (quorum 2)

ACTUAL

vote row: Jordan BlakeAnnual on-site audit of the vendor; cardholder PII encrypted at rest (QA)ApproveWithConditions; no decision yet

EVIDENCE (1 SCREENSHOT, 0 JSON)

TC-UI-054 Second vote reaches quorum and records the decision with conditions

PASSED

Requirement US-8.2 / US-8.3 Type E2E Priority P1 Project ui-desktop Duration 8.6 s

STEPS

1. As Riley Voss open the item
2. Vote Approve

EXPECTED

Decision banner "Resolved: ApprovedWithConditions" with the merged conditions; both votes listed individually

ACTUAL

Resolved: ApprovedWithConditions; conditions "Jordan Blake: Annual on-site audit of the vendor; cardholder PII encrypted at rest (QA)"; votes: Jordan BlakeAnnual on-site audit of the vendor; cardholder PII encrypted at rest (QA)ApproveWithConditions | Riley VossApprove

EVIDENCE (1 SCREENSHOT, 0 JSON)

TC-UI-055 Decided item leaves the queue; Product Owner sees the outcome and conditions

FAILED

Requirement US-8.3 / US-1.3 Type Functional Priority P1 Project ui-desktop Duration 8.3 s

Defects [DEF-022](#)

STEPS

1. As Jordan Blake reload Committee Queue
2. As Priya Owens open My Requests

EXPECTED

Item no longer queued; PO row shows the decision "Approved with Conditions" and the attached conditions

ACTUAL

still in queue: false; PO row status "Decisioned" - decision and conditions not shown to the requester

FAILURE DETAIL

Error: PO should see the actual decision expect(received).toMatch(expected)

EVIDENCE (2 SCREENSHOTS, 0 JSON)

TC-UI-060 Workflow rules are listed in plain structured form

PASSED

Requirement US-10.2 Type Functional Priority P2 Project ui-desktop Duration 4.2 s

STEPS

1. Open Configuration

EXPECTED

Each rule shows its key and JSON value (e.g. CommitteeQuorum {"quorum": 2})

ACTUAL

rules shown: CommitteeQuorum{"quorum": 2}

EVIDENCE (1 SCREENSHOT, 0 JSON)

TC-UI-061 Workflow rule save requires a reason and valid JSON

PASSED

Requirement US-10.2 Type Negative Priority P1 Project ui-desktop Duration 5.3 s

STEPS

1. Click Save rule with Reason blank
2. Enter a reason, set value to "{quorum: 2}" and save
3. Restore value {"quorum": 2} and save with a reason

EXPECTED

Blank reason blocked; invalid JSON blocked ("Rule value must be valid JSON."); valid save -> "Workflow rule updated"

ACTUAL

blank reason blocked; invalid JSON blocked; unchanged value re-saved with reason

EVIDENCE (3 SCREENSHOTS, 0 JSON)

TC-UI-062 Mitigation factor ≥ 1.0 is rejected; valid value saves

PASSED

Requirement US-10.1 Type Negative Priority P1 Project ui-desktop Duration 5.8 s

STEPS

1. Scoring configuration: click Save with nothing filled
2. Pick Customers & Entities, factor 1.0, reason, Save
3. Factor 0.85 (unchanged), reason, Save

EXPECTED

Missing fields blocked; 1.0 rejected with the "residual risk reach zero" error; valid value -> "Scoring configuration updated"

ACTUAL

1.0 rejected: "max_mitigation_factor must be in [0, 1.0) - a value of 1.0 or more would let residual risk reach zero."; 0.85 saved

EVIDENCE (2 SCREENSHOTS, 0 JSON)

TC-UI-070 Stored XSS payloads in a request title are rendered as text

PASSED

Requirement NFR-SEC Type Security Priority P1 Project ui-desktop Duration 9.7 s

STEPS

1. Submit (API) a request titled `<img src=x onerror=window.__xss=1><script>window.__xss=2</script>`
2. Open My Requests (PO) and Assessments (Analyst)
3. Check window.__xss and dialogs

EXPECTED

Payload shown literally; no script executes

ACTUAL

CR-2026-00067: payload rendered as literal text; window.__xss=undefined; dialog=false

EVIDENCE (2 SCREENSHOTS, 0 JSON)

6. Deliverables in this folder

- [test-cases.csv](#): test-case catalogue (ID, requirement, type, priority, steps, expected).
- [test-results.csv](#): execution result per case (status, actual, defects, evidence files).
- [defects.csv](#): defect register.

- [evidence/](#): every screenshot (PNG) and API request/response capture (JSON), named <TC-ID>_<step>_<label>.
- [playwright-report/](#): Playwright's interactive report, with traces and videos for failed tests.
- Source: tests/e2e/. Re-run with `npx playwright test && npm run report`.