

FileEditSelectionViewGoRunTerminalHelp

Q Shoppyglobe_Backend

ware.js

JS user.model.js

JS auth.routes.js

JS product.routes.js

JS cart.routes.js

New Request X

JS db.js

JS server.js

.env

EXPLORED

ware.js

JS user.model.js

JS auth.routes.js

JS product.routes.js

JS cart.routes.js

New Request X

JS db.js

JS server.js

.env

OPEN EDITORS

product.controller.js Backend\controllers

New Request

Product.model.js Backend\models

auth.middleware.js Backend\middleware

user.model.js Backend\models

auth.routes.js Backend\routes

product.routes.js Backend\routes

cart.routes.js Backend\routes

New Request

SHOPPYGLOBE BACKEND

Backend

controllers

config

db.js

auth.controller.js

cart.controller.js

product.controller.js

middleware

auth.middleware.js

models

Cart.model.js

Product.model.js

user.model.js

node_modules

routes

auth.routes.js

cart.routes.js

product.routes.js

.env

package-lock.json

OUTLINE

TIMELINE

POST http://localhost:5000/api/products

Send

Query

Headers 2

Auth

Body 1

Tests

Pre Run

JSON

XML

Text

Form

Form-encode

GraphQL

Binary

JSON Content

Format

1 {

2 _id: "66b2abcd1234...",

3 name: "Laptop",

4 price: 55000,

5 description: "High performance laptop",

6 stock: 10,

7 createdAt: "...",

8 updatedAt: "..."

9 }

10

Status: 201 Created

Size: 127 Bytes

Time: 218 ms

Response

Headers 7

Cookies

Results

Docs

{}

1 {

2 name: "Laptop",

3 price: "55000",

4 description: "High performance laptop",

5 stock: "10",

6 _id: "695e554e6cef454830f49408",

7 _v: 0

8 }

PROBLEMS

OUTPUT

TERMINAL

PORTS

node - Backend

[nodemon] app crashed - waiting for file changes before starting...

[nodemon] restarting due to changes...

[nodemon] starting node server.js

[dotenv@17.2.3] injecting env (3) from .env -- tip: add access controls to secrets: https://dotenvx.com/ops

SERVER IS RUNNING AT PORT5000

DB Connected Successfully

FileEditSelectionViewGoRunTerminalHelp

Shoppyglobe_Backend

EXPLORER

JS user.model.jsJS auth.routes.jsJS cart.routes.jsJS product.routes.jsJS Cart.model.jsTC New Request *JS cart.controller.jsJS db.js

OPEN EDITORS

JS auth.middleware.js Backend\middlewareJS user.model.js Backend\modelsJS auth.routes.js Backend\routesJS cart.routes.js Backend\routesJS product.routes.js Backend\routesJS Cart.model.js Backend\models

TC New Request *

JS cart.controller.js Backend\controllersJS db.js Backend\controllers\config

SHOPPYGLOBE_BACKEND

Backend

controllers

config

db.js

auth.controller.js

cart.controller.js

product.controller.js

middleware

auth.middleware.js

models

Cart.model.js

Product.model.js

user.model.js

node_modules

routes

auth.routes.js

cart.routes.js

product.routes.js

.env

package-lock.json

OUTLINE

TIMELINE

GEThttp://localhost:5000/api/cartSend

QueryHeadersAuthBodyTestsPre Run

HTTP HeadersRaw

Accept*/*

User-AgentThunder Client (https://www.thunderclient.com)

AuthorizationJWT eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJ1b290d67506662d6e8fIiwiaWF0IjoiMjAyNi0wMS0wN1Q1NjE2LjE3MTZlIiwiaXNjaWkiOiJ1b290d67506662d6e8fIn0.eyJ1b290d67506662d6e8fIiwiaWF0IjoiMjAyNi0wMS0wN1Q1NjE2LjE3MTZlIiwiaXNjaWkiOiJ1b290d67506662d6e8fIn0

headervalue

Status: 200 OKSize: 365 BytesTime: 533 ms

ResponseHeadersCookiesResultsDocs

```
1 {
2   "_id": "695e86d4915394ced88fefaf8",
3   "user": "695e15c0a0d67506662d6e8f",
4   "items": [
5     {
6       "product": {
7         "_id": "695e891be69d2f037b587a38",
8         "name": "Smartphone",
9         "price": "20000",
10        "description": "Android smartphone with 5G support",
11        "stock": "25",
12        "__v": 0
13      },
14      "quantity": 1,
15      "_id": "695e8971e69d2f037b587a3d"
16    }
17  ],
18  "createdAt": "2026-01-07T16:16:20.569Z",
19  "updatedAt": "2026-01-07T16:33:57.131Z",
20  "__v": 3
21 }
```

ResponseChart

PROBLEMSOUTPUTTERMINALPORTS

node - Backend

PS C:\Users\Suraj Kumar\OneDrive\Desktop\Shoppyglobe_Backend\Backend> npm start

SERVER IS RUNNING AT PORT5000

[nodemon] restarting due to changes...

[nodemon] starting `node server.js`

[dotenv@17.2.3] injecting env (3) from .env -- tip: write to custom object with { processEnv: myObject }

SERVER IS RUNNING AT PORT5000

DB connected Successfully

FileEditSelectionViewGoRunTerminalHelp

Shopyyglobe_Backend

EXPLORER

OPEN EDITORS

JS Product.model.js Backend\models

JS auth.middleware.js Backend\middleware

JS user.model.js Backend\models

JS auth.routes.js Backend\routes

JS cart.routes.js Backend\routes

JS product.routes.js Backend\routes

TC New Request

JS Cart.model.js Backend\models

SHOPYYGLOBE_BACKEND

Backend

controllers

config

db.js

auth.controller.js

cart.controller.js

product.controller.js

middleware

auth.middleware.js

models

Cart.model.js

Product.model.js

user.model.js

node_modules

routes

auth.routes.js

cart.routes.js

product.routes.js

env

package-lock.json

OUTLINE

TIMELINE

package.json

auth.controller.js

product.controller.js

New Request

Product.model.js

auth.middleware.js

user.model.js

auth.

POST http://localhost:5000/api/cart

Send

QueryHeaders3AuthBody1TestsPre Run

JSONXMLTextFormForm-encodeGraphQLBinary

JSON Content

Format

```
1 {
2   "productId": "695e56646cef454830f4940a",
3   "quantity": 1
4 }
```

Status: 200 OK Size: 305 Bytes Time: 196 ms

ResponseHeaders7CookiesResultsDocs

```
1 {
2   "message": "Product added to cart successfully",
3   "cart": {
4     "_id": "695e86d4915394ced88fefa8",
5     "user": "695e15c0a0d67506662d6e8f",
6     "items": [
7       {
8         "product": "695e56646cef454830f4940a",
9         "quantity": 1,
10        "_id": "695e8850e69d2f037b587a36"
11      }
12    ],
13    "createdAt": "2026-01-07T16:16:20.569Z",
14    "updatedAt": "2026-01-07T16:22:40.473Z",
15    "__v": 1
16  }
17 }
```

Copy

PROBLEMS

OUTPUT

TERMINAL

PORTS

```
}
[nodemon] restarting due to changes...
[nodemon] starting `node server.js`
[dotenv@17.2.3] injecting env (3) from .env -- tip: 🌀 load multiple .env files with { path: ['.env.local', '.env'] }
SERVER IS RUNNING AT PORT5000
DB Connected Successfully
```


FileEditSelectionViewGoRunTerminalHelp

Shoppyglobe_Backend

package.jsonauth.controller.jsproduct.controller.jsNew Request * XJS Product.model.jsJS auth.middleware.jsJS user.model.jsJS autl

EXPLOREROPEN EDITORS

New Request *

JS Product.model.js Backend\models

JS auth.middleware.js Backend\middleware

JS user.model.js Backend\models

JS auth.routes.js Backend\routes

JS cart.routes.js Backend\routes

JS product.routes.js Backend\routes

TC New Request

JS Cart.model.js Backend\models

SHOPPYGLOBE_BACKEND

Backend

controllers

config

db.js

auth.controller.js

cart.controller.js

product.controller.js

middleware

auth.middleware.js

models

Cart.model.js

Product.model.js

user.model.js

node_modules

routes

auth.routes.js

cart.routes.js

product.routes.js

.env

package-lock.json

OUTLINE

TIMELINE

DELETEhttp://localhost:5000/api/cart/695e56646cef454830f4940aSend

QueryHeaders 3AuthBody 1TestsPre Run

JSONXMLTextFormForm-encodeGraphQLBinary

JSON ContentFormat

```
1 {
2   "productId" : "695e891be69d2f037b587a38",
3   "quantity" : 1
4 }
5 |
```

Status: 200 OKSize: 309 BytesTime: 100 ms

ResponseHeaders 7CookiesResultsDocs

```
1 {
2   "message": "Product removed from cart successfully",
3   "cart": {
4     "_id": "695e86d4915394ced88fefa8",
5     "user": "695e15c0a0d67506662d6e8f",
6     "items": [
7       {
8         "product": "695e891be69d2f037b587a38",
9         "quantity": 1,
10        "_id": "695e8971e69d2f037b587a3d"
11      }
12    ],
13    "createdAt": "2026-01-07T16:16:20.569Z",
14    "updatedAt": "2026-01-07T16:33:57.131Z",
15    "__v": 3
16  }
17 }
```

PROBLEMSOUTPUTTERMINALPORTS

```
[nodemon] app crashed - waiting for file changes before starting...
[nodemon] restarting due to changes...
[nodemon] starting `node server.js`
[dotenv@17.2.3] injecting env (3) from .env -- tip: add observability to secrets: https://dotenvx.com/ops
SERVER IS RUNNING AT PORT5000
DB Connected Successfully
```

node - Backend

THUNDER CLIENT

New Request

Activity

Collections

Env

filter activity

GET localhost:5000/api/products

just now

DEL localhost:5000/api/login

11 hours ago

GET localhost:5000/api/products

14 hours ago

POST localhost:5000/api/register

18 hours ago

POST localhost:8000/register

19 hours ago

POST localhost:8000/api/register

19 hours ago

PUT http

6 mins ago

PUT localhost:3000/users

2 days ago

GET localhost/5000/user

2 days ago

POST localhost/5000/api/books

4 days ago

POST localhost/500/api/book

4 days ago

product.model.js

JS auth.middleware.js

JS user.model.js

JS auth.routes.js

JS cart.routes.js

JS product.routes.js

JS Cart.model.js

New Request X

GET http://localhost:5000/api/products

Send

Query

Headers 2

Auth

Body

Tests

Pre Run

Query Parameters

☐

parameter

value

Status: 200 OK

Size: 524 Bytes

Time: 195 ms

Response

Headers 7

Cookies

Results

Docs

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

30

31

32

{

"_id": "695e554e6cef454830f49408",

"name": "Laptop",

"price": "55000",

"description": "High performance laptop",

"stock": "10",

"_v": 0

}

,

{

"_id": "695e56646cef454830f4940a",

"name": "Laptop",

"price": "55000",

"description": "High performance laptop",

"stock": "10",

"_v": 0

}

,

{

"_id": "695e57476cef454830f4940c",

"name": "Cricket Bat",

"price": "2000",

"description": "English willow ",

"stock": "20",

"_v": 0

}

,

{

"_id": "695e891be69d2f037b587a38",

"name": "Smartphone",

"price": "20000",

"description": "Android smartphone with 5G support",

"stock": "25",

"v": 0

}

Copy

Response

Chart

0

0

0













ORGANIZATION

Suraj's Org - 2026-01-...

PROJECT

ShoppYGlobe_Backend

?

S

Data Explorer

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

admin

local

test

carts

products

users

carts

+

Cluster0 > test > carts

Documents 1

Aggregations

Schema

Indexes 1

Validation

View monitoring

Visualize Your Data

Type a query: { field: 'value' } or [Generate query](#)

Explain

Reset

Find

</>

Options

ADD DATA

UPDATE

DELETE

25

1-1 of 1

```
_id: ObjectId('695e85d4915394ced88ffa8')
user: ObjectId('695e15c0a0d67506662d6e8f')
items: Array (1)
  0: Object
    product: ObjectId('695e891be69d2f037b587a38')
    quantity: 5
    _id: ObjectId('695e8971e69d2f037b587a3d')
  createdAt: 2026-01-07T16:16:20.569+00:00
  updatedAt: 2026-01-08T04:37:58.151+00:00
  __v: 3
```

System Status: All Good

©2026 MongoDB, Inc. [Status](#) [Terms](#) [Privacy](#) [Atlas Blog](#) [Contact Sales](#)



FileEditSelectionViewGoRunTerminalHelp

Shopyglobe_Backend

EXPLOER

OPEN EDITORS

JS product.controller.js Backend\controllers

TC New Request

JS Product.model.js Backend\models

JS auth.middleware.js Backend\middleware

JS user.model.js Backend\models

JS auth.routes.js Backend\routes

JS product.routes.js Backend\routes

JS cart.routes.js Backend\routes

TC New Request

SHOPPYGLOBE_BACKEND

Backend

controllers

config

db.js

auth.controller.js

cart.controller.js

product.controller.js

middleware

auth.middleware.js

models

Cart.model.js

Product.model.js

user.model.js

node_modules

routes

auth.routes.js

cart.routes.js

product.routes.js

.env

package-lock.json

OUTLINE

TIMELINE

product.controller.js

New Request

Product.model.js

auth.middleware.js

user.model.js

auth.routes.js

product.routes.js

cart.routes.js

GET

http://localhost:5000/api/products

Send

Query

Headers3

Auth

Body1

Tests

Pre Run

HTTP Headers

Raw

Accept

/

User-Agent

Thunder Client (https://www.thunderclient.)

Authorization

JWT eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9...

header

value

header

value

Status: 200 OK

Size: 2 Bytes

Time: 151 ms

Response

Headers7

Cookies

Results

Docs

1

[]

PROBLEMS

OUTPUT

TERMINAL

PORTS

node - Backend

+

-

🗑

...

🔍

✕

[nodemon] app crashed - waiting for file changes before starting...

[nodemon] restarting due to changes...

[nodemon] starting `node server.js`

[dotenv@17.2.3] injecting env (3) from .env -- tip: 🔒 encrypt with Dotenvx: https://dotenvx.com

SERVER IS RUNNING AT PORT5000

DB Connected Successfully

000

🔍

🔔

FileEditSelectionViewGoRunTerminalHelp

Shoppyglobe_Backend

ware.jsJS user.model.jsJS auth.routes.jsJS product.routes.jsJS cart.routes.jsTC New RequestJS db.jsJS server.js.env

OPEN EDITORS

JS product.controller.js Backend\controllers
TC New Request
JS Product.model.js Backend\models
JS auth.middleware.js Backend\middleware
JS user.model.js Backend\models
JS auth.routes.js Backend\routes
JS product.routes.js Backend\routes
JS cart.routes.js Backend\routes
TC New Request

SHOPPYGLOBE_BACKEND

Backend

controllers

config

JS db.js
JS auth.controller.js
JS cart.controller.js
JS product.controller.js

middleware

JS auth.middleware.js

models

JS Cart.model.js
JS Product.model.js
JS user.model.js

node_modules

routes

JS auth.routes.js
JS cart.routes.js
JS product.routes.js

.env

package-lock.json

OUTLINE

TIMELINE

GEThttp://localhost:5000/api/products/695e57476cef454830f4940cSend

QueryHeadersAuthBodyTestsPre Run

JSONXMLTextFormForm-encodeGraphQLBinary

JSON ContentFormat

```
1 {  
2   "name": "Cricket Bat",  
3   "price": 2000,  
4   "description": "English willow ",  
5   "stock": 20  
6 }  
7  
8
```

Status: 200 OKSize: 123 BytesTime: 201 ms

ResponseHeaders7CookiesResultsDocs

```
1 {  
2   "_id": "695e57476cef454830f4940c",  
3   "name": "Cricket Bat",  
4   "price": "2000",  
5   "description": "English willow ",  
6   "stock": "20",  
7   "__v": 0  
8 }
```

Copy

PROBLEMSOUTPUTTERMINALPORTS

node - Backend

DB Connected Successfully
[nodemon] restarting due to changes...
[nodemon] starting `node server.js`
[dotenv@17.2.3] injecting env (3) from .env -- tip: add secrets lifecycle management: https://dotenvx.com/ops
SERVER IS RUNNING AT PORT5000
DB Connected Successfully

000

FileEditSelectionViewGoRunTerminalHelp

Shoppyglobe_Backend

EXPLOREROPEN EDITORSPackage.json Backendauth.controller.js Backend\controllersNew Requestauth.middleware.js Backend\middlewareuser.model.js Backend\modelsauth.routes.js Backend\routesdb.js Backend\controllers\configserver.js Backend.env BackendSHOPPYGLOBE_BACKENDBackendcontrollersconfigdb.jsauth.controller.jsauth.controller.jsproduct.controller.jsmiddlewareauth.middleware.jsmodelsCart.model.jsProduct.model.jsuser.model.jsnode_modulesroutesauth.routes.jsauth.routes.jsproduct.routes.jspackage-lock.jsonOUTLINETIMELINE

package.jsonauth.controller.jsNew Requestauth.middleware.jsuser.model.jsauth.routes.jsdb.jsserver.js.env Backend

GEThttp://localhost:5000/api/profileSend

QueryHeaders3AuthBody1TestsPre Run

HTTP HeadersRawAccept*/*User-AgentThunder Client (https://www.thunderclient.com)AuthorizationJWT eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9eyJ1bm90b3R5IjoiYWRhcm91cyIsImV4cCI6MTY1MjM0MjM0fQ.eyJ1bm90b3R5IjoiYWRhcm91cyIsImV4cCI6MTY1MjM0MjM0fQ.headervalueheadervalue

Status: 404 Not FoundSize: 38 BytesTime: 62 msResponseHeaders7CookiesResultsDocs1{"message": "Invalid or expired token"}Copy

PROBLEMSOUTPUTTERMINALPORTSnode - Backend

DB Connected Successfully[nodemon] restarting due to changes...[nodemon] starting 'node server.js'[dotenv@17.2.3] injecting env (3) from .env -- tip: suppress all logs with { quiet: true }SERVER IS RUNNING AT PORT5000DB Connected Successfully

FileEditSelectionViewGoRunTerminalHelp

Shoppyglobe_Backend

EXPLORER

OPEN EDITORS

package.json Backend

auth.controller.js Backend\controllers

New Request

auth.middleware.js Backend\middleware

user.model.js Backend\models

auth.routes.js Backend\routes

db.js Backend\controllers\config

server.js Backend

.env Backend

SHOPPYGLOBE_BACKEND

Backend

controllers

config

db.js

auth.controller.js

cart.controller.js

product.controller.js

middleware

auth.middleware.js

models

Cart.model.js

Product.model.js

user.model.js

node_modules

routes

auth.routes.js

cart.routes.js

product.routes.js

.env

package-lock.json

OUTLINE

TIMELINE

package.json

auth.controller.js

New Request X

auth.middleware.js

user.model.js

auth.routes.js

db.js

server.js

GET http://localhost:5000/api/profile Send

QueryHeaders2AuthBody1TestsPre Run

HTTP Headers

Accept */*

User-Agent Thunder Client (https://www.thunderclient.com)

Authorization JWT eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9...

header value

header value

Status: 401 Unauthorized Size: 42 Bytes Time: 8 ms

ResponseHeaders7CookiesResultsDocs

1 {

2 "message": "Access denied. Token missing"

3 }

Copy

PROBLEMSOUTPUTTERMINALPORTS

DB Connected Successfully

[nodemon] restarting due to changes...

[nodemon] starting `node server.js`

[dotenv@17.2.3] injecting env (3) from .env -- tip: suppress all logs with { quiet: true }

SERVER IS RUNNING AT PORT5000

DB Connected Successfully

node - Backend

File Edit Selection View Go Run Terminal Help

Shoppyglobe_Backend

package.json JS auth.controller.js TC New Request X JS user.model.js JS auth.routes.js JS db.js JS server.js .env

EXPLOER

OPEN EDITORS

package.json Backend

JS auth.controller.js Backend\controllers

TC New Request

JS user.model.js Backend\models

JS auth.routes.js Backend\routes

JS db.js Backend\controllers\config

JS server.js Backend

.env Backend

SHOPPYGLOBE_BACKEND

Backend

controllers

config

auth.controller.js

cart.controller.js

product.controller.js

middleware

models

node_modules

routes

auth.routes.js

cart.routes.js

product.routes.js

.env

package-lock.json

package.json

server.js

OUTLINE

TIMELINE

POST http://localhost:5000/api/login Send

Query Headers² Auth Body¹ Tests Pre Run

JSON XML Text Form Form-encode GraphQL Binary

JSON Content Format

1 {

2 "email": "suraj123@gmail.com",

3 "password": "123456"

4 }

5

Status: 200 OK Size: 32 Bytes Time: 500 ms

Response Headers⁷ Cookies Results Docs

1 {

2 "message": "login successfully"

3 }

PROBLEMS OUTPUT TERMINAL PORTS

node - Backend

[nodemon] app crashed - waiting for file changes before starting...

[nodemon] restarting due to changes...

[nodemon] starting `node server.js`

[dotenv@17.2.3] injecting env (2) from .env -- tip: prevent committing .env to code: https://dotenvx.com/precommit

SERVER IS RUNNING AT PORT5000

DB Connected Successfully

0 0 0

FileEditSelectionViewGoRunTerminalHelp

Shoppyglobe_Backend

EXPLORE

OPEN EDITORS

package.json Backend

auth.controller.js Backend\controllers

New Request

auth.middleware.js Backend\middleware

user.model.js Backend\models

auth.routes.js Backend\routes

db.js Backend\controllers\config

server.js Backend

.env Backend

SHOPPYGLOBE_BACKEND

Backend

controllers

config

db.js

auth.controller.js

cart.controller.js

product.controller.js

middleware

auth.middleware.js

models

Cart.model.js

Product.model.js

user.model.js

node_modules

routes

auth.routes.js

cart.routes.js

product.routes.js

.env

package-lock.json

OUTLINE

TIMELINE

package.json

auth.controller.js

New Request

auth.middleware.js

user.model.js

auth.routes.js

db.js

server.js

GET

http://localhost:5000/api/profile

Send

Query

Headers3

Auth

Body1

Tests

Pre Run

HTTP Headers

Raw

Accept

/*

User-Agent

Thunder Client (https://www.thunderclient.)

Authorization

JWT eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9

header

value

header

value

Status: 200 OK

Size: 64 Bytes

Time: 48 ms

Response

Headers7

Cookies

Results

Docs

1

2

3

4

Copy

"message": "Access granted",

"userId": "695e15c0a0d67506662d6e8f"

PROBLEMS

OUTPUT

TERMINAL

PORTS

node - Backend

DB Connected Successfully

[nodemon] restarting due to changes...

[nodemon] starting 'node server.js'

[dotenv@17.2.3] injecting env (3) from .env -- tip: load multiple .env files with { path: ['.env.local', '.env'] }

SERVER IS RUNNING AT PORT5000

DB Connected Successfully

000

FileEditSelectionViewGoRunTerminalHelp

Shoppyglobe_Backend

EXPLORE

ware.jsuser.model.jsauth.routes.jsproduct.routes.jsJS cart.routes.jsNew Requestdb.jsserver.js.env

OPEN EDITORS

product.controller.js Backend\controllersNew RequestProduct.model.js Backend\modelsauth.middleware.js Backend\middlewareuser.model.js Backend\modelsauth.routes.js Backend\routesproduct.routes.js Backend\routescart.routes.js Backend\routes

TC New Request

SHOPPYGLOBE_BACKEND

Backend

controllers

config

db.js

auth.controller.js

cart.controller.js

product.controller.js

middleware

auth.middleware.js

models

Cart.model.js

Product.model.js

user.model.js

node_modules

routes

auth.routes.js

cart.routes.js

product.routes.js

.env

package-lock.json

OUTLINE

TIMELINE

POSThttp://localhost:5000/api/productsSend

QueryHeaders2AuthBody1TestsPre Run

JSONXMLTextFormForm-encodeGraphQLBinary

JSON ContentFormat

1 {
2 "name": "Laptop",
3 "price": 55000,
4 "description": "High performance laptop",
5 "stock": 10
6 }
7
8

Status: 201 CreatedSize: 127 BytesTime: 731 ms

ResponseHeaders7CookiesResultsDocs

1 {
2 "name": "Laptop",
3 "price": "55000",
4 "description": "High performance laptop",
5 "stock": "10",
6 "_id": "695e56646cef454830f4940a",
7 "_v": 0
8 }


Copy

PROBLEMSOUTPUTTERMINALPORTS

node - Backend

[nodemon] app crashed - waiting for file changes before starting...
[nodemon] restarting due to changes...
[nodemon] starting `node server.js`
[dotenv@17.2.3] injecting env (3) from .env -- tip: add access controls to secrets: https://dotenvx.com/ops
SERVER IS RUNNING AT PORT5000
DB Connected successfully

000



FileEditSelectionViewGoRunTerminalHelp

Shopyyglobe_Backend

EXPLORER

OPEN EDITORS

TC New Request *
JS Product.model.js Backend\models
JS auth.middleware.js Backend\middleware
JS user.model.js Backend\models
JS auth.routes.js Backend\routes
JS cart.routes.js Backend\routes
JS product.routes.js Backend\routes
TC New Request
JS Cart.model.js Backend\models

SHOPPYGLOBE_BACKEND

Backend

controllers

config

db.js
auth.controller.js
cart.controller.js
product.controller.js

middleware

auth.middleware.js

models

Cart.model.js
Product.model.js
user.model.js

node_modules

routes

auth.routes.js
cart.routes.js
product.routes.js
.env
package-lock.json

OUTLINE

TIMELINE

package.jsonauth.controller.jsproduct.controller.jsNew Request * XProduct.model.jsauth.middleware.jsuser.model.jsautl

POSThttp://localhost:5000/api/cartSend

QueryHeaders 3AuthBody 1TestsPre Run

JSONXMLTextFormForm-encodeGraphQLBinary

JSON Content

1

Format

Status: 400 Bad RequestSize: 35 BytesTime: 92 ms

ResponseHeaders 7CookiesResultsDocs

1 {
2 "message": "productId is required"
3 }

PROBLEMSOUTPUTTERMINALPORTS

node - Backend

DB Connected Successfully
[nodemon] restarting due to changes...
[nodemon] starting `node server.js`
[dotenv@17.2.3] injecting env (3) from .env -- tip: add access controls to secrets: https://dotenvx.com/ops
SERVER IS RUNNING AT PORT5000
DB Connected Successfully

FileEditSelectionViewGoRunTerminalHelp

Shoppyglobe_Backend

EXPLORER

auth.middleware.jsJS user.model.jsJS auth.routes.jsJS cart.routes.jsJS product.routes.jsJS Cart.model.jsTC New RequestXJS cart.controller.js

OPEN EDITORS

Product.model.js Backend\modelsauth.middleware.js Backend\middlewareuser.model.js Backend\modelsauth.routes.js Backend\routescart.routes.js Backend\routesproduct.routes.js Backend\routesCart.model.js Backend\models

TC New RequestJS cart.controller.js Backend\controllers

SHOPPYGLOBE_BACKEND

Backend

controllers

configdb.jsauth.controller.jscart.controller.jsproduct.controller.js

middleware

auth.middleware.js

models

Cart.model.jsProduct.model.jsuser.model.js

node_modules

routes

auth.routes.jscart.routes.jsproduct.routes.js.envpackage-lock.json

OUTLINE

TIMELINE

PUThttp://localhost:5000/api/cart/695e86d4915394ced88fe8a8Send

QueryHeaders3AuthBody1TestsPre Run

JSONXMLTextFormForm-encodeGraphQLBinary

JSON ContentFormat

1 {
2 "quantity": "5"
3 }
4

Status: 404 Not FoundSize: 39 BytesTime: 175 ms

ResponseHeaders7CookiesResultsDocs

1 {
2 "message": "Product not found in cart"
3 }

PROBLEMSOUTPUTTERMINALPORTS

node - Backend

PS C:\Users\Suraj Kumar\OneDrive\Desktop\Shoppyglobe_Backend\Backend> npm start
[nodemon] app crashed - waiting for file changes before starting...
[nodemon] restarting due to changes...
[nodemon] starting `node server.js`
[dotenv@17.2.3] injecting env (3) from .env -- tip: add secrets lifecycle management: https://dotenvx.com/ops
SERVER IS RUNNING AT PORT5000
DB Connected Successfully

000

FileEditSelectionViewGoRunTerminalHelp

Shoppyglobe_Backend

EXPLORER

JS auth.controller.js Backend\controllers
JS product.controller.js Backend\controllers
TC New Request
JS Product.model.js Backend\models
JS auth.middleware.js Backend\middleware
JS user.model.js Backend\models
JS auth.routes.js Backend\routes
JS cart.routes.js Backend\routes
JS product.routes.js Backend\routes

SHOPPYGLOBE BACKEND
Backend
controllers
config
db.js
auth.controller.js
cart.controller.js
product.controller.js
middleware
auth.middleware.js
models
Cart.model.js
Product.model.js
user.model.js
node_modules
routes
auth.routes.js
cart.routes.js
product.routes.js
.env
package-lock.json

OUTLINE
TIMELINE

JS auth.controller.js JS product.controller.js TC New Request X JS Product.model.js JS auth.middleware.js JS user.model.js JS auth.routes.js JS cart.routes.js

POST http://localhost:5000/api/cart Send

Query Headers 3 Auth Body 1 Tests Pre Run

JSON XML Text Form Form-encode GraphQL Binary

JSON Content Format

1 {
2 "productId" : "695e891be69d2f037b587a38",
3 "quantity" : 1
4 }
5

PROBLEMS OUTPUT TERMINAL PORTS

}
[nodemon] restarting due to changes...
[nodemon] starting `node server.js`
[dotenv@17.2.3] injecting env (3) from .env -- tip: * load multiple .env files with { path: ['.env.local', '.env'] }
SERVER IS RUNNING AT PORT5000
DB Connected Successfully

Status: 200 OK Size: 390 Bytes Time: 102 ms

Response Headers 7 Cookies Results Docs

1 {
2 "message": "Product added to cart successfully",
3 "cart": {
4 "_id": "695e86d4915394ced88fef8",
5 "user": "695e15c0a0d67506662d6e8f",
6 "items": [
7 {
8 "product": "695e56646cef454830f4940a",
9 "quantity": 1,
10 "_id": "695e8850e69d2f037b587a36"
11 },
12 {
13 "product": "695e891be69d2f037b587a38",
14 "quantity": 1,
15 "_id": "695e8971e69d2f037b587a3d"
16 }
17],
18 "createdAt": "2026-01-07T16:16:20.569Z",
19 "updatedAt": "2026-01-07T16:27:29.319Z",
20 "__v": 2
21 }
22 }

Response Chart

node - Backend



ORGANIZATION
Suraj's Org - 2026-01-...

PROJECT
ShappyGlobe_Backend



Data Explorer

{ } My Queries

🔗 Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

admin

local

test

carts

products

users

products +

Cluster0 > test > products

View monitoring

Visualize Your Data

Documents 5 Aggregations Schema Indexes 1 Validation

Type a query: { field: 'value' } or [Generate query](#)

Explain

Reset

Find

</>

Options

ADD DATA

UPDATE

DELETE

25

1 - 5 of 5



```
{
  "_id": ObjectId('695e554e6cef454830f49408'),
  "name": "Laptop",
  "price": "55000",
  "description": "High performance laptop",
  "stock": "10",
  "__v": 0
}
```



```
{
  "_id": ObjectId('695e56646cef454830f4940a'),
  "name": "Laptop",
  "price": "55000",
  "description": "High performance laptop",
  "stock": "10",
  "__v": 0
}
```

```
{
  "_id": ObjectId('695e57476cef454830f4940c'),
  "name": "Laptop",
  "price": "55000",
  "description": "High performance laptop",
  "stock": "10",
  "__v": 0
}
```

System Status: All Good

©2026 MongoDB, Inc. [Status](#) [Terms](#) [Privacy](#) [Atlas Blog](#) [Contact Sales](#)



THUNDER CLIENT

New Request

ActivityCollectionsEnv

filter activity

POSTlocalhost:5000/api/cartjust now

POSTlocalhost:5000/loginjust now

POSTlocalhost:5000/api/login2 mins ago

POSTlocalhost:5000/api/products1 hour ago

DELlocalhost:5000/api/login12 hours ago

GETlocalhost:5000/api/products16 hours ago

POSTlocalhost:5000/api/register19 hours ago

POSTlocalhost:8000/register20 hours ago

POSTlocalhost:8000/api/register20 hours ago

PUThttp1 hour ago

PUTlocalhost:3000/users2 days ago

POSThttp://localhost:5000/api/cart

Send

QueryHeaders3AuthBody1TestsPre Run

JSONXMLTextFormForm-encodeGraphQLBinary

JSON ContentFormat

```
1 {
2   "productId": "695e891be69d2f037b587a38",
3   "quantity": 1
4 }
5
```

Status: 200 OKSize: 305 BytesTime: 368 ms

ResponseHeaders7CookiesResultsDocs

```
1 {
2   "message": "Product added to cart successfully",
3   "cart": {
4     "_id": "695e86d4915394ced88fef8",
5     "user": "695e15c0a0d67506662d6e8f",
6     "items": [
7       {
8         "product": "695e891be69d2f037b587a38",
9         "quantity": 2,
10        "_id": "695e8971e69d2f037b587a3d"
11      }
12    ],
13    "createdAt": "2026-01-07T16:16:20.569Z",
14    "updatedAt": "2026-01-08T04:37:29.794Z",
15    "__v": 3
16  }
17 }
```

Copy

PROBLEMSOUTPUTTERMINALPORTS

node - Backend

PS C:\Users\Suraj Kumar\OneDrive\Desktop\Shopyglobe_Backend\Backend> npm start

[nodemon] starting node server.js

[nodemon] restarting due to changes...

[nodemon] starting node server.js

[dotenv@17.2.3] injecting env (3) from .env -- tip: backup and recover secrets: https://dotenvx.com/ops

SERVER IS RUNNING AT PORT5000

DB Connected Successfully

The image shows a screenshot of the Visual Studio Code (VS Code) interface. The top bar displays the file explorer with several files open, including 'product.routes.js', 'Cart.model.js', 'New Request *', 'cart.controller.js', 'New Request', 'db.js', and 'http *'. The main editor area is divided into three panes. The left pane shows the 'Activity' tab with a list of recent requests, including POST requests to localhost:5000/api/cart, localhost:5000/login, localhost:5000/api/login, localhost:5000/api/products, localhost:5000/api/register, and localhost:8000/register, as well as PUT requests to http and localhost:3000/users. The middle pane shows the 'Body' tab of a REST client request. The request is a POST to 'http://localhost:5000/api/register' with a JSON body: { "name": "suraj kumar", "email": "suraj123@gmail.com", "password": "suraj12345" }. The right pane shows the 'Response' tab, which displays a 400 Bad Request status with a message: "message": "user already registered with this email". The bottom pane shows the 'TERMINAL' tab with the output of the 'npm start' command. The output includes the message '[dotenv@17.2.3] injecting env (3) from .env -- tip: backup and recover secrets: https://dotenvx.com/ops', 'SERVER IS RUNNING AT PORT5000', 'DB Connected Successfully', and a 'SyntaxError: Expected \',\' or \'}\' after property value in JSON at position 29 (line 3 column 3)'. The error message also includes the file paths for the JSON and read.js files.

THUNDER CLIENT

New Request

ActivityCollectionsEnv

filter activity

POSTlocalhost/5000/api/books3 days ago

POSTlocalhost/500/api/book3 days ago

POSTlocalhost/5000/api/book3 days ago

POSTlocalhost/5000/login3 days ago

POSTlocalhost:8000/api/login4 days ago

POSTlocalhost:8000/api/registerjust now

DELlocalhost:8000/api/restaurant/6958db...4 days ago

PATCHlocalhost:8000/api/restaurants4 days ago

PATCHlocalhost:8000/api/restaurants4 days ago

POSTlocalhost:8000/api/restaurant4 days ago

GETlocalhost:5100/user22 days ago

package.jsonJSauth.controller.jsTCNew RequestXJSuser.model.jsJSauth.routes.jsJSdb.jsJSserver.js.env

POSTlocalhost:5000/api/registerSend

QueryHeaders2AuthBody1TestsPre Run

JSONXMLTextFormForm-encodeGraphQLBinary

JSON ContentFormat

```
1 {
2   "name": "Suraj Kumar",
3   "email": "suraj123@gmail.com",
4   "password": "123456"
5 }
6
```

Status: 201 CreatedSize: 42 BytesTime: 819 ms

ResponseHeaders7CookiesResultsDocs

```
1 {
2   "message": "user registered successfully"
3 }
```

PROBLEMSOUTPUTTERMINALPORTS

node - Backend

```
PS C:\Users\Suraj Kumar\OneDrive\Desktop\Shopyglobe_Backend\Backend> npm start
[nodemon] watching extensions: js,mjs,cjs,json
[nodemon] starting node server.js
[dotenv@17.2.3] injecting env (2) from .env -- tip: backup and recover secrets: https://dotenvx.com/ops
SERVER IS RUNNING AT PORT5000
DB Connected Successfully
```