

Lab - 5

7/11/25 Lab - 5 Queries on Employee

1. List employees with their department name and location

→
Select e.empno, e.ename, d.dname, d.dloc
from employee e, dept d
where e.deptno = d.deptno;

empno	ename	dname	dloc
101	Suraj	HR	Bengaluru
102	Raj	Finance	Hyderabad
103	Riya	IT	Mysuru
104	Sneha	Marketing	Chennai
105	Amit	R&D	Delhi

2. Employees who are not assigned to any Project, Project-wise headcount.

→
Select e.empno, e.ename
from employee e
left join assigned to a on e.empno
= a.empno
where a.empno is null;

o/p :-

ename	empno
-------	-------

→

```

Select p.pname, count (a.empno) as
                                headcount
from project p                  P.Pno
Left join assigned_to a on a.pno =
                                a.empno
group by p.pname;

```

O/P :-

pname	headcount
Payroll System	1
ERP Cloud Computing	1
AI Sensor	1
Group Directory	1
Marketing Portal	1

3. Department wise average and max salary

```

Select d.dname,
      avg(e.sal) as avg - salary
      max(e.sal) as max - salary
from dept d
left join employee e on d.deptno =
                        e.deptno
group by d.dname;

```

name	Avg - salary	max - salary
HR	59000.000	55000.200
Finance	60000.000	60000.00
IT	40000.000	40000.00

Marketing	{ 33000.00 }	33000.00
R & D	{ 16500.00 }	16500.00

4. Total incentives earned by each employee (lifetime)

→

```

Select e.empno, e.ename
      sum(i.incentive - amount) as total_
                                incentives
from employee e
left join incentives i on e.empno
                        = i.empno
group by e.empno, e.ename;

```

O/P :-

Empno	Ename	Total_incentives
101	Suraj	5000.00
102	Raj	Null
103	Riya	7000.00
104	Sneha	Null
105	Amit	8000.00

5. Employees working on given project (project name :- ...)

→

```

Select e.empno, e.ename
from employee e
join assigned_to a on
e.empno = a.empno

```

join project p on a.pno = p.pno
where p.pname = 'Alpha Project';

empno	}	ename
-		-

6. Departments with no employees

→
select d.deptno, d.dname
from dept d
left join employee e on d.deptno
= e.deptno
where e.empno is null;

O/P :-

Dept-no	}	Dname
-		-

7. Managers and their direct report counts (MGR - NO references EMPNO)

→

select m.empno as manager_id,
m.ename as manager_name,
count(e.empno) as D-Report
from employee m
left join employee e on e.mgr-no =
m.empno
group by m.empno, m.ename;

na manager-id	manager-name	D-Report
101	Suraj	2
102	Raj	1
103	Riya	1
104	Sneha	0
105	Amit	0

8. Employees assigned to more than one project.

→

Select empno, count(pno) as Project-count
from assigned-to
group by empno
having count(pno) > 1;

empno	Project-count
101	2

2/12/21

Outputs:

1.

	empno	ename	dname	dloc
▶	101	Suraj	HR	Bengaluru
	102	Raj	Finance	Hyderabad
	103	Riya	IT	Mysuru
	104	Sneha	Marketing	Chennai
	105	Amit	R&D	Delhi

8.

EMPNO	PROJECT_COUNT
-------	---------------

2.

EMPNO	ENAME
-------	-------

pname	headcount
Payroll System	1
ERP Upgrade	1
Cloud Migration	1
Marketing Portal	1
AI Research	1

3.

	DNAME	AVG_SALARY	MAX_SALARY
▶	HR	55000.000000	55000.00
	Finance	60000.000000	60000.00
	IT	40000.000000	40000.00
	Marketing	33000.000000	33000.00
	R&D	16500.000000	16500.00

4.

	EMPNO	ENAME	TOTAL_INCENTIVES
▶	101	Suraj	5000.00
	102	Raj	NULL
	103	Riya	7000.00
	104	Sneha	NULL
	105	Amit	8000.00

5.

EMPNO	ENAME
-------	-------

6.

DEPTNO	DNAME
--------	-------

7.

	MANAGER_ID	MANAGER_NAME	DIRECT_REPORTS
▶	101	Suraj	2
	102	Raj	1
	103	Riya	1
	104	Sneha	0
	105	Amit	0

8.

	EMPNO	PROJECT_COUNT
--	-------	---------------