C PROGRAMMING

EXERCISE

- 1. Write a program to find maximum in the given three numbers.
- 2. Write a program to check whether the given number is even or odd.
- 3. Check whether the given number is multiple of 7 or not.
- 4. Write a program to check whether the given number is positive number or not.
- 5. Write a program to calculate net amount by accepting amount value from user.

Amount(Rs)	Discount(%)
Amount>=5000	10%
Otherwise	5%

- 6. Write a program to check whether the given year is a leap year or not.
- 7. Write a program to evaluate student result by reading marks in three subjects from user.(Pass or Fail)
- 10. Write a program to check whether the entered number is less than 10 or not.
- 11. Write a program to check whether the given character is lowercase alphabet or not.
- 12. Write a program to check whether the given character uppercase alphabet or not.
 - 13. Write a program to check the given character is alphabet or not.
 - 14. Write a program to find biggest of three given numbers.

- 15. Write a program to check whether the given number is positive or negative or zero.
- 16. Write a program to evaluate result of a student by accepting marks in three subjects
- 17. Write a program to perform calculator operations(+, -, *, /) on given two numbers.
- 18. Write a program to calculate net amount by accepting amount value from user.

Amount (Rs)	Discount (%)
1-1000	5%
1001-2000	10%
2001-3000	15%
3001-4000	20%
>4000	25%

19. What is the output of the following code?

```
void main ()
{
  int x = 2;
  switch(x)
  {
  case 1:
      printf("Hello C");
      break;
  case 2:
      printf("Hello C++");
      break;
```

```
case 3:
                 printf("Hello java");
                break;
         default:
                 printf("BRECW")
          Output:- Hello c++
20. What is the output of the following code?
     void main ()
     int x=2;
     switch(x)
      case 2:
          printf("Hello C++");
          break;
      case 1:
           printf("Hello C");
           break;
      case 3:
           printf("Hello java");
           break;
      default:
           printf("BRECW");
         Output:- Hello C++
```

```
21. What is the output of the following code?
   void main()
   int x = 2;
   switch(x)
   case 1:
        printf("Hello C");
    case 2:
        printf("Hello C++");
   case 3:
        printf("Hello Java");
      default:
      printf("BRECW");
       Output:- Hello C++
22. What is the output of the following code?
   void main()
         int i;
           i=3;
           switch(i)
               case 1: printf("x"); break;
               case 2: printf("y"); break;
                   default : printf("z")
             Output:-Z
```

```
23. What is the output of the following code?
  void main ()
   int x = 5;
   switch(x)
   case 1:
       printf("Hello C");
    default:
        printf("BRECW");
   case 2:
        printf("Hello C++");
        break;
   case 3:
        printf("Hello java");
     Output:- BRECW
24. What is the output of the following code?
   void main()
   int x = 1;
   switch(x)
   x = x + 1;
   case 1: printf("one"); break;
   case 2: printf("two"); break;
```

```
default : printf("three");
     Output:-One
25. What is the output of the following code?
   void main()
   char ch = 'b';
   switch(ch)
         case 'a':
              printf("one");
              break;
           case 'b':
              printf("two");
              break;
            default:
               printf("three")
         Output:-two
26. What is the output of the following code?
   void main()
   int number = 4;
   switch(number)
   case 1:
   case 3:
```

```
case 5:
    case 7:
    case 9:
    printf("%d is an odd number", number);
    break;
    case 2:
    case 4:
    case 6:
    case 8:
    printf("%d is an even number\n", number);
    break;
    default:
    printf("%d is a value not between 1 and 9", number);
           Output:-4 is an even number
27. What is the output of the of the following code?
      void main ()
            int I;
             i = 2;
             switch (i)
              case 1.0: printf("a"); break;
               case 2.0: printf("b"); break;
            default : printf ("c");
```

```
Output:-Error because integer numbe given but case is float number
28. What is the output of the following code?
  void main ()
      int i=1, j=2;
      switch (3)
          case i : printf("sun"); break ;
          case j : printf("mon"); break;
           case i+j : printf("tue")
            Output:-Error
29. What is the output of the following code?
     void main ()
        switch (4)
               case 2+1 : printf("c"); break;
               case 2-2 : printf ("c++"); break;
               case 2*2 : printf("java"); break;
               case 2/2 : printf ("unix");
         Output:-Java
```

- 30. Write a program to carry out the arithmetic operations addition, subtraction, multiplication, and division between to variable values.
- 31. Write a program that checks whether a character entered by the user is a vowel or not.
- 32. Write a program using a switch statement to check whether a number given by the user is odd or even.
- 33. Write a menu driven program to find area of the circle, area of the triangle and area of the rectangle according to users input choice.
- 34. Input integer centigrade value of temperature and print nature of weather

Centigrade <0 : freezing

Centigrade: 0-10: very cold

11-40 : Summer

Centigrade > 40 :it is Burning

