

Industrial Safety Helmets · Specification (Sample)

1. SCOPE

This standard covers requirements for industrial safety helmets for protection of workers against impact from falling objects in industrial environments.

Industrial Safety Helmets · Specification (Sample)

2. REQUIREMENTS

2.1 Shock absorption · When tested per the method given in this standard, the transmitted force to the headform shall not exceed 5 kN. 2.2 Penetration resistance · The striker shall not contact the headform when a 3 kg conical striker is dropped from 1 m height. 2.3 Chin strap · The helmet shall be provided with a chin strap adjustable to fit the wearer and release force between 150 N and 250 N.

Industrial Safety Helmets · Specification (Sample)

3. CERTIFICATION AND MARKING

Each helmet shall be permanently and legibly marked with manufacturer name, month and year of manufacture, size, and the BIS ISI certification mark under a valid BIS licence. Helmets may be marked with the Standard Mark only after the manufacturer obtains a BIS licence per the BIS Act 2016 and the BIS Conformity Assessment Regulations 2018. 3.1 Factory inspection · BIS shall inspect the factory before granting a licence to verify testing facilities and quality control.

Industrial Safety Helmets · Specification (Sample)

4. TEST METHODS

Tests shall be carried out in accordance with the methods prescribed in this standard at ambient temperature 27 ± 2 degrees Celsius.