

Cucumber Report

Nov 28, 2025 10:08:26 AM

Start : Nov 28, 10:07:16.597 AM

End : Nov 28, 10:08:23.472 AM

Duration : 1 m 6.875 s

Features



Scenarios


Steps

PASSED - 0
FAILED - 3
SKIPPED - 0


PASSED - 0
FAILED - 4
SKIPPED - 0

PASSED - 0
FAILED - 4
SKIPPED - 30







#	Feature Name	T	P	F	S	Duration
1	<u>Book the Cheapest flight from Boston to Rome on Chrome</u>	2	0	2	0	57.737 s
2	<u>Book the Costliest flight from Portland to New York on Firefox</u>	1	0	1	0	2.189 s
3	<u>Verify the flight reservation page</u>	1	0	1	0	6.894 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Book the Cheapest flight from Boston to Rome on Chrome</u>	<u>: Book the Cheapest flight from Boston to Rome and Portland to London</u>	9	0	1	8	50.840 s
2	<u>Book the Cheapest flight from Boston to Rome on Chrome</u>	<u>: Book the Cheapest flight from Boston to Rome and Portland to London</u>	9	0	1	8	6.806 s
3	<u>Book the Costliest flight from Portland to New York on Firefox</u>	<u>: Book the Costliest flight from Portland to New York</u>	9	0	1	8	2.188 s
4	<u>Verify the flight reservation page</u>	<u>Verify Page title on Flight reservation page</u>	7	0	1	6	6.893 s

(F)- Book the Cheapest flight from Boston to Rome on Chrome

FAILED	DURATION - 57.737 s	Scenarios		Steps	
/ 10:07:16.597 AM // 10:08:14.334 AM /		Total - 2	2	Total - 18	18
		Pass - 0		Pass - 0	
		Fail - 2		Fail - 2	
		Skip - 0		Skip - 16	



(S)- : Book the Cheapest flight from Boston to Rome and Portland to London

<div>FAILED</div> <div>DURATION - 50.840 s</div>			<div>Steps</div> <div>Total - 9</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 8</div>	
/ 10:07:16.615 AM // 10:08:07.455 AM /				
Book the Cheapest flight from Boston to Rome on Chrome				
@regression @sanity				

#	Step / Hook Details	Status	Duration
1	<p>Given User opens the "chrome" browser</p> <pre>org.openqa.selenium.SessionNotCreatedException: session not created: This version of ChromeDriver only supports Chrome version 114 Current browser version is 142.0.7444.176 with binary path /Applications/Google Chrome.app/Contents/MacOS/Google Chrome Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'EPINPUNW0874', ip: '2402:e280:3e71:777:c0b4:d795:3170:da20%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '14.8.2', java.version: '1.8.0_452' Driver info: driver.version: ChromeDriver remote stacktrace: 0 chromedriver 0x00000001050da6b8 chromedriver + 4937400 1 chromedriver 0x00000001050d1b73 chromedriver + 4901747 2 chromedriver 0x0000000104c8f616 chromedriver + 435734 3 chromedriver 0x0000000104cc1d10 chromedriver + 642320 4 chromedriver 0x0000000104cbd18a chromedriver + 622986 5 chromedriver 0x0000000104cb967c chromedriver + 607868 6 chromedriver 0x0000000104d00a08 chromedriver + 899592 7 chromedriver 0x0000000104cfebfb chromedriver + 896703 8 chromedriver 0x0000000104cf6de3 chromedriver + 859619 9 chromedriver 0x0000000104cc4d7f chromedriver + 654719 10 chromedriver 0x0000000104cc60de chromedriver + 659678 11 chromedriver 0x00000001050962ad chromedriver + 4657837 12 chromedriver 0x000000010509b130 chromedriver + 4677936 13 chromedriver 0x00000001050a1def chromedriver + 4705775 14 chromedriver 0x000000010509c05a chromedriver + 4681818 15 chromedriver 0x000000010506e92c chromedriver + 4495660 16 chromedriver 0x00000001050b9838 chromedriver + 4802616 17 chromedriver 0x00000001050b99b7 chromedriver + 4802999 18 chromedriver 0x00000001050ca99f chromedriver + 4872607 19 libsystem_pthread.dylib 0x00007ff8191f811f _pthread_start + 99 20 libsystem_pthread.dylib 0x00007ff8191f3ac3 thread_start + 15 at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)</pre>	FAILED	50.661 s

#	Step / Hook Details	Status	Duration
	at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.W3CHandshakeResponse.lambda\$errorHandler\$0(W3CHandshakeResponse.java:62) at org.openqa.selenium.remote.HandshakeResponse.lambda\$getResponseFunction\$0(HandshakeResponse.java:30) at org.openqa.selenium.remote.ProtocolHandshake.lambda\$createSession\$0(ProtocolHandshake.java:126) at java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:193) at java.util.Spliterators\$ArraySpliterator.tryAdvance(Spliterators.java:958) at java.util.stream.ReferencePipeline.forEachWithCancel(ReferencePipeline.java:126) at java.util.stream.AbstractPipeline.copyIntoWithCancel(AbstractPipeline.java:499) at java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:486) at java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:472) at java.util.stream.FindOps\$FindOp.evaluateSequential(FindOps.java:152) at java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.util.stream.ReferencePipeline.findFirst(ReferencePipeline.java:531) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:128) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:74) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:136) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:213) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:131) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:181) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:168) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:157) at com.org.driverFactory.DriverFactory.init_Driver(DriverFactory.java:41) at stepDefination.StepDefination.user_open_browser(StepDefination.java:26) at ?.User opens the "chrome" browser(file:///Users/suraj_shivajisalunkhe/TravelAgency/.src/test/resources/featureFiles/CheapestFlightBooking.feature:4) * Not displayable characters are replaced by '?'.		
2	And Navigate to url "blazedemo"	SKIPPED	0.006 s
3	And User select "Boston" from departure city dropdown	SKIPPED	0.000 s
4	And User select "Rome" from destination city dropdown	SKIPPED	0.001 s
5	When User click on search flight button	SKIPPED	0.002 s
6	When User select cheapest flight from flight list	SKIPPED	0.001 s
7	And User fill the details to purchase ticket	SKIPPED	0.000 s
8	Then User verify confirmation page and save confirmation Id	SKIPPED	0.002 s
9	Then User quit the browser	SKIPPED	0.001 s
	AFTER - appHooks.ApplicationHook.captureScreenshot(io.cucumber.java.Scenario)	FAILED	0.029 s
	java.lang.NullPointerException at appHooks.ApplicationHook.captureScreenshot(ApplicationHook.java:39)		

(S)- : Book the Cheapest flight from Boston to Rome and Portland to London

<div>FAILED</div> <div>DURATION - 6.806 s</div>		<div>Steps</div> <div>Total - 9</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 8</div> <div></div>
<div>/ 10:08:07.528 AM // 10:08:14.334 AM /</div>		
<div>Book the Cheapest flight from Boston to Rome on Chrome</div>		
<div>@regression @sanity</div>		



#	Step / Hook Details	Status	Duration
1	<p>Given User opens the "Extent.propertiesfirefox" browser</p> <p>org.openqa.selenium.SessionNotCreatedException: session not created: This version of ChromeDriver only supports Chrome version 114 Current browser version is 142.0.7444.176 with binary path /Applications/Google Chrome.app/Contents/MacOS/Google Chrome Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'EPINPUNW0874', ip: '2402:e280:3e71:777:c0b4:d795:3170:da20%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '14.8.2', java.version: '1.8.0_452' Driver info: driver.version: ChromeDriver remote stacktrace: 0 chromedriver 0x00000001045a36b8 chromedriver + 4937400 1 chromedriver 0x000000010459ab73 chromedriver + 4901747 2 chromedriver 0x0000000104158616 chromedriver + 435734 3 chromedriver 0x000000010418ad10 chromedriver + 642320 4 chromedriver 0x000000010418618a chromedriver + 622986 5 chromedriver 0x000000010418267c chromedriver + 607868 6 chromedriver 0x00000001041c9a08 chromedriver + 899592 7 chromedriver 0x00000001041c8ebf chromedriver + 896703 8 chromedriver 0x00000001041bfde3 chromedriver + 859619 9 chromedriver 0x000000010418dd7f chromedriver + 654719 10 chromedriver 0x000000010418f0de chromedriver + 659678 11 chromedriver 0x000000010455f2ad chromedriver + 4657837 12 chromedriver 0x0000000104564130 chromedriver + 4677936 13 chromedriver 0x000000010456adef chromedriver + 4705775 14 chromedriver 0x000000010456505a chromedriver + 4681818 15 chromedriver 0x000000010453792c chromedriver + 4495660 16 chromedriver 0x0000000104582838 chromedriver + 4802616 17 chromedriver 0x00000001045829b7 chromedriver + 4802999 18 chromedriver 0x000000010459399f chromedriver + 4872607 19 libsystem_pthread.dylib 0x00007ff8191f811f _pthread_start + 99 20 libsystem_pthread.dylib 0x00007ff8191f3ac3 thread_start + 15</p> <p>at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.W3CHandshakeResponse.lambda\$errorHandler\$0(W3CHandshakeResponse.java:62) at org.openqa.selenium.remote.HandshakeResponse.lambda\$getResponseFunction\$0(HandshakeResponse.java:30) at org.openqa.selenium.remote.ProtocolHandshake.lambda\$createSession\$0(ProtocolHandshake.java:126) at java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:193) at java.util.Spliterators\$ArraySpliterator.tryAdvance(Spliterators.java:958) at java.util.stream.ReferencePipeline.forEachWithCancel(ReferencePipeline.java:126) at java.util.stream.AbstractPipeline.copyIntoWithCancel(AbstractPipeline.java:499) at java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:486) at java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:472)</p>	FAILED	6.769 s

#	Step / Hook Details	Status	Duration
	at java.util.stream.FindOps\$FindOp.evaluateSequential(FindOps.java:152) at java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.util.stream.ReferencePipeline.findFirst(ReferencePipeline.java:531) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:128) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:74) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:136) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:213) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:131) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:181) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:168) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:123) at com.org.driverFactory.DriverFactory.init_Driver(DriverFactory.java:53) at stepDefination.StepDefination.user_open_browser(StepDefination.java:26) at ?.User opens the "Extent.propertiesfirefox" browser(file:///Users/suraj_shivajisalunkhe/TravelAgency/.src/test/resources/featureFiles/CheapestFlightBooking.feature:4) * Not displayable characters are replaced by '?'.		
2	And Navigate to url "blazedemo"	SKIPPED	0.001 s
3	And User select "Portland" from departure city dropdown	SKIPPED	0.000 s
4	And User select "London" from destination city dropdown	SKIPPED	0.001 s
5	When User click on search flight button	SKIPPED	0.002 s
6	When User select cheapest flight from flight list	SKIPPED	0.002 s
7	And User fill the details to purchase ticket	SKIPPED	0.005 s
8	Then User verify confirmation page and save confirmation Id	SKIPPED	0.002 s
9	Then User quit the browser	SKIPPED	0.000 s
	AFTER - appHooks.ApplicationHook.captureScreenshot(io.cucumber.java.Scenario)	FAILED	0.004 s
	java.lang.NullPointerException at appHooks.ApplicationHook.captureScreenshot(ApplicationHook.java:39)		

(F)- Book the Costliest flight from Portland to New York on Firefox



FAILED	DURATION - 2.189 s	Scenarios		Steps	
/ 10:08:14.371 AM // 10:08:16.560 AM /		Total - 1		Total - 9	
		Pass - 0		Pass - 0	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 8	

(S)- : Book the Costliest flight from Portland to New York



<div>FAILED</div> <div>DURATION - 2.188 s</div>		<div>Steps</div> <div>Total - 9</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 8</div> <div></div>
<div>/ 10:08:14.372 AM // 10:08:16.560 AM /</div>		
<div>Book the Costliest flight from Portland to New York on Firefox</div>		
<div>@regression</div>		

#	Step / Hook Details	Status	Duration
1	Given User opens the "firefox" browser org.openqa.selenium.WebDriverException: Cannot find firefox binary in PATH. Make sure firefox is installed. OS appears to be: MAC Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'EPINPUNW0874', ip: '2402:e280:3e71:777:c0b4:d795:3170:da20%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '14.8.2', java.version: '1.8.0_452' Driver info: driver.version: FirefoxDriver at org.openqa.selenium.firefox.FirefoxBinary.<init>(FirefoxBinary.java:100) at java.util.Optional.orElseGet(Optional.java:267) at org.openqa.selenium.firefox.FirefoxOptions.getBinary(FirefoxOptions.java:216) at org.openqa.selenium.firefox.FirefoxDriver.toExecutor(FirefoxDriver.java:187) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:147) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:125) at com.org.driverFactory.DriverFactory.init_Driver(DriverFactory.java:46) at stepDefination.StepDefination.user_open_browser(StepDefination.java:26) at ?.User opens the "firefox" browser(file:///Users/suraj_shivajisalunkhe/TravelAgency/.src/test/resources/featureFiles/CostliestFlightFlightBooking.feature:4) * Not displayable characters are replaced by '?'.	FAILED	2.170 s
2	And Navigate to url "blazedemo"	SKIPPED	0.001 s
3	And User select "Portland" from departure city dropdown	SKIPPED	0.002 s
4	And User select "New York" from destination city dropdown	SKIPPED	0.000 s
5	When User click on search flight button	SKIPPED	0.000 s
6	When User select costliest flight from flight list	SKIPPED	0.000 s
7	And User fill the details to purchase ticket	SKIPPED	0.005 s
8	Then User verify confirmation page and save confirmation Id	SKIPPED	0.000 s
9	Then User quit the browser	SKIPPED	0.000 s
	AFTER - appHooks.ApplicationHook.captureScreenshot(io.cucumber.java.Scenario) java.lang.NullPointerException at appHooks.ApplicationHook.captureScreenshot(ApplicationHook.java:39)	FAILED	0.002 s

(F)- Verify the flight reservation page

FAILED	DURATION - 6.894 s	Scenarios		Steps	
/ 10:08:16.578 AM // 10:08:23.472 AM /		Total - 1		Total - 7	
		Pass - 0		Pass - 0	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 6	

(S)- Verify Page title on Flight reservation page

<div><div>FAILED</div><div>DURATION - 6.893 s</div></div>			Steps Total - 7 Pass - 0 Fail - 1 Skip - 6	
/ 10:08:16.579 AM // 10:08:23.472 AM /				
Verify the flight reservation page				
@regression				

#	Step / Hook Details	Status	Duration
1	<p>Given User opens the "chrome" browser</p> <p>org.openqa.selenium.SessionNotCreatedException: session not created: This version of ChromeDriver only supports Chrome version 114 Current browser version is 142.0.7444.176 with binary path /Applications/Google Chrome.app/Contents/MacOS/Google Chrome Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'EPINPUNW0874', ip: '2402:e280:3e71:777:c0b4:d795:3170:da20%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '14.8.2', java.version: '1.8.0_452' Driver info: driver.version: ChromeDriver remote stacktrace: 0 chromedriver 0x000000010309c6b8 chromedriver + 4937400 1 chromedriver 0x0000000103093b73 chromedriver + 4901747 2 chromedriver 0x0000000102c51616 chromedriver + 435734 3 chromedriver 0x0000000102c83d10 chromedriver + 642320 4 chromedriver 0x0000000102c7f18a chromedriver + 622986 5 chromedriver 0x0000000102c7b67c chromedriver + 607868 6 chromedriver 0x0000000102cc2a08 chromedriver + 899592 7 chromedriver 0x0000000102cc1ebf chromedriver + 896703 8 chromedriver 0x0000000102cb8de3 chromedriver + 859619 9 chromedriver 0x0000000102c86d7f chromedriver + 654719 10 chromedriver 0x0000000102c880de chromedriver + 659678 11 chromedriver 0x00000001030582ad chromedriver + 4657837 12 chromedriver 0x000000010305d130 chromedriver + 4677936 13 chromedriver 0x0000000103063def chromedriver + 4705775 14 chromedriver 0x000000010305e05a chromedriver + 4681818 15 chromedriver 0x000000010303092c chromedriver + 4495660 16 chromedriver 0x000000010307b838 chromedriver + 4802616 17 chromedriver 0x000000010307b9b7 chromedriver + 4802999 18 chromedriver 0x000000010308c99f chromedriver + 4872607 19 libsystem_pthread.dylib 0x00007ff8191f811f _pthread_start + 99 20 libsystem_pthread.dylib 0x00007ff8191f3ac3 thread_start + 15</p> <p>at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</p>	FAILED	6.877 s

#	Step / Hook Details	Status	Duration
	at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.W3CHandshakeResponse.lambda\$errorHandler\$0(W3CHandshakeResponse.java:62) at org.openqa.selenium.remote.HandshakeResponse.lambda\$getResponseFunction\$0(HandshakeResponse.java:30) at org.openqa.selenium.remote.ProtocolHandshake.lambda\$createSession\$0(ProtocolHandshake.java:126) at java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:193) at java.util.Spliterators\$ArraySpliterator.tryAdvance(Spliterators.java:958) at java.util.stream.ReferencePipeline.forEachWithCancel(ReferencePipeline.java:126) at java.util.stream.AbstractPipeline.copyIntoWithCancel(AbstractPipeline.java:499) at java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:486) at java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:472) at java.util.stream.FindOps\$FindOp.evaluateSequential(FindOps.java:152) at java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.util.stream.ReferencePipeline.findFirst(ReferencePipeline.java:531) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:128) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:74) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:136) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:213) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:131) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:181) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:168) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:157) at com.org.driverFactory.DriverFactory.init_Driver(DriverFactory.java:41) at stepDefination.StepDefination.user_open_browser(StepDefination.java:26) at ?.User opens the "chrome" browser(file:///Users/suraj_shivajisalunkhe/TravelAgency/.src/test/resources/featureFiles/FlightReservPage.feature:4) * Not displayable characters are replaced by '?'.		
2	And Navigate to url "blazedemo"	SKIPPED	0.001 s
3	And User select "Paris" from departure city dropdown	SKIPPED	0.001 s
4	And User select "Cairo" from destination city dropdown	SKIPPED	0.001 s
5	When User click on search flight button	SKIPPED	0.001 s
6	Then User verify flight reservation page	SKIPPED	0.000 s
7	Then User quit the browser	SKIPPED	0.000 s
	AFTER - appHooks.ApplicationHook.captureScreenshot(io.cucumber.java.Scenario)	FAILED	0.003 s
	java.lang.NullPointerException at appHooks.ApplicationHook.captureScreenshot(ApplicationHook.java:39)		