

Name: SAGARE PRERANA SADASHIV
PRN No: 2421100224
Class: MCA I
Roll No: 49

ASSIGNMENT NO:1

Write HTML program to create class time table.

```
<html>
  <head>
    <title>clg</title>
  </head>
  <body>
    <table align="center" width="100%">
      <tr>
        <td></td>
        <td><center><h2>BHARATI VIDYAPEETH DEEMED TO BE UNIVERSITY,PUNE</h2>
          <u><h3>YASHWAMTRAO MOHITE INSTITUTE OF MANAGEMENT OF
KARAD</center></u></h3></td>
        <td></td>
      </tr>
    </table>

    <hr size="3" color="black">
    <center><h4><u>ACADEMIC YEAR 2024-2025</u><br> SEM-II(2022
COURSE)</h4></center>
    <hr size="2" color="black">
    <center><h2>TIME TABLE </h2></center>

    <table style="border-collapse:collapse; text-align:center;" border="2px solid black"
align="center">
      <tr>
        <th></th>
        <th>MON</th>
        <th>TUE</th>
        <th>WED</th>
        <th>THU</th>
        <th>FRI</th>
        <th>SAT</th>
        <th>Lecture<br>Hall/Lab</th>
      </tr>
      <tr>
        <td>10.30-<br>11.30 AM</td>
        <td>-</td>
        <td>-</td>
        <td>OOSE<br>[PRR]</td>
        <td>CC<br>[PPP]</td>
        <td>CC<br>[PPP]</td>
```

```

        <td>CC<br>[PPP]</td>
        <td>Multi</td>
    </tr>
    <tr>
        <td>11.30-<br>12.30 PM</td>
        <td>PYTHON<br>LAB<br>[SVD]</td>
        <td>PYTHON<br>LAB<br>[SVD]</td>
        <td>PYTHON<br>LAB<br>[SVD]</td>
        <td>WST LAB<br>[AAP]</td>
        <td>WST LAB<br>[AAP]</td>
        <td>WST LAB<br>[AAP]</td>
        <td>Lab-3</td>
    </tr>
    <tr>
        <td>12.30-<br>1.30 PM</td>
        <td>WST<br>[AJ]</td>
        <td>WST<br>[AJ]</td>
        <td>WST<br>[AJ]</td>
        <td>OOSE<br>[PRR]</td>
        <td>OOSE<br>[PRR]</td>
        <td>OOSE<br>[PRR]</td>
        <td>Lab-3</td>
    </tr>
    <tr>
        <td>2.00-<br>3.00 PM</td>
        <td>DWDM<br>[SVD]</td>
        <td>DWDM<br>[SVD]</td>
        <td>Python<br>[HNR]</td>
        <td>Python<br>[HNR]</td>
        <td>DWDM<br>[SVD]</td>
        <td>--</td>
        <td>Lab-3</td>
    </tr>
    <tr>
        <td>3.00-<br>4.00 PM</td>
        <td>T-Python<br>[AS]</td>
        <td>DT<br>[PRR]</td>
        <td>DT<br>[PRR]</td>
        <td>Project<br>[PPP]</td>
        <td>T-OOSE<br>[PRR]</td>
        <td>--</td>
        <td></td>
    </tr>
    <tr>
        <td>4.00-<br>5.00 PM</td>
        <td>--</td>
        <td>T-CC<br>[PPP]</td>
        <td>T-DWDM<br>[SVD]</td>
        <td>--</td>

```

```

        <td>-</td>
        <td>-</td>
        <td></td>
    </tr>
</table>
<br><br>
<table style="border-collapse:collapse; text-align:center;" border="2px solid black"
align="center">
    <tr>
        <th>Sr.No</th>
        <th></th>
        <th>Subject Name</th>
        <th>Faculty Name</th>
    </tr>
    <tr>
        <td>201</td>
        <td>OOSE</td>
        <td>Object Oriented Software Engineeing</td>
        <td>Prof.P.R.Rasal</td>
    </tr>
    <tr>
        <td>202</td>
        <td>CC</td>
        <td>Cloud Computing</td>
        <td>Dr.P.P.Patil<br>Class Cordinator</td>
    </tr>
    <tr>
        <td>203</td>
        <td>DS</td>
        <td>Data Structure using Python</td>
        <td>Dr.H.N.Renushe</td>
    </tr>
    <tr>
        <td>204</td>
        <td>DWDM</td>
        <td>Data Warehouse Data Mining</td>
        <td>Dr.Mrs.Sheetal Deshmukh</td>
    </tr>
    <tr>
        <td>205</td>
        <td>WST</td>
        <td>Web Supporting Technology</td>
        <td>Mrs.Archana Jadhav</td>
    </tr>
    <tr>
        <td>206</td>
        <td>Lab on DS</td>
        <td>Lab on Data Structure using Python</td>
        <td>Dr.Mrs.Sheetal Deshmukh</td>

```

```

</tr>
<tr>
<td>207</td>
<td rowspan="3"></td>
<td>Minor Project-I</td>
<td>Dr.P.P.Patil</td>
</tr>
<tr>
<td>208</td>
<td>MOOCS-II</td>
<td>Dr.P.P.Patil</td>
</tr>
<tr>
<td>209</td>
<td>Open Course=II*-Digital Technology</td>
<td>Prof.P.R.Rasal</td>
</tr>
</table>
</body>
</html>

```

OUTPUT:



BHARATI VIDYAPEETH DEEMED TO BE UNIVERSITY,PUNE

YASHWAMTRAO MOHITE INSTITUTE OF MANAGEMENT OF KARAD



ACADEMIC YEAR 2024-2025
SEM-II(2022 COURSE)

TIME TABLE

	MON	TUE	WED	THU	FRI	SAT	Lecture Hall/Lab
10.30-11.30 AM	-	-	OOSE [PRR]	CC [PPP]	CC [PPP]	CC [PPP]	Multi
11.30-12.30 PM	PYTHON LAB [SVD]	PYTHON LAB [SVD]	PYTHON LAB [SVD]	WST LAB [AAP]	WST LAB [AAP]	WST LAB [AAP]	Lab-3
12.30-1.30 PM	WST [AJ]	WST [AJ]	WST [AJ]	OOSE [PRR]	OOSE [PRR]	OOSE [PRR]	Lab-3
2.00-3.00 PM	DWDM [SVD]	DWDM [SVD]	Python [HNR]	Python [HNR]	DWDM [SVD]	-	Lab-3
3.00-4.00 PM	T-Python [AS]	DT [PRR]	DT [PRR]	Project [PPP]	T-OOSE [PRR]	-	
4.00-5.00 PM	-	T-CC [PPP]	T-DWDM [SVD]	-	-	-	

Sr.No		Subject Name	Faculty Name
201	OOSE	Object Oriented Software Engineering	Prof.P.R.Rasal
202	CC	Cloud Computing	Dr.P.P.Patil Class Coordinator
203	DS	Data Structure using Python	Dr.H.N.Renushe
204	DWDM	Data Warehouse Data Mining	Dr.Mrs.Sheetal Deshmukh
205	WST	Web Supporting Technology	Mrs.Archana Jadhav
206	Lab on DS	Lab on Data Structure using Python	Dr.Mrs.Sheetal Deshmukh
207		Minor Project-I	Dr.P.P.Patil
208		MOOCS-II	Dr.P.P.Patil
209		Open Course=II*-Digital Technology	Prof.P.R.Rasal

Name: SAGARE PRERANA SADASHIV

PRN No: 2421100224

Class: MCA I

Roll No: 49

ASSIGNMENT NO:2

Write HTML program to design admission portal.

```
<html>
  <head>
    <title>Table</title>
  </head>
  <body>
    <table align="center" width="100%">
      <tr>
        <td></td>
        <td><center><h2>BHARATI VIDYAPEETH DEEMED TO BE UNIVERSITY,PUNE</h2>
          <u><h3>YASHWAMTRAO MOHITE INSTITUTE OF MANAGEMENT OF
KARAD</center></u></h3></td>
        <td></td>
      </tr>
    </table>
    <hr size="3" color="black">
    <h2 align="center">CET Entrance Exam 2025-26</h2>
    <center><table border="2px solid black" style="border-collapse:collapse; text-align:center;"
height="40%" width="30%" >
      <tr>
        <th>Course</th>
        <th>Date</th>
        <th>Fee</th>
      </tr>
      <tr>
        <td>MCA</td>
        <td>25/03/2025</td>
        <td>2000</td>
      </tr>
      <tr>
        <td>MBA</td>
        <td>25/03/2025</td>
        <td>2000</td>
      </tr>
      <tr>
        <td>BCA</td>
        <td>25/03/2025</td>
        <td>2000</td>
      </tr>
      <tr>
        <td>BBA</td>
```

```
<td>25/03/2025</td>
<td>2000</td>
</tr>
</table></center>
</body>
</html>
```

OUTPUT:



BHARATI VIDYAPEETH DEEMED TO BE UNIVERSITY,PUNE

YASHWAMTRAO MOHITE INSTITUTE OF MANAGEMENT OF KARAD



CET Entrance Exam 2025-26

Course	Date	Fee
MCA	25/03/2025	2000
MBA	25/03/2025	2000
BCA	25/03/2025	2000
BBA	25/03/2025	2000

Name: SAGARE PRERANA SADASHIV
PRN No: 2421100224
Class: MCA I
Roll No: 49

ASSIGNMENT NO:3

Demonstrate frames using HTML

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Document</title>
</head>
<frameset cols="45%,50%,45%">
  <frame src="frame1.html">
  <frame src="frame2.html">
  <frame src="frame3.html">
</frameset>
</html>
```

Frame1:-

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Document</title>
</head>
<body><br>
  <h2>Burger Menu</h2></center>
  <ul>
    <li>Cheese Burger</li>
    <br>
    <li>American Burger</li>
    <br>
    <li>Greek Burger</li>
    <br>
    <li>Meat Burger</li>
  </ul><br>

  <h2>Sandwich Menu</h2></center>
  <ul>
    <li>Cheese Sandwich</li>
    <br>
```

```
<li>American Sandwich</li>
<br>
<li>Greek Sandwich</li>
<br>
<li>Meat Sandwich</li>
</ul><br>

<h2>Pizza Menu</h2></center>
<ul>
  <li>Cheese Pizza</li>
  <br>
  <li>American Pizza</li>
  <br>
  <li>Greek Pizza</li>
  <br>
  <li>Meat Pizza</li>
</ul>
</body>
</html>
```

Frame2:-

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Document</title>
</head>
<body>
  
</body>
</html>
```


Frame3:-

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Document</title>
</head>
<body>
  <table border="1px solid-black" style="border-collapse: collapse;" height="570px" width="500px">
    <tr>
      <th>Menu</th>
      <th>Price</th>
    </tr>
    <tr>
      <td>Cheese Burger</td>
      <td align="center">50/-</td>
    </tr>
    <tr>
      <td>American Burger</td>
      <td align="center">60/-</td>
    </tr>
    <tr>
      <td>Greek Burger</td>
      <td align="center">70/-</td>
    </tr>
    <tr>
      <td>Meat Burger</td>
      <td align="center">80/-</td>
    </tr>
    <tr>
      <td>Cheese Sandwich</td>
      <td align="center">50/-</td>
    </tr>
    <tr>
      <td>American Sandwich</td>
      <td align="center">60/-</td>
    </tr>
    <tr>
      <td>Greek Sandwich</td>
      <td align="center">70/-</td>
    </tr>
    <tr>
      <td>Meat Sandwich</td>
      <td align="center">80/-</td>
    </tr>
    <tr>
      <td>Cheese Pizza</td>
      <td align="center">50/-</td>
    </tr>
    <tr>
      <td>American Pizza</td>
      <td align="center">60/-</td>
    </tr>
```

```

</tr>
<tr>
  <td>Greek Pizza</td>
  <td align="center">70/-</td>
</tr>
<tr>
  <td>Meat Pizza</td>
  <td align="center">80/-</td>
</tr>
</table>
</body>
</html>

```

OUTPUT:

The screenshot displays a web browser window with a fast food menu. The central banner features a collage of food items like burgers, pizzas, sandwiches, and donuts, with the text "FAST FOOD" and "ALWAYS FRESH AND TASTY". Below the banner is placeholder text in two columns. The left panel contains three menu categories: "Burger Menu" with 4 items, "Sandwich Menu" with 4 items, and "Pizza Menu" with 4 items. The right panel is a table listing 12 items and their prices.

Menu	Price
Cheese Burger	50/-
American Burger	60/-
Greek Burger	70/-
Meat Burger	80/-
Cheese Sandwich	50/-
American Sandwich	60/-
Greek Sandwich	70/-
Meat Sandwich	80/-
Cheese Pizza	50/-
American Pizza	60/-
Greek Pizza	70/-
Meat Pizza	80/-

Name: SAGARE PRERANA SADASHIV

PRN No: 2421100224

Class: MCA I

Roll No: 49

ASSIGNMENT NO:4

Write HTML program that embeds and plays both audio s video files.

```
<html>
<head>
  <title>Audio/Video</title>
</head>
<body>


  <table align="center" width="100%">
    <tr>
      <td></td>
      <td><center><h2>BHARATI VIDYAPEETH DEEMED TO BE UNIVERSITY,PUNE</h2>
        <u><h3>YASHWAMTRAO MOHITE INSTITUTE OF MANAGEMENT OF
KARAD</center></u></h3></td>
      <td></td>
    </tr>
  </table>
  <hr size="3" color="black">
  <center><video width="40%" height="50%" controls >
    <source src="mylivewallpapers-com-Tanjiro-Full-Moon-4K.mp4" type="video/mp4">
  </video><br><br>
  <audio controls>
    <source src="mixkit-little-birds-singing-in-the-trees-17.wav" types="audio">
  </audio></center>
</body>
</html>
```

OUTPUT:



BHARATI VIDYAPEETH DEEMED TO BE UNIVERSITY,PUNE

YASHWAMTRAO MOHITE INSTITUTE OF MANAGEMENT OF KARAD



Name: SAGARE PRERANA SADASHIV

PRN No: 2421100224

Class: MCA I

Roll No: 49

ASSIGNMENT NO:5

Write HTML program to demonstrate list tag.

```
<html>
  <head>
    <title>List</title>
  </head>
  <body>
    <table align="center" width="100%">
      <tr>
        <td></td>
        <td><center><h2>BHARATI VIDYAPEETH DEEMED TO BE UNIVERSITY,PUNE</h2>
          <u><h3>YASHWAMTRAO MOHITE INSTITUTE OF MANAGEMENT OF
KARAD</center></u></h3></td>
        <td></td>
      </tr>
    </table>
    <hr size="3" color="black">
    <h1><u><center>Web supporting Technolog</center></u></h1>
    <ol type="I">
      <li>Basic of Internet</li></ol>
      <ul type="circle">
        <li>Basic information</li>
        <li>Difference between internet and intranet</li>
        <li>Introduction to WWW</li>
        <li>Concept of client and server</li>
      </ul>
      <hr size="1" color="black">
      <ol type="I" start="2">
        <li>Introduction to HTML</li></ol>
        <ul type="circle">
          <li>Overview of HTML</li>
          <li>types of HTML tags</li>
          <li>structure of HTML program</li>
          <li>HTML: Emphasizing Material in a Web Page,</li>
        </ul>
        <hr size="1" color="black">
        <ol type="I" start="3">
          <li>Cascading Style Sheets</li></ol>
          <ul type="circle">
            <li>Introducing CSS</li>
            <li>Types of style sheets: inline, embedded and external style sheets, </li>
            <li>working with CSS properties</li>
```

```

<li>text properties</li>
</ul>

<hr size="1" color="black">
<ol type="I" start="4">
<li>Introduction to JavaScript</li></ol>
<ul type="circle">
<li>Introduction to scripting</li>
<li>overview of Java Script</li>
<li>client-side java Script</li>
</ul>
</body>
</html>

```

OUTPUT:



BHARATI VIDYAPEETH DEEMED TO BE UNIVERSITY,PUNE
YASHWAMTRAO MOHITE INSTITUTE OF MANAGEMENT OF KARAD



Web supporting Technolog

I. Basic of Internet

- Basic information
- Difference between internet and intranet
- Introduction to WWW
- Concept of client and server

II. Introduction to HTML

- Overview of HTML
- types of HTML tags
- structure of HTML program
- HTML: Emphasizing Material in a Web Page,

III. Cascading Style Sheets

- Introducing CSS
- Types of style sheets: inline, embedded and external style sheets,
- working with CSS properties
- text properties

IV. Introduction to JavaScript

- Introduction to scripting
- overview of Java Script
- client-side java Script

Name: SAGARE PRERANA SADASHIV

PRN No: 2421100224

Class: MCA I

Roll No: 49

ASSIGNMENT NO:6

Design student registration form using HTML.

```
<html>
  <head>
    <title>Form</title>
  </head>
  <body>
    <table align="center" width="100%">
      <tr>
        <td></td>
        <td><center><h2>BHARATI VIDYAPEETH DEEMED TO BE UNIVERSITY,PUNE</h2>
          <u><h3>YASHWAMTRAO MOHITE INSTITUTE OF MANAGEMENT OF
KARAD</center></u></h3></td>
        <td></td>
      </tr>
    </table>
    <hr size="3" color="black">
    <h1 align="center">Student Registration Form</h1>
    <form><center>
      First Name:<input name="Fname" placeholder="Enter your first name"
required><br><br>
      Middle Name:<input name="Mname" placeholder="Enter your middle name"
required><br><br>
      Last Name:<input name="Lname" placeholder="Enter your last name" required><br><br>
      Mother Name:<input name="Mother_name" placeholder="Enter your mother name"
required><br><br>

      Gender:<input type="radio" name="gender" value="male">Male
        <input type="radio" name="gender" value="female">Female
        <input type="radio" name="gender" value="other">Other<br><br>

      DOB:<input type="date"><br><br>

      Address :<textarea name="address" ></textarea><br><br>

      Mobile No:<input type="tel" maxlength="10"><br><br>

      Email Address:<input type="email"><br><br>

      Department:<select>
        <option value="computer">Computer</option>
```

```

v<option value="management">Management</option>

</select> Cnbs;Cnbs;

Course:<select>
  <option>BCA</option>
  <option>BBA</option>
  <option>MCA</option>
  <option>MBA</option>
</select><br><br>

Subject:<input type="checkbox" value="java">Java Cnbs;Cnbs;
  <input type="checkbox" value="python">Python Cnbs;Cnbs;
  <input type="checkbox" value="dsa">DSA Cnbs;Cnbs;
  <input type="checkbox" value="web">Web Cnbs;Cnbs;
  <input type="checkbox" value="c++">C++ Cnbs;Cnbs;<br><br>

  <input type="button" value="Submit">
  <input type="button" value="Clear">
</center></from>
</body>
</html>

```

OUTPUT:



BHARATI VIDYAPEETH DEEMED TO BE UNIVERSITY,PUNE
YASHWAMITRAO MOHITE INSTITUTE OF MANAGEMENT OF KARAD



Student Registration Form

First Name:

Middle Name:

Last Name:

Mother Name:

Gender: ☐ Male ☐ Female ☐ Other

DOB: 

Address:

Mobile No:

Email Address:

Department: Course:

Subject: ☐ Java ☐ Python ☐ DSA ☐ Web ☐ C++

Name: SAGARE PRERANA SADASHIV

PRN No: 2421100224

Class: MCA I

Roll No: 49

ASSIGNMENT NO:7

Demonstrate CSS using inline, internal s external css.

Index.html

```
.external-style {
  background-color: #ffcc00;
  color: #000;
  font-size: 18px;<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <title>CSS Integration Demo</title>

  <!-- Internal CSS -->
  <style>
    body {
      background-color: #f9f9f9;
      font-family: Verdana, sans-serif;
      margin: 20px;
    }
    .internal-style {
      color: #0044cc;
      font-size: 20px;
      padding: 10px;
      border-left: 5px solid #0044cc;
    }
  </style>

  <!-- External CSS -->
  <link rel="stylesheet" href="Styles.css">
</head>
<body>

  <!-- Inline CSS -->
  <h1 style="color: green; text-align: center;">
    Yashwantrao Mohite Institute of Management, Karad | Bharati Vidyapeeth</h1>

  <!-- Internal CSS applied -->
  <p class="internal-style">The institute is recognized by the All India Council for Technical
  Education (AICTE).</p>
```



```
<!-- External CSS applied -->
<div class="external-style">
```

Established in 1994, Yashwantrao Mohite Institute of Management, Karad is one of the constituent units of BVDU, Pune.

```
</div>
```

```
</body>
```

```
</html>
```

Styles.css

```
.external-style {
  background-color: #ffcc00;
  color: #000;
  font-size: 18px;
  padding: 15px;
  border: 2px solid #333;
  border-radius: 10px;
  margin-top: 20px;
  text-align: center;
}
```

OUTPUT:

Yashwantrao Mohite Institute of Management, Karad | Bharati Vidyapeeth

The institute is recognized by the All India Council for Technical Education (AICTE).

Established in 1994, Yashwantrao Mohite Institute of Management, Karad is one of the constituent units of BVDU, Pune.

Name: SAGARE PRERANA SADASHIV

PRN No: 2421100224

Class: MCA I

Roll No: 49

ASSIGNMENT NO:8

Develop basic calculator using HTML,CSS,JavaScript that perform arithmetic operations.

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Arithmetic Operations Form</title>
  <style>
    body {
      font-family: Arial, sans-serif;
      margin: 20px;
    }
    .form-container {
      max-width: 300px;
      margin: 0 auto;
      padding: 20px;
      border: 1px solid #ccc;
      border-radius: 8px;
    }
    input,
    select,
    button {
      width: 100%;
      padding: 10px;
      margin: 10px 0;
      border-radius: 4px;
      border: 1px solid #ccc;
    }
    .result {
      font-weight: bold;
      margin-top: 10px;
    }
  </style>
</head>
<body>
  <div class="form-container">
    <h2>Arithmetic Operations</h2>
    <form id="calcForm">
      <input type="number" id="num1" placeholder="Enter first number" required>
      <input type="number" id="num2" placeholder="Enter second number" required>
```

```
<select id="operation" required>
  <option value="add">Addition (+)</option>
  <option value="subtract">Subtraction (-)</option>

  <option value="multiply">Multiplication (*)</option>
  <option value="divide">Division (/)</option>
</select>
<button type="button" onclick="calculate()">Calculate</button>
<div class="result" id="result"></div>
</form>
</div>
<script>
function calculate() {
  const num1 = parseFloat(document.getElementById("num1").value);
  const num2 = parseFloat(document.getElementById("num2").value);
  const operation = document.getElementById("operation").value;
  let result;
  switch (operation) {
    case "add":
      result = num1 + num2;
      break;
    case "subtract":
      result = num1 - num2;
      break;
    case "multiply":
      result = num1 * num2;
      break;
    case "divide":
      if (num2 === 0) {
        result = "Cannot divide by zero!";
      } else {
        result = num1 / num2;
      }
      break;
    default:
      result = "Invalid operation";
  }
  document.getElementById("result").textContent = "Result: " + result;
}
</script>
</body>
</ht
```

OUTPUT:

Arithmetic Operations

92

56

Division (/)

Calculate

Result: 1.6428571428571428

Name: SAGARE PRERANA SADASHIV
PRN No: 2421100224
Class: MCA I
Roll No: 49

ASSIGNMENT NO:9

Create marklist application using HTML,CSS,JavaScript.

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <title>Marks Calculator</title>
  <style>
    body {
      font-family: Arial, sans-serif;
      background: #f0f4f8;
      display: flex;
      justify-content: center;
      align-items: center;
      height: 100vh;
    }

    .calculator {
      background: white;
      padding: 30px;
      border-radius: 15px;
      box-shadow: 0 4px 8px rgba(0,0,0,0.1);
      width: 300px;
    }

    .calculator h2 {
      text-align: center;
      margin-bottom: 20px;
    }

    input[type="number"] {
      width: 100%;
      padding: 10px;
      margin: 10px 0;
      border-radius: 8px;
      border: 1px solid #ccc;
    }
```

```
button {
width: 100%;
padding: 10px;

background-color: #007bff;
color: white;
border: none;
border-radius: 8px;
font-size: 16px;
cursor: pointer;
}

button:hover {
background-color: #0056b3;
}

.result {
margin-top: 20px;
text-align: center;
}
</style>
</head>
<body>

<div class="calculator">
<h2>Marks Calculator</h2>
<input type="number" id="subject1" placeholder="Subject 1 Marks">
<input type="number" id="subject2" placeholder="Subject 2 Marks">
<input type="number" id="subject3" placeholder="Subject 3 Marks">
<button onclick="calculate()">Calculate</button>


<div class="result">
<p id="total">Total: </p>
<p id="percentage">Percentage: </p>
</div>
</div>

<script>
function calculate() {
const s1 = parseFloat(document.getElementById('subject1').value) || 0;
const s2 = parseFloat(document.getElementById('subject2').value) || 0;
const s3 = parseFloat(document.getElementById('subject3').value) || 0;

const total = s1 + s2 + s3;
const percentage = (total / 300) * 100;
```

```
document.getElementById('total').textContent = `Total: ${total}`;  
document.getElementById('percentage').textContent = `Percentage:  
${percentage.toFixed(2)}%`;  
}  
</script>  
</body>  
</html>
```

OUTPUT:



Marks Calculator

90

67

67

Calculate

Total: 224

Percentage: 74.67%

Name: SAGARE PRERANA SADASHIV

PRN No: 2421100224

Class: MCA I

Roll No: 49

ASSIGNMENT NO:10

Demonstration of mathematical functions using JavaScript.

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <title>JavaScript Math Functions</title>
  <style>
    body {
      font-family: Arial, sans-serif;
      background: #e8f0fe;
      padding: 40px;
      line-height: 1.6;
    }

    h2 {
      color: #333;
    }

    .output {
      background: #fff;
      border-radius: 10px;
      padding: 20px;
      box-shadow: 0 4px 8px rgba(0,0,0,0.1);
      max-width: 600px;
      margin-top: 20px;
    }

    code {
      background-color: #f2f2f2;
      padding: 2px 5px;
      border-radius: 5px;
    }
  </style>
</head>
<body>

  <h2>Demonstration of Math Functions in JavaScript</h2>

  <div class="output" id="mathDemo"></div>
```



```
<script>
const output = document.getElementById("mathDemo");

let num = 7.56;
let squareRoot = Math.sqrt(81);
let power = Math.pow(2, 4);
let random = Math.random(); // between 0 and 1
let maxVal = Math.max(5, 10, 25, 1);
let minVal = Math.min(5, 10, 25, 1);

output.innerHTML = `
<p><code>Math.round(${num})</code> = ${Math.round(num)}</p>
<p><code>Math.floor(${num})</code> = ${Math.floor(num)}</p>
<p><code>Math.ceil(${num})</code> = ${Math.ceil(num)}</p>
<p><code>Math.sqrt(81)</code> = ${squareRoot}</p>
<p><code>Math.pow(2, 4)</code> = ${power}</p>
<p><code>Math.random()</code> = ${random.toFixed(4)}</p>
<p><code>Math.max(5, 10, 25, 1)</code> = ${maxVal}</p>
<p><code>Math.min(5, 10, 25, 1)</code> = ${minVal}</p>
</script>

</body>
</html>
```

OUTPUT:

Demonstration of Math Functions in JavaScript

```
Math.round(7.56) = 8
```

```
Math.floor(7.56) = 7
```

```
Math.ceil(7.56) = 8
```

```
Math.sqrt(81) = 9
```

```
Math.pow(2, 4) = 16
```

```
Math.random() = 0.6398
```

```
Math.max(5, 10, 25, 1) = 25
```

```
Math.min(5, 10, 25, 1) = 1
```

Name: SAGARE PRERANA SADASHIV

PRN No: 2421100224

Class: MCA I

Roll No: 49

ASSIGNMENT NO:11

Demonstration of string function using JavaScript.

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <title>JavaScript String Functions</title>
  <style>
    body {
      font-family: Arial, sans-serif;
      background: #f7f9fc;
      padding: 40px;
    }

    h2 {
      color: #333;
    }

    .output {
      background: white;
      padding: 20px;
      border-radius: 12px;
      box-shadow: 0 4px 12px rgba(0,0,0,0.1);
      max-width: 600px;
    }

    code {
      background-color: #f0f0f0;
      padding: 2px 6px;
      border-radius: 4px;
    }
  </style>
</head>
<body>

  <h2>Demonstration of String Functions in JavaScript</h2>

  <div class="output" id="stringDemo"></div>

  <script>
```

```
\const str = " Hello JavaScript World! ";
const demo = document.getElementById("stringDemo");

demo.innerHTML = `
  <p><code>Original String:</code> "${str}"</p>
  <p><code>length</code> = ${str.length}</p>
  <p><code>toUpperCase()</code> = "${str.toUpperCase()}"</p>
  <p><code>toLowerCase()</code> = "${str.toLowerCase()}"</p>
  <p><code>trim()</code> = "${str.trim()}"</p>
  <p><code>slice(2, 9)</code> = "${str.slice(2, 9)}"</p>
  <p><code>substring(2, 9)</code> = "${str.substring(2, 9)}"</p>
  <p><code>replace("JavaScript", "JS")</code> = "${str.replace("JavaScript", "JS")}"</p>
  <p><code>includes("World")</code> = ${str.includes("World")}</p>
  <p><code>indexOf("JavaScript")</code> = ${str.indexOf("JavaScript")}</p>
`;
</script>
</body>
</html>
```

OUTPUT:

Demonstration of String Functions in JavaScript

```
Original String: " Hello JavaScript World! "
length = 27
toUpperCase() = " HELLO JAVASCRIPT WORLD! "
toLowerCase() = " hello javascript world! "
trim() = "Hello JavaScript World!"
slice(2, 9) = "Hello J"
substring(2, 9) = "Hello J"
replace("JavaScript", "JS") = " Hello JS World! "
includes("World") = true
indexOf("JavaScript") = 8
```

Name: SAGARE PRERANA SADASHIV

PRN No: 2421100224

Class: MCA I

Roll No: 49

ASSIGNMENT NO:12

Demonstration JavaScript events.

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <title>JavaScript Events Demo</title>
  <style>
    body {
      font-family: Arial, sans-serif;
      padding: 40px;
      background: #f9f9f9;
    }

    .box {
      padding: 20px;
      background: #ffffff;
      border: 2px solid #ccc;
      border-radius: 10px;
      max-width: 500px;
      margin-bottom: 20px;
      transition: background 0.3s;
    }

    .btn {
      padding: 10px 20px;
      font-size: 16px;
      background-color: #007bff;
      color: white;
      border: none;
      border-radius: 8px;
      cursor: pointer;
    }

    input {
      padding: 10px;
      width: 100%;
      font-size: 16px;
      margin-top: 10px;
      border: 1px solid #ccc;
```

```
    border-radius: 8px;
  }

</style>
</head>
<body>

<div class="box" id="eventBox">
  <p>Hover over this box!</p>
</div>

<button class="btn" onclick="handleClick()">Click Me</button>

<div style="margin-top: 20px;">
  <label>Type something (oninput):</label>
  <input type="text" oninput="handleInput(this.value)">
  <p id="inputResult"></p>
</div>

<div style="margin-top: 20px;">
  <label>Press any key (onkeydown):</label>
  <input type="text" onkeydown="handleKey(event)">
  <p id="keyResult"></p>
</div>

<script>
  const box = document.getElementById('eventBox');

  // Mouse over and out events
  box.onmouseover = () => {
    box.style.background = "#d1e7ff";
    box.querySelector("p").textContent = "You're hovering!";
  };

  box.onmouseout = () => {
    box.style.background = "#ffffff";
    box.querySelector("p").textContent = "Hover over this box!";
  };

  // Click event
  function handleClick() {
    alert("Button clicked!");
  }

  // Input event
  function handleInput(value) {
    document.getElementById("inputResult").textContent = `You typed: ${value}`;
  }
</script>
```

```
// Keydown event
function handleKey(event) {
    document.getElementById("keyResult").textContent = `Key pressed: ${event.key}`
}
</script>

</body>
</html> <!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<title>JavaScript Events Demo</title>
<style>
body {
    font-family: Arial, sans-serif;
    padding: 40px;
    background: #f9f9f9;
}

.box {
    padding: 20px;
    background: #ffffff;
    border: 2px solid #ccc;
    border-radius: 10px;
    max-width: 500px;
    margin-bottom: 20px;
    transition: background 0.3s;
}

.btn {
    padding: 10px 20px;
    font-size: 16px;
    background-color: #007bff;
    color: white;
    border: none;
    border-radius: 8px;
    cursor: pointer;
}

input {
    padding: 10px;
    width: 100%;
    font-size: 16px;
    margin-top: 10px;
    border: 1px solid #ccc;
    border-radius: 8px;
}
```

```
</style>

</head>
<body>

<div class="box" id="eventBox">

  <p>Hover over this box!</p>
</div>

<button class="btn" onclick="handleClick()">Click Me</button>

<div style="margin-top: 20px;">
  <label>Type something (oninput):</label>
  <input type="text" oninput="handleInput(this.value)">
  <p id="inputResult"></p>
</div>

<div style="margin-top: 20px;">
  <label>Press any key (onkeydown):</label>
  <input type="text" onkeydown="handleKey(event)">
  <p id="keyResult"></p>
</div>

<script>
const box = document.getElementById('eventBox');

// Mouse over and out events
box.onmouseover = () => {
  box.style.background = "#d1e7ff";
  box.querySelector("p").textContent = "You're hovering!";
};

box.onmouseout = () => {
  box.style.background = "#ffffff";
  box.querySelector("p").textContent = "Hover over this box!";
};


// Click event
function handleClick() {
  alert("Button clicked!");
}

// Input event
function handleInput(value) {
  document.getElementById("inputResult").textContent = `You typed: ${value}`;
}

// Keydown event
```

```
function handleKey(event) {  
  
    document.getElementById("keyResult").textContent = `Key pressed: ${event.key}`;  
}  
</script>  
  
</body>  
</html>
```

OUTPUT:



Hover over this box!

Click Me

Type something (oninput):

Press any key (onkeydown):

Name: SAGARE PRERANA SADASHIV

PRN No: 2421100224

Class: MCA I

Roll No: 49

ASSIGNMENT NO:13

Write a JavaScript code to display pyramid.

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <title>Pyramid Pattern in JavaScript</title>
  <style>
    body {
      font-family: Arial, sans-serif;
      background: #f2f6fc;
      padding: 40px;
    }

    .output {
      background: #fff;
      padding: 20px;
      border-radius: 10px;
      box-shadow: 0 4px 8px rgba(0,0,0,0.1);
      white-space: pre;
      font-family: 'Courier New', monospace;
      font-size: 16px;
    }

    input {
      padding: 8px;
      margin-right: 10px;
      border-radius: 6px;
      border: 1px solid #ccc;
    }

    button {
      padding: 8px 15px;
      border: none;
      background: #007bff;
      color: white;
      border-radius: 6px;
      cursor: pointer;
    }
```

```
button:hover {
  background: #0056b3;

}
</style>
</head>
<body>

<h2>Pyramid Pattern Generator</h2>

<input type="number" id="rows" placeholder="Enter number of rows">
<button onclick="generatePyramid()">Generate</button>

<div class="output" id="pyramidOutput"></div>

<script>
function generatePyramid() {
  const n = parseInt(document.getElementById('rows').value);
  let output = "";

  for (let i = 1; i <= n; i++) {
    // Add spaces
    for (let j = 1; j <= n - i; j++) {
      output += ' ';
    }

    // Add stars
    for (let k = 1; k <= 2 * i - 1; k++) {
      output += '*';
    }

    output += '\n';
  }

  document.getElementById('pyramidOutput').textContent = output;
}
</script>


</body>
</html>
```

OUTPUT:

Pyramid Pattern Generator

Generate

```
  *
 ***
*****
*****
*****
*****
*****
*****
*****
*****
*****
*****
*****
```



Name: SAGARE PRERANA SADASHIV

PRN No: 2421100224

Class: MCA I

Roll No: 49

ASSIGNMENT NO:14

**Write a HTML, JavaScript code to accept number and check whether it is
1)Palindrome Number**

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <title>Palindrome Number Checker</title>
  <style>
    body {
      font-family: Arial, sans-serif;
      background: #f4f8fb;
      display: flex;
      flex-direction: column;
      align-items: center;
      padding-top: 60px;
    }

    .container {
      background: #fff;
      padding: 30px;
      border-radius: 12px;
      box-shadow: 0 4px 10px rgba(0,0,0,0.1);
      max-width: 400px;
      width: 100%;
      text-align: center;
    }

    input {
      width: 80%;
      padding: 10px;
      margin-bottom: 15px;
      font-size: 16px;
      border-radius: 8px;
      border: 1px solid #ccc;
    }

    button {
      padding: 10px 20px;
      background: #007bff;
```

```

    color: white;
    border: none;
    border-radius: 8px;

    font-size: 16px;
    cursor: pointer;
}

button:hover {
    background: #0056b3;
}

.result {
    margin-top: 20px;
    font-size: 18px;
    font-weight: bold;
}
</style>
</head>
<body>

<div class="container">
    <h2>Palindrome Number Checker</h2>
    <input type="number" id="numberInput" placeholder="Enter a number">
    <br>
    <button onclick="checkPalindrome()">Check</button>
    <div class="result" id="result"></div>
</div>

<script>
function checkPalindrome() {
    const num = document.getElementById("numberInput").value;
    const reversed = num.split("").reverse().join("");

    const resultDiv = document.getElementById("result");

    if (num === reversed) {
        resultDiv.textContent = `${num} is a Palindrome Number ■`;
        resultDiv.style.color = "green";
    } else {
        resultDiv.textContent = `${num} is NOT a Palindrome Number +`;
        resultDiv.style.color = "red";
    }
}
</script>

</body>
</html>

```

OUTPUT:

Palindrome Number Checker

Check

123456654321 is a Palindrome Number ✓

2)Armstrong Number

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <title>Armstrong Number Checker</title>
  <style>
    body {
      font-family: Arial, sans-serif;
      background: #eaf4fc;
      display: flex;
      justify-content: center;
      align-items: center;
      height: 100vh;
    }

    .container {
      background: white;
      padding: 30px;
      border-radius: 12px;
      box-shadow: 0 4px 10px rgba(0,0,0,0.1);
      text-align: center;
    }

    input {
      padding: 10px;
      font-size: 16px;
      margin-bottom: 15px;
      width: 200px;
    }
    border-radius: 8px; border:
    1px solid #ccc;
  }

  button {
    padding: 10px 20px;
    background: #007bff;
    color: white;
    border: none;
    border-radius: 8px;
    font-size: 16px;
    cursor: pointer;
  }

  button:hover {
    background-color: #0056b3;
  }
```



```
.result {
  margin-top: 20px;
  font-size: 18px;
  font-weight: bold;
}
</style>
</head>
<body>

<div class="container">
  <h2>Armstrong Number Checker</h2>
  <input type="number" id="numberInput" placeholder="Enter a number">
  <br>
  <button onclick="checkArmstrong()">Check</button>
  <div class="result" id="result"></div>
</div>

<script>
function checkArmstrong() {
  const num = document.getElementById("numberInput").value;
  const numStr = num.toString();
  const power = numStr.length;
  let sum = 0;

  for (let digit of numStr) {
    sum += Math.pow(parseInt(digit), power);
  }

  const resultDiv = document.getElementById("result");

  if (sum == num) {\

    resultDiv.textContent = `${num} is an Armstrong Number ■`;
    resultDiv.style.color = "green";
  } else {
    resultDiv.textContent = `${num} is NOT an Armstrong Number +`;
    resultDiv.style.color = "red";
  }
}
</script>


</body>
</html>
```

OUTPUT:

Armstrong Number Checker

Check

153 is an Armstrong Number ✓



Name: SAGARE PRERANA SADASHIV

PRN No: 2421100224

Class: MCA I

Roll No: 49

ASSIGNMENT NO:15

Demonstration of PHP control structure .

1. If / Else / Elseif

```
<?php
$age = 20;

if ($age < 18) {
    echo "You are a minor.";
} elseif ($age >= 18 CC $age < 60) {
    echo "You are an adult.";
} else {
    echo "You are a senior.";
}
?>
```

OUTPUT:

```
You are an adult.
```

2. Switch Statement

```
<?php
$day = "Monday";

switch ($day) {
    case "Monday":
        echo "Start of the week!";
        break;
    case "Friday":
        echo "Weekend is near!";
        break;
    default:
        echo "Just another day.";
}
?>
```

OUTPUT:

```
start of the week!
```

3. While Loop

```
<?php
$count = 1;

while ($count <= 5) {
    echo "Count is: $count <br>";
    $count++;
}
?>
```

OUTPUT:

```
Count is: 1
Count is: 2
Count is: 3
Count is: 4
Count is: 5
```

4. Do...While Loop

```
<?php
$count = 1;

do {
    echo "Count is: $count <br>";
    $count++;
} while ($count <= 5);
?>
```

OUTPUT:

```
Count is: 1
Count is: 2
Count is: 3
Count is: 4
Count is: 5
```

5. For Loop

```
<?php
for ($i = 1; $i <= 5; $i++) {
    echo "Iteration $i <br>";

}
?>
```

OUTPUT:

```
Iteration 1
Iteration 2
Iteration 3
Iteration 4
Iteration 5
```

6. Foreach Loop (used with arrays)

```
<?php
$fruits = ["Apple", "Banana", "Mango"];

foreach ($fruits as $fruit) {
    echo "$fruit <br>";
}
?>
```

OUTPUT:

```
Apple
Banana
Mango
```

7. Break and Continue

```
<?php
for ($i = 1; $i <= 10; $i++) {
    if ($i == 5) {
        continue; // skip 5
    }
    if ($i == 8) {
        break; // stop loop at 8
    }
    echo "$i <br>";
}
?>
```

OUTPUT:

```
1
2
3
4
6
7
```

