

EXPERIMENT (4)

AIM

To perform UPDATE and DELETE operations on the Hostel Management System tables.

DESCRIPTION

UPDATE modifies existing records. DELETE removes records from database tables.

SYNTAX

UPDATE table_name SET column=value WHERE condition;

DELETE FROM table_name WHERE condition;

Questions and Answers

1. Update the room status of RoomID 101 to Available.

```
UPDATE Hostel_Rooms  
SET RoomStatus='Available'  
WHERE RoomID=101;
```

```
SELECT * FROM Hostel_Rooms;
```

2. Delete the student whose StudentID = 203.

```
DELETE FROM Hostel_Student  
WHERE StudentID=203;
```

```
SELECT * FROM Hostel_Student;
```

3. Update the experience of Warden W101 to 15 years.

```
UPDATE Hostel_Warden  
SET Experience=15  
WHERE WardenID='W101';
```

```
SELECT * FROM Hostel_Warden;
```

4. Delete all hostel blocks having TotalRooms < 35.

```
DELETE FROM Hostel_Block  
WHERE TotalRooms<35;
```

```
SELECT * FROM Hostel_Block
```


3) Modify the experience of Warden 'W101' to 15 years.

Table Used: HOSTEL_WARDEN

```
39 • DELETE FROM Hostel_Student
40 W Execute the selected portion of the script or everything, if there is no selection
41
42 • SELECT * FROM Hostel_Student;
43 • UPDATE Hostel_Warden
44 SET Experience = 15
45 WHERE WardenID = 'W101';
46
47 • SELECT * FROM Hostel_Warden;
```

WardenID	WardenName	Gender	MobileNo	Experience
W101	Mr. Ravi	M	9876501111	15
W102	Mrs. Priya	F	9876502222	8
W103	Mr. Suresh	M	9876503333	12
NULL	NULL	NULL	NULL	NULL

4) Remove all hostel blocks having TotalRooms less than 35.

Table Used: HOSTEL_BLOCK

```
43 • UPDATE Hostel_Warden
44 SET Experience = 15
45 WHERE WardenID = 'W101';
46
47 • SELECT * FROM Hostel_Warden;
48 • DELETE FROM Hostel_Block
49 WHERE TotalRooms < 35;
50
51 • SELECT * FROM Hostel_Block;
```

BlockID	BlockName	TotalRooms	FloorCount	WardenID
B01	A Block	40	2	W101
B02	B Block	35	3	W102
NULL	NULL	NULL	NULL	NULL

RESULT

Thus, the UPDATE and DELETE commands were successfully executed on the Hostel Management System tables.