

EXPERIMENT (5)

Ex. No.: 5

Date:

AIM

To retrieve records from the Hostel Management System tables using the SELECT statement with WHERE clause and Pattern Matching (LIKE).

DESCRIPTION

The SELECT statement is used to retrieve data from one or more tables. It can be used with WHERE and LIKE clauses to filter and display specific records.

SYNTAX

```
SELECT column_name(s)  
FROM table_name;
```

```
SELECT column_name(s)  
FROM table_name  
WHERE condition;
```

```
SELECT column_name(s)  
FROM table_name  
WHERE column_name LIKE 'pattern';
```

Questions

1. Display the Room ID, Room Number and Room Status of all hostel rooms.

```
SELECT RoomID, RoomNumber, RoomStatus  
FROM Hostel_Rooms;
```

SQL File 3* SQL File 3* SQL File 4* SQL File 5* SQL File 6* SQL File 7* x

Limit to 1000 rows

```

45 WHERE WardenID = 'W101';
46
47 • SELECT * FROM Hostel_Warden;
48 • DELETE FROM Hostel_Block
49 WHERE TotalRooms < 35;
50
51 • SELECT * FROM Hostel_Block;
52 • SELECT RoomID, RoomNumber, RoomStatus
53 FROM Hostel_Rooms;

```

Result Grid

RoomID	RoomNumber	RoomStatus
101	A101	Available
102	A102	Available
103	B201	Occupied
NULL	NULL	NULL

30 Hostel_Rooms31 Hostel_Student 32 Hostel_Warden 33 Hostel_Block 34 Hos Apply Revert

2. Display all female students.

```

SELECT *
FROM Hostel_Student
WHERE Gender='F';

```

SQL File 3* SQL File 3* SQL File 4* SQL File 5* SQL File 6* SQL File 7* x

Limit to 1000 rows

```

48 • DELETE FROM Hostel_Block
49 W Execute the selected portion of the script or everything, if there is no selection
50
51 • SELECT * FROM Hostel_Block;
52 • SELECT RoomID, RoomNumber, RoomStatus
53 FROM Hostel_Rooms;
54 • SELECT *
55 FROM Hostel_Student
56 WHERE Gender = 'F';

```

Result Grid

StudentID	StudentName	Gender	DOB	MobileNo	RoomID	Email
NULL	NULL	NULL	NULL	NULL	NULL	NULL

0 Hostel_Student 41 Hostel_Warden 42 Hostel_Block 43 Hostel_Rooms44 Hos Apply Revert

3. Display all students staying in RoomID 101.

```
SELECT *  
FROM Hostel_Student  
WHERE RoomID=101;
```

SQL File 3* SQL File 3* SQL File 4* SQL File 5* SQL File 6* SQL File 7* x

Limit to 1000 rows

```
51 • SELECT * FROM Hostel_Block;  
52 • SELECT RoomID, RoomNumber, RoomStatus  
53 FROM Hostel_Rooms;  
54 • SELECT *  
55 FROM Hostel_Student  
56 WHERE Gender = 'F';  
57 • SELECT *  
58 FROM Hostel_Student  
59 WHERE RoomID = 101;
```

Result Grid

StudentID	StudentName	Gender	DOB	MobileNo	RoomID	Email
201	Lokesh	M	2005-03-15	9876543210	101	lokesh@gmail.com

1 Hostel_Warden 52 Hostel_Block 53 Hostel_Rooms 54 Hostel_Student 55 Hos Apply Revert

4. Display all wardens having more than 8 years of experience.

```
SELECT *  
FROM Hostel_Warden  
WHERE Experience>8;
```

SQL File 3* SQL File 3* SQL File 4* SQL File 5* SQL File 6* SQL File 7* x

Limit to 1000 rows

```
54 • SELECT *  
55 FR Execute the selected portion of the script or everything, if there is no selection  
56 WHERE Gender = 'F';  
57 • SELECT *  
58 FROM Hostel_Student  
59 WHERE RoomID = 101;  
60 • SELECT *  
61 FROM Hostel_Warden  
62 WHERE Experience > 8;
```

Result Grid

WardenID	WardenName	Gender	MobileNo	Experience
W101	Mr. Ravi	M	9876501111	15
W103	Mr. Suresh	M	9876503333	12

3 Hostel_Block 64 Hostel_Rooms 65 Hostel_Student 66 Hostel_Student 67 Hos Apply Revert

5. Display all hostel blocks having more than 30 rooms.

```
SELECT *  
FROM Hostel_Block  
WHERE TotalRooms>30;
```

SQL File 3* SQL File 3* SQL File 4* SQL File 5* SQL File 6* SQL File 7* x

Limit to 1000 rows

```
57 • SELECT *  
58 FROM Hostel_Student  
59 WHERE RoomID = 101;  
60 • SELECT *  
61 FROM Hostel_Warden  
62 WHERE Experience > 8;  
63 • SELECT *  
64 FROM Hostel_Block  
65 WHERE TotalRooms > 30;
```

Result Grid

BlockID	BlockName	TotalRooms	FloorCount	WardenID
B01	A Block	40	2	W101
B02	B Block	35	3	W102

6 Hostel_Rooms 77 Hostel_Student 78 Hostel_Student 79 Hostel_Warden 80 Apply Revert

6. Display students whose names end with 'h'.

```
SELECT *  
FROM Hostel_Student  
WHERE StudentName LIKE '%h';
```

SQL File 3* SQL File 3* SQL File 4* SQL File 5* SQL File 6* SQL File 7* x

Limit to 1000 rows

```
60 • SELECT *  
61 FROM Hostel_Warden  
62 WHERE Experience > 8;  
63 • SELECT *  
64 FROM Hostel_Block  
65 WHERE TotalRooms > 30;  
66 • SELECT *  
67 FROM Hostel_Student  
68 WHERE StudentName LIKE '%h';
```

Result Grid

StudentID	StudentName	Gender	DOB	MobileNo	RoomID	Email
201	Lokesh	M	2005-03-15	9876543210	101	lokesh@gmail.com

Hostel_Student 91 Hostel_Student 92 Hostel_Warden 93 Hostel_Block 94 Apply Revert

7. Display students whose names contain 'ra'.

```
SELECT *  
FROM Hostel_Student  
WHERE StudentName LIKE '%ra%';
```

The screenshot shows a SQL IDE window titled 'SQL File 7'. The query editor contains the following SQL code:

```
63 • SELECT *  
64 FROM Hostel_Student  
65 WHERE StudentName LIKE '%ra%';  
66 • SELECT *  
67 FROM Hostel_Student  
68 WHERE StudentName LIKE '%h%';  
69 • SELECT *  
70 FROM Hostel_Student  
71 WHERE StudentName LIKE '%ra%';
```

The 'Result Grid' is visible below the query editor, showing a table with the following data:

StudentID	StudentName	Gender	DOB	MobileNo	RoomID	Email
202	Rahul	M	2004-07-10	9876543211	102	rahul@gmail.com
NULL	NULL	NULL	NULL	NULL	NULL	NULL

The bottom status bar shows the following tabs: Hostel_Student 106, Hostel_Warden 107, Hostel_Block 108, Hostel_Student 109, Hosts, Apply, and Revert.

8. Display rooms whose block names contain 'Block'.

```
SELECT *  
FROM Hostel_Rooms  
WHERE BlockName LIKE '%Block%';
```

The screenshot shows a SQL IDE window titled 'SQL File 7'. The query editor contains the following SQL code:

```
66 • SELECT *  
67 FROM Hostel_Student  
68 WHERE StudentName LIKE '%h%';  
69 • SELECT *  
70 FROM Hostel_Student  
71 WHERE StudentName LIKE '%ra%';  
72 • SELECT *  
73 FROM Hostel_Rooms  
74 WHERE BlockName LIKE '%Block%';
```

The 'Result Grid' is visible below the query editor, showing a table with the following data:

RoomID	RoomNumber	BlockName	FloorNo	RoomType	Capacity	OccupiedBeds	RentPerMonth	RoomStatus
101	A101	A Block	1	Single	1	1	3500.00	Available
102	A102	A Block	1	Double	2	1	4500.00	Available
103	B201	B Block	2	Triple	3	2	5500.00	Occupied
NULL	NULL	NULL	NULL	NULL	NULL	NULL	NULL	NULL

The bottom status bar shows the following tabs: Hostel_Warden 122, Hostel_Block 123, Hostel_Student 124, Hostel_Student 125, Hosts, Apply, and Revert.

9. Display students whose names do not contain six letters.

```
SELECT *  
FROM Hostel_Student  
WHERE StudentName NOT LIKE '_____';
```

The screenshot shows a SQL IDE window titled 'SQL File 7'. The query editor contains the following SQL code:

```
69 • SELECT *  
70 FROM Hostel_Student  
71 WHERE StudentName LIKE '%ra%';  
72 • SELECT *  
73 FROM Hostel_Rooms  
74 WHERE BlockName LIKE '%Block%';  
75 • SELECT *  
76 FROM Hostel_Student  
77 WHERE StudentName NOT LIKE '_____';
```

The 'Result Grid' at the bottom displays the results of the last query. It shows a table with 7 columns: StudentID, StudentName, Gender, DOB, MobileNo, RoomID, and Email. The first row is highlighted with a blue background.

StudentID	StudentName	Gender	DOB	MobileNo	RoomID	Email
202	Rahul	M	2004-07-10	9876543211	102	rahul@gmail.com

10. Display wardens whose names contain 'Ra'.

```
SELECT *  
FROM Hostel_Warden  
WHERE WardenName LIKE '%Ra%';
```

The screenshot shows a SQL IDE window titled 'SQL File 7'. The query editor contains the following SQL code:

```
72 • SELECT *  
73 FROM Hostel_Rooms  
74 WHERE BlockName LIKE '%Block%';  
75 • SELECT *  
76 FROM Hostel_Student  
77 WHERE StudentName NOT LIKE '_____';  
78 • SELECT *  
79 FROM Hostel_Warden  
80 WHERE WardenName LIKE '%Ra%';
```

The 'Result Grid' at the bottom displays the results of the last query. It shows a table with 5 columns: WardenID, WardenName, Gender, MobileNo, and Experience. The first row is highlighted with a blue background.

WardenID	WardenName	Gender	MobileNo	Experience
W101	Mr. Ravi	M	9876501111	15

RESULT

The records were successfully retrieved from the Hostel Management System tables using the SELECT statement with WHERE clause and LIKE operator.