

Server Setup (Backend)

Step 1: Create the Project Folder

Create a folder named:

Complaint-Management-System

Inside it, create another folder:

backend

Folder structure:

Complaint-Management-System

```
|  
├── client  
└── backend
```

Step 2: Open Backend Folder

Open Terminal (VS Code).

```
cd Complaint-Management-System  
cd backend
```

Step 3: Initialize Node Project

Run:

```
npm init -y
```

This creates:

```
package.json
```

Step 4: Install Required Packages

Install the dependencies.


```
npm install express mongoose dotenv cors bcryptjs jsonwebtoken multer express-validator
```

Install Nodemon (development dependency).

```
npm install --save-dev nodemon
```

Step 5: Create Backend Folder Structure

backend



Step 6: Create Environment File

Create

.env

Add:

PORT=5000

MONGO_URI=mongodb://127.0.0.1:27017/ComplaintDB

JWT_SECRET=mysecretkey

Step 7: Configure MongoDB Connection

Create

config/db.js

```
const mongoose = require("mongoose");
```

```
const connectDB = async () => {  
  try {  
    const conn = await mongoose.connect(process.env.MONGO_URI);  
  
    console.log(`MongoDB Connected: ${conn.connection.host}`);  
  } catch (error) {  
    console.log(error.message);  
    process.exit(1);  
  }  
};
```

```
module.exports = connectDB;
```

Step 8: Create server.js

```
const express = require("express");
```

```
const dotenv = require("dotenv");
```

```
const cors = require("cors");
```

```
const connectDB = require("./config/db");
```

```
dotenv.config();

connectDB();

const app = express();

app.use(cors());

app.use(express.json());

app.get("/", (req, res) => {
  res.send("Complaint Management API Running...");
});

const PORT = process.env.PORT || 5000;

app.listen(PORT, () => {
  console.log(`Server Running on Port ${PORT}`);
});
```

Step 9: Update package.json

Replace the scripts section with:

```
"scripts": {
  "start": "node server.js",
  "dev": "nodemon server.js"
}
```

Step 10: Start MongoDB

Make sure MongoDB is running.

If using MongoDB Compass, ensure the local server is started.

Connection string:

```
mongodb://127.0.0.1:27017/ComplaintDB
```

Step 11: Run the Backend Server

npm run dev

Expected output:

Server Running on Port 5000
MongoDB Connected: 127.0.0.1

Step 12: Test the Server

Open your browser and visit:

<http://localhost:5000>

You should see:

Complaint Management API Running...

Final Backend Structure

backend

