Tenant Acceptance Test Plan — Suparna Dey Platform

> **Audience:** Suparna Dey Platform operations team **When to run:** every time a new tenant is spun up, before you flip them from *ONBOARDING* to *LIVE* in the Super Admin portal. **How to run:** work top-to-bottom, tick each box as you pass a case. If any P0 or P1 case fails, stop and get engineering — do NOT go live. **Expected time:** 60–90 minutes for the full run.
>
> Legend: **P0** = blocks launch · **P1** = must fix within 24 hours · **P2** = fix within 1 week

0 · Pre-flight

Fill in these values before you start. Everything else in the plan references them.

Field	Value
Tenant slug	`<slug>`
Tenant name	`<Display Name>`
Preview URL	`https://<slug>-preview.emergent.host`
Production URL	`https://<slug>.emergent.host` (fill after §11)
`ADMIN_EMAIL` / `ADMIN_PASSWORD`	(from `generate_tenant_secrets.py`)
`REVIEWER_EMAIL` / `REVIEWER_PASSWORD`	(from `generate_tenant_secrets.py`)
Delivery driver test account	`delivery@<tenant-domain>` / `<password>`
`platform.tenant_id` in Super Admin	`tnt_<slug>`
Google Maps key restricted for this tenant?	□ Yes
Seed data imported?	□ Yes □ Skipped

Devices you'll need: - □ Laptop with a modern browser (Chrome / Safari) - □ One real iOS device (for TestFlight verification later, §13) - □ One real Android device (for `.APK` sideload verification, §13)

---

1 · Infrastructure & boot health · P0

#	Case	How to run	Expected	Pass
INF-01	Backend health	`curl <preview>/api/`	`{"message": ... }` 200 OK, no exception	□
INF-02	MongoDB connected	Watch backend logs on Emergent → look for `indexes ready` on startup	Present, no `ServerSelectionTimeoutError`	□
INF-03	Expo web bundles	Open preview URL in browser	Page renders < 5 s, no red-screen error overlay	□
INF-04	No unhandled exceptions on boot	Scroll last 200 lines of backend logs	No `Traceback`, no `ERROR` lines	□
INF-05	Frontend uses HTTPS	Browser address bar shows a padlock	Locked, no mixed-content warnings in DevTools console	□
INF-06	`/api/brand` returns tenant config	`curl <preview>/api/brand`	JSON has correct `name`, `currency`, `timezone`	□

---

2 · Branding verification · P0

Open the preview URL in the browser. Take a screenshot of every screen listed below and confirm each item.

#	Screen	Check	Pass
BRD-01	Customer home (`/`)	Logo displayed top-left is the **tenant's** logo, not Curry & Co.	☐
BRD-02	Customer home	Brand name in header matches `brand.json → name`	☐
BRD-03	Customer home	Tagline matches intake form B.1	☐
BRD-04	All screens	Primary color is the auto-derived hex (or the manual override from intake)	☐
BRD-05	Splash screen	Reload — the splash shown while the JS bundle loads matches the tenant	☐
BRD-06	Browser tab	Title bar shows tenant name	☐
BRD-07	Favicon	Small icon in browser tab is tenant's logo, not the default Expo icon	☐
BRD-08	Admin login (`/admin`)	Header logo + name are tenant-branded	☐
BRD-09	Currency	Every price shows the correct symbol (e.g. `CA$` , `$` , `₹`)	☐
BRD-10	Timezone	Order timestamps in Admin match the tenant's timezone, not UTC	☐
BRD-11	Legal footer	Legal name + support email match `brand.json`	☐
BRD-12	Delete-account modal	Warning text mentions the tenant's brand, not Curry & Co.	☐

3 · Customer app · P0

3.1 · Guest browsing (no login) · P0

#	Case	How to run	Expected	Pass
CUS-01	Menu loads	Home → scroll the current-week menu	≥ 1 item visible with photo, name, price	□
CUS-02	Upcoming week	Tap "Upcoming" tab	Shows next week's menu OR a "menu coming soon" empty state	□
CUS-03	History	Tap "History" tab	Shows past weeks or an appropriate empty state	□
CUS-04	Item detail	Tap any item	Modal / page opens with description, price, quantity picker	□
CUS-05	Add to cart	Tap "Add to cart" on any item	Cart icon badge increments; toast confirms	□
CUS-06	Cart view	Open cart	Item, quantity, subtotal all correct	□
CUS-07	Increase / decrease qty	Use +/- in cart	Subtotal updates instantly, no UI lag	□
CUS-08	Remove item	Swipe / tap trash on cart line	Item disappears, subtotal recalculates	□
CUS-09	Empty cart state	Remove last item	Cart shows empty illustration + "back to menu" CTA	□
CUS-10	Combo picker	Add a weekly-combo item	Combo picker modal appears, all sub-choices required before adding	□
CUS-11	Catering	Open Catering tab	≥ 1 package visible (if seeded); each shows description + price	□

3.2 · Address & delivery zone · P0

#	Case	How to run	Expected	Pass
CUS-20	Address autocomplete	Checkout → start typing an address in the tenant's service area	Google dropdown appears with suggestions within 500 ms	☐
CUS-21	Autocomplete style	Suggestions are styled to match tenant color scheme	Primary color used for highlight	☐
CUS-22	Pick address	Tap a suggestion	Address fields populate; map preview centers on the pin	☐
CUS-23	Manual entry fallback	Toggle "enter manually"	All fields editable, no autocomplete required	☐
CUS-24	Out-of-zone address	Enter an address obviously outside the service area	Error: "we don't deliver to this address" — order blocked	☐
CUS-25	Delivery fee	Confirm order shows the fee from `settings.default_delivery_fee_cents`	Displayed correctly, taxable if configured	☐
CUS-26	Minimum order	Try to check out with subtotal below `minimum_order_cents`	Blocked with "add $X more to check out" message	☐
CUS-27	Delivery slot picker	Only shows days that match `settings.delivery_days`	E.g. weekends only if configured	☐
CUS-28	Order cut-off	Set device clock past cut-off, retry	Same-week order blocked; next-week option offered	☐

3.3 · Coupons & loyalty · P1

#	Case	How to run	Expected	Pass
CUS-30	Valid coupon	Enter `WELCOME10` at checkout	10% off applied, subtotal updates	☐
CUS-31	Min-subtotal not met	Enter `BENGALI15` with cart < $50	Rejected with clear message	☐
CUS-32	Invalid coupon	Enter `NOTREAL`	Rejected with "invalid code"	☐
CUS-33	Loyalty points display	Log in → account	Balance shown (0 or seeded value)	☐
CUS-34	Loyalty earn	Place a paid order	Balance increases by the configured rate after order fulfilled	☐

3.4 · Authentication · P0

#	Case	How to run	Expected	Pass
AUTH-01	Guest checkout	Place an order without logging in	Prompts for email/name only; order created with `guest.<tenant-domain>` email prefix	☐
AUTH-02	Google Sign-In	Tap "Sign in with Google"	OAuth popup opens; after success user is landed on home logged in	☐
AUTH-03	Session persistence	Reload the page after login	Still logged in	☐
AUTH-04	Logout	Profile → sign out	Back to guest state; `/api/auth/me` returns 401	☐
AUTH-05	Expired token	Wait 8 days (or DB-hack the expires_at) → refresh	Silent logout; redirected to login on next authed action	☐
AUTH-06	Delete account	Profile → delete account → confirm modal	Modal copy mentions tenant name (see BRD-12); after confirm, user is logged out and cannot log back in with same email	☐

3.5 · Payment methods · P0

#	Case	How to run	Expected	Pass
PAY-01	COD selected	Checkout → cash on delivery	Order placed, status = "confirmed"	□
PAY-02	Interac selected	Checkout → Interac e-transfer	Order placed; confirmation shows the tenant's e-transfer instructions from `settings`	□
PAY-03	Stripe temporarily disabled	Try selecting "Credit card"	UI clearly says "temporarily unavailable" OR the option is hidden — no 500 error	□
PAY-04	Order in DB	Admin → Orders → find the just-placed order	Present with correct total, items, address	□
PAY-05	Order confirmation email	Check inbox of the customer email	Email received within 60 s, contains order summary + branding	□
PAY-06	Order confirmation email — brand	Open the email	Sender name = `EMAIL_FROM_NAME`; no "Curry & Co." references	□

3.6 · Order tracking · P1

#	Case	How to run	Expected	Pass
TRK-01	Order list	Customer → My Orders	Latest order at the top with status badge	□
TRK-02	Order detail	Tap the order	Shows timeline (placed → preparing → out for delivery → delivered)	□
TRK-03	Live map	Once a driver accepts → open order detail	Map with driver pin + ETA visible	□
TRK-04	ETA ticking	Wait 30 s on the tracking screen	ETA re-calculates, driver pin moves if driver is actually moving	□
TRK-05	Arrival banner	Driver marks "arrived"	Banner: "Your driver has arrived" appears	□
TRK-06	Delivered state	Driver marks delivered	Timeline shows checkmark; loyalty points credited	□

---

4 · Admin portal · P0

Log in at `/admin` with `ADMIN_EMAIL` / `ADMIN_PASSWORD`.

4.1 · Dashboard · P0

#	Case	How to run	Expected	Pass
ADM-01	Login works	Enter creds	Redirects to `/admin/dashboard`	□
ADM-02	Bad password	Enter wrong password	Clear error "Invalid credentials", not a 500	□
ADM-03	Stats load	Dashboard	GROSS REVENUE, ALL ORDERS, ACTIVE NOW, DELIVERED, CUSTOMERS visible with real numbers	□
ADM-04	Stat cards clickable	Not required, but if any card links to a filtered view — try each	Correct list loads	□
ADM-05	Sidebar has Billing entry	Left nav	"Billing" visible between Delivery and Settings (added in Phase 3)	□
ADM-06	Sign out	Sidebar → Sign out	Back to `/admin` login	□

4.2 · Master Menu · P0

#	Case	How to run	Expected	Pass
ADM-10	List	Master Menu tab	≥ 1 item if seeded, otherwise empty state with "add first item" CTA	□
ADM-11	Create item	Add item → fill name, price, description, image	Item appears in list within 1 s	□
ADM-12	Edit item	Tap any item → change price	New price persisted, no reload needed	□
ADM-13	Delete item	Tap trash	Confirm modal, then item removed	□
ADM-14	Duplicate	Duplicate button on an item	Copy created with " (copy)" suffix	□
ADM-15	Image upload	Attach a photo when creating	Image visible in item card	□
ADM-16	Bulk actions	Multi-select items → bulk publish/unpublish	Applies to all selected	□

4.3 · Weekly Menu · P0

#	Case	How to run	Expected	Pass
ADM-20	Current week	Weekly Menu → this week	Items listed	☐
ADM-21	Publish next week	Add items → set `week_start`	Items visible in customer app "Upcoming" tab	☐
ADM-22	Change ordering	Drag-reorder items	Order persists after page reload	☐
ADM-23	Unpublish week	Toggle publish off	Customer "Current" tab shows the previous week or a "no menu" state — not a broken screen	☐
ADM-24	Delete week	Delete a week's menu	Confirmation required; removed from list	☐

4.4 · Orders · P0

#	Case	How to run	Expected	Pass
ADM-30	Order list	Orders tab	Latest order at top, sortable	□
ADM-31	Filter by status	Filter dropdown → "delivered"	Only delivered orders show	□
ADM-32	Order detail	Tap an order	Full detail: items, customer info, address, total, status timeline	□
ADM-33	Status transition	Change status confirmed → preparing → out for delivery → delivered	Each transition succeeds; customer app reflects within 30 s	□
ADM-34	Refund	On a paid order → refund	Refund recorded; order marked refunded	□
ADM-35	New Order (admin)	Orders → New Order	Full order-creation flow works with customer picker + item picker + address entry	□
ADM-36	Print / share receipt	If a print button exists — try it	Opens a print dialog with a clean, brand-styled receipt	□

4.5 · Customers · P1

#	Case	How to run	Expected	Pass
ADM-40	Customer list	Customers tab	All registered users listed with created_at, order count	□
ADM-41	Customer detail	Tap a row	Profile, addresses, order history, loyalty balance	□
ADM-42	Credit loyalty	Add loyalty points to a customer	Balance updates; customer sees new balance on next login	□
ADM-43	Search / filter	Search by email	Instant match	□

4.6 · Delivery · P0

#	Case	How to run	Expected	Pass
ADM-50	Driver list	Delivery tab	≥ 1 driver if seeded	□
ADM-51	Invite driver	Add driver → email + phone	Driver created; can log in at `/delivery-partner`	□
ADM-52	Deactivate driver	Toggle active off	Driver's login blocked	□
ADM-53	Assign order	On an unassigned order → assign to driver	Order appears in driver's app	□

4.7 · Settings · P1

#	Case	How to run	Expected	Pass
ADM-60	Load settings	Settings tab	Business name, phone, email, delivery days, tax rate all populated	□
ADM-61	Edit business hours	Change operating hours	Persisted; customer sees updated hours in the app footer	□
ADM-62	Change delivery fee	Set new default	Next order at checkout uses new fee	□
ADM-63	Change tax rate	Toggle tax on/off	Tax line appears/disappears on customer checkout	□
ADM-64	Delivery areas	Edit areas	Autocomplete on customer app respects the new areas	□
ADM-65	Save button feedback	Save with intentional bad input (empty required field)	Inline validation error, no data loss	□

4.8 · Billing (Phase 3) · P0

#	Case	How to run	Expected	Pass
BIL-01	Billing tab loads	Admin → Billing	Renders without error	☐
BIL-02	Coming-soon state	If hub not yet ready	"Billing is coming soon" empty state	☐
BIL-03	Plan card	If hub is ready	Plan name + $/month + status badge	☐
BIL-04	Subscribe CTA	On a `none` status → tap Subscribe	Opens Stripe Checkout in new tab	☐
BIL-05	Complete checkout	Use test card `4242 4242 4242 4242`	Returns to Billing tab; status flips to ACTIVE within 60 s	☐
BIL-06	Manage billing	On active sub → tap Manage billing	Opens Stripe Customer Portal	☐
BIL-07	Update card	In portal → update to another test card	Portal confirms; Billing tab card row updates	☐
BIL-08	Invoice list	Return to Billing tab	≥ 1 invoice row with amount, date, status, "View" link	☐
BIL-09	Force refresh	Pull-to-refresh (or web equivalent)	`GET /admin/billing/summary?force=true` fires; fresh data	☐
BIL-10	Cancel flow	Portal → cancel	Status flips to `canceled` or `cancel_at_period_end`	☐

---

5 · Delivery partner app · P0

Log in at `/delivery-partner` with the delivery driver credentials.

#	Case	How to run	Expected	Pass
DLV-01	Login	Enter driver email + password	Redirected to active orders queue	□
DLV-02	Bad password	Wrong password	Clear error, not a 500	□
DLV-03	Deactivated driver	Deactivate via Admin (ADM-52) → try login	Blocked with "your account is inactive"	□
DLV-04	Active orders	Home	Only orders assigned to this driver, sorted by delivery time	□
DLV-05	Accept order	Tap Accept	Order status = "picked up"; disappears from unassigned list for other drivers	□
DLV-06	Live GPS	On the accepted order screen — allow location permission	Driver location broadcasted; visible on customer app's live map	□
DLV-07	Location permission denied	Deny permission	App still usable; a friendly banner asks to enable in Settings	□
DLV-08	Mark delivered	Tap Delivered	Order removed from active list; customer sees "delivered"	□
DLV-09	History	View past deliveries	Shows list with totals	□
DLV-10	Log out	Sign out	Session cleared	□

6 · SaaS phone-home & platform gates · P0

These prove the tenant is correctly wired into the Suparna Dey Platform.

#	Case	How to run	Expected	Pass
SAAS-01	Poller connected	`curl <preview>/api/platform/status`	`known: true`, `operational: true`, `subscription_status` set	☐
SAAS-02	5-min cadence	Wait 6 min → curl again	`checked_at` advanced	☐
SAAS-03	Banner hidden when active	Admin dashboard	No red platform banner visible	☐
SAAS-04	Suspend tenant	In Super Admin → set this tenant to `past_due`	Within 5 min: banner appears in Admin portal	☐
SAAS-05	Checkout blocked	While suspended, place a customer order	`/api/orders` returns 402 with "restaurant owner missed billing" message	☐
SAAS-06	Driver login blocked	While suspended, try DLV-01	`/api/delivery/login` returns 402	☐
SAAS-07	Restore	Set tenant back to `active` in Super Admin	Within 5 min: banner disappears, orders + logins succeed	☐
SAAS-08	Wrong API key	Rotate api_key in Super Admin but don't update tenant	Within 5 min: banner shows "Tenant credentials rejected"	☐
SAAS-09	Restore API key	Update `brand.json` back to the correct key → restart backend	Banner clears	☐

7 · Integrations end-to-end · P0/P1

#	Case	How to run	Priority	Expected	Pass
INT-01	Google Places autocomplete	Any address field in the customer app	P0	Suggestions appear; no JS console 403/ OVER_QUERY_LIMIT	□
INT-02	Google Geocoding	Pick an address	P0	lat/lng populated on the order document (check Admin → Order detail)	□
INT-03	Google Directions	Live tracking screen	P1	Route polyline drawn from kitchen → destination	□
INT-04	Google Maps SDK	Live tracking screen	P0	Map tiles load, no gray blocks / "for development purposes only" watermark	□
INT-05	Email delivery	Place order → check inbox	P0	Order confirmation email arrives < 60 s	□
INT-06	Email deliverability	Open email headers	P1	SPF/DKIM checks pass (green in Gmail's "show original")	□
INT-07	LLM (if any AI features)	Trigger the feature	P2	Response within 15 s; content is coherent	□
INT-08	Image gen (if used)	Trigger the feature	P2	Image returned within 30 s	□
INT-09	SMS OTP (if enabled)	Login by phone	P1	SMS received < 60 s from the tenant's `MG...` messaging service	□
INT-10	Push notifications	Native build only (Expo Go won't show these)	P1	Push received on order status change; tapping opens the order	□

Note: INT-10 can only be verified against a **native build** (TestFlight or `.APK`). Expo Go and the web preview cannot receive push notifications.

8 · Security & abuse resistance · P1

#	Case	How to run	Expected	Pass
SEC-01	Admin JWT required	`curl <preview>/api/admin/menus` (no token)	401 Unauthorized	□
SEC-02	Admin JWT tampered	Change one char of the token → curl	401	□
SEC-03	Rate limit on login	Hit `/api/admin/login` with wrong password 10× in a row	Blocked or throttled	□
SEC-04	CORS locked	From browser DevTools: `fetch('<preview>/api/admin/menus', {credentials:'omit'})` from a different origin	Blocked with CORS error	□
SEC-05	No secrets in the frontend bundle	`curl <preview>` → grep for `sk_`, `AIzaSy`, `MG`	No live secret keys appear (only `EXPO_PUBLIC_*` values, which are ok)	□
SEC-06	Delivery driver can't access admin	Log in as driver → try `/admin`	Redirected to `/admin` login screen	□
SEC-07	Customer can't hit driver routes	Log in as customer → curl `/api/delivery/orders` with their token	401 or 403	□
SEC-08	Passwords are hashed	Check MongoDB `admins` collection	`password_hash` present, plain `password` absent	□

9 · Edge cases · P1

#	Case	How to run	Expected	Pass
EDG-01	Empty current-week menu	Admin → unpublish current week	Customer home shows friendly empty state, not a spinner forever	□
EDG-02	Zero inventory	Set an item's stock/ quantity to 0 (if the feature is on)	Item disabled with "sold out" badge; can't add to cart	□
EDG-03	Massive cart	Add 50 items to cart	Cart still opens; totals compute in < 1 s	□
EDG-04	Slow network	DevTools → throttle to Slow 3G	Loading spinners appear appropriately; no timeouts under 30 s	□
EDG-05	Offline behavior	Turn off network mid-checkout	Clear "no connection" toast; order not silently lost	□
EDG-06	Restart during checkout	Reload the page mid-checkout	Cart is preserved (from AsyncStorage)	□
EDG-07	Very long name	Register a user with a 200-char name	Truncated in UI, saved in DB, no layout break	□
EDG-08	Special chars in name	Use emojis + accented chars	Stored + rendered correctly, no encoding issues in emails	□
EDG-09	Wrong-timezone edge	Place an order at 11:55 PM local	Shows correct day in Admin (tenant's timezone, not UTC)	□
EDG-10	Multiple tabs open	Log into admin in two tabs → change status in one	Other tab reflects change on next action (no stale-state crash)	□

10 · Performance smoke · P1

Run each with browser DevTools → Network tab open, cache disabled.

#	Metric	Target	Measured	Pass
PRF-01	Home page — first meaningful paint	< 3 s on cable	___ s	□
PRF-02	`/api/menu/current` response time	< 400 ms cold	___ ms	□
PRF-03	`/api/orders` (auth'd, 10 orders)	< 500 ms	___ ms	□
PRF-04	Cart open → item detail transition	< 200 ms	___ ms	□
PRF-05	Admin dashboard stats load	< 800 ms	___ ms	□
PRF-06	Bundle size	Main JS chunk < 3 MB gzipped	___ MB	□

If any target is missed by > 2× — flag to engineering, don't block launch.

---

11 · Production deploy · P0

Only run after the sections above all pass on **preview**.

#	Case	How to run	Expected	Pass
PROD-01	Publish	Emergent → Publish button	Build completes without error (~2–5 min)	☐
PROD-02	Prod URL accessible	Open the assigned emergent.host URL	Same experience as preview	☐
PROD-03	HTTPS enforced	Try `http://` version	Auto-redirects to `https://`	☐
PROD-04	`PUBLIC_BASE_URL` set	Env panel	Set to the prod URL; redeploy	☐
PROD-05	Google Maps allow-list	The prod domain is in the API key's HTTP referrers	Confirmed in Google Cloud console	☐
PROD-06	Prod emails work	Place an order on prod	Confirmation email arrives, contains the prod URL not the preview URL	☐
PROD-07	Prod SaaS status	curl `<prod>/api/platform/status`	Same as SAAS-01 but from prod	☐

12 · iOS build & TestFlight · P0 (when publishing to App Store)

#	Case	How to run	Expected	Pass
IOS-01	Build succeeds	Emergent → Generate iOS build	`.ipa` produced without errors	☐
IOS-02	Bundle IDs match	Check the `.ipa` metadata	`com.<slug>.customer` (and delivery variant)	☐
IOS-03	TestFlight upload	Emergent submits automatically	Apple's automated processing succeeds (5–30 min)	☐
IOS-04	Install on device	Install via TestFlight	App opens, splash + home render	☐
IOS-05	Native permissions prompt	First trigger of camera/ location	System prompt shows the tenant's usage description (from `app.json`), not "Curry & Co."	☐
IOS-06	Deep link	Tap an `<slug>://order/<id>` link	Opens the correct order screen	☐
IOS-07	Push received	Send a test push from Admin → order status change	Notification appears on the device	☐
IOS-08	Offline behavior	Turn on airplane mode → open the app	Cached menu visible; clear no-network banner	☐
IOS-09	Sign-in-with-Apple	If enabled — try it	Works or is hidden per app.json config	☐
IOS-10	Delete account visible	Profile → delete account	Present and functional (Apple requires this for review)	☐

13 · Android build & sideload · P0 (when publishing to Play Store)

#	Case	How to run	Expected	Pass
AND-01	Build succeeds	Emergent → Generate Android build	`.APK` + `.AAB` produced	☐
AND-02	Package names match	Inspect `.APK` with `aapt dump badging`	`com.<slug>.customer` etc.	☐
AND-03	Install on device	`adb install app.apk` (or open from file manager)	App launches	☐
AND-04	Runtime permissions	First trigger camera/ location	System prompt correct	☐
AND-05	Adaptive icon	Home screen	Shows the tenant's adaptive icon (foreground + background)	☐
AND-06	Back button behavior	Navigate deep → hardware back	Correct back stack, no crash	☐
AND-07	Deep link	Fire an intent with `<slug>://order/<id>`	Opens the app to the order	☐
AND-08	Push received	Test push	Notification appears with correct icon	☐
AND-09	Data safety	Play Console → Data safety	Filled out correctly (email, address, order history)	☐

14 · Store submission checklist · P0

#	Case	Pass
SUB-01	Reviewer credentials shared with Apple & Google	□
SUB-02	Reviewer notes explain "Continue as guest" flow	□
SUB-03	Screenshots — 6.7", 6.5", 5.5" for iOS	□
SUB-04	Screenshots — phone + 7"/10" tablet for Android	□
SUB-05	Privacy policy URL published (tenant's or platform default)	□
SUB-06	Terms of service URL published	□
SUB-07	Support URL published	□
SUB-08	Age rating filled (usually 4+ / PEGI 3)	□
SUB-09	Export compliance answered (usually "no encryption beyond HTTPS")	□
SUB-10	App description proofread — no "Curry & Co." references	□

15 · Sign-off

Sign this section only if **every P0 case above passes** AND all P1 failures have been documented + accepted by the tenant owner.

Role	Name	Signature	Date
Ops lead			
Engineering			
Tenant owner			

Failures log — list every non-passing case + resolution plan:

Case ID	Failure summary	Priority	Owner	Due	Resolved?
					☐
					☐
					☐

Once signed, mark the tenant **LIVE** in the Super Admin portal and move them from onboarding to steady-state ops (see `TENANT_ONBOARDING_OPS.md` §12).

Appendix A · Quick-run 15-min smoke

When you don't have 90 minutes (e.g. re-testing after a hotfix), run just these 15 cases:

INF-01, INF-06 · BRD-01, BRD-08 · CUS-01, CUS-05, CUS-20, PAY-01, PAY-05 · ADM-01, ADM-03, ADM-30, BIL-01 · DLV-01, DLV-05 · SAAS-01

If all 15 pass, you're > 90% likely the tenant is healthy. Schedule the full plan for the next business day regardless.

Appendix B · Test data helpers

- `POST /api/dev/seed` — populates current week + 2 future weeks + catering + coupons. Safe to re-run.
- Seed coupons: `WELCOME10` (10% off, min $20), `BENGALI15` (15% off, min $50), `MISHTI5` ($5 off, min $30).
- Stripe test card for BIL-04: `4242 4242 4242 4242` · any future expiry · any CVC.
- Alternate test card that DECLINES (for BIL failure paths): `4000 0000 0000 0002`.

Appendix C · When to call engineering

Any single P0 fail + no obvious cause after 15 min of investigation. Also call if: - Backend logs contain unbounded traceback loops. - Any endpoint returns 500 (not 4xx) on a valid request. - MongoDB connection drops mid-test. - Google Maps returns `REQUEST_DENIED` or `OVER_QUERY_LIMIT` and the key is verified correct. - The SaaS phone-home poller stops updating `checked_at` for > 15 min.