

```
KIIT0001@KIIT00001 MINGW64 ~  
$ git config --global user.name "Suravi Sahu"
```

```
KIIT0001@KIIT00001 MINGW64 ~  
$ git config --global user.email "suravisahu05@gmail.com"
```

```
KIIT0001@KIIT00001 MINGW64 ~  
$ git config --list  
diff.astextplain.textconv=astextplain  
filter.lfs.clean=git-lfs clean -- %f  
filter.lfs.smudge=git-lfs smudge -- %f  
filter.lfs.process=git-lfs filter-process  
filter.lfs.required=true  
http.sslbackend=schannel  
core.autocrlf=true  
core.fscache=true  
core.symlinks=false  
pull.rebase=false  
credential.helper=manager  
credential.https://dev.azure.com.usehttppath=true  
init.defaultbranch=master  
user.name=Suravi Sahu  
user.email=suravisahu05@gmail.com
```

```
KIIT0001@KIIT00001 MINGW64 ~  
$ cd Desktop
```

```
KIIT0001@KIIT00001 MINGW64 ~/Desktop  
$ mkdir MyFirstRepo
```

```
KIIT0001@KIIT00001 MINGW64 ~/Desktop  
$ cd MyFirstRepo
```

```
KIIT0001@KIIT00001 MINGW64 ~/Desktop/MyFirstRepo  
$ git init  
Initialized empty Git repository in C:/Users/KIIT0001/Desktop/MyFirstRepo/.git/
```

```
KIIT0001@KIIT00001 MINGW64 ~/Desktop/MyFirstRepo (master)  
$ echo "Hello Git" > sample.txt
```

```
KIIT0001@KIIT00001 MINGW64 ~/Desktop/MyFirstRepo (master)
$ git status
On branch master

No commits yet

Untracked files:
  (use "git add <file>..." to include in what will be committed)
    sample.txt

nothing added to commit but untracked files present (use "git add" to track)

KIIT0001@KIIT00001 MINGW64 ~/Desktop/MyFirstRepo (master)
$ git add sample.txt
warning: in the working copy of 'sample.txt', LF will be replaced by CRLF the next time Git touches it

KIIT0001@KIIT00001 MINGW64 ~/Desktop/MyFirstRepo (master)
$ git commit -m "Add sample.txt"
[master (root-commit) 4e1ee55] Add sample.txt
 1 file changed, 1 insertion(+)
 create mode 100644 sample.txt

KIIT0001@KIIT00001 MINGW64 ~/Desktop/MyFirstRepo (master)
$ cd ~/Desktop

KIIT0001@KIIT00001 MINGW64 ~/Desktop
$ mkdir GitDemo1

KIIT0001@KIIT00001 MINGW64 ~/Desktop
$ cd GitDemo1
```

```
remote: Enumerating objects: 3, done.
remote: Counting objects: 100% (3/3), done.
remote: Compressing objects: 100% (2/2), done.
remote: Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
Unpacking objects: 100% (3/3), 2.72 KiB | 86.00 KiB/s, done.
From https://gitlab.com/suravi-learning/gitdemo1
 * branch            main      -> FETCH_HEAD
 * [new branch]      main      -> origin/main
Merge made by the 'ort' strategy.
 README.md | 93 ++++++++++++++++++++++++++++++++++++++++++++++++++++++++++++++++++++++
 1 file changed, 93 insertions(+)
 create mode 100644 README.md
```

```
KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo1 (main)
$ git push -u origin main
Enumerating objects: 6, done.
Counting objects: 100% (6/6), done.
Delta compression using up to 12 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (5/5), 534 bytes | 267.00 KiB/s, done.
Total 5 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://gitlab.com/suravi-learning/gitdemo1.git
   c0b5962..1703ba4  main -> main
branch 'main' set up to track 'origin/main'.
```

```
KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo1 (main)
$ notepad++
bash: notepad++: command not found
```

```
MINGW64/c/Users/KIIT0001
KIIT0001@KIIT00001 MINGW64 ~
$ notepad++
git config --global core.editor "notepad++.exe -multiInstnosession"
git config --global core.editor "notepad++.exe -multiInstnosession"

KIIT0001@KIIT00001 MINGW64 ~
$ git config --global core.editor "notepad++.exe -multiInstnosession"e

KIIT0001@KIIT00001 MINGW64 ~
$ git config --global core.editor "notepad++.exe -multiInst -nosession"

KIIT0001@KIIT00001 MINGW64 ~
$ git config --global -e

KIIT0001@KIIT00001 MINGW64 ~
$ git config --global -e
hint: waiting for your editor to close the file... |
```

```
C:\Users\KIIT0001\gitconfig - Notepad++
File Edit Search View Encoding Language Settings Tools Macro Run Plugins Window ? +
. gitconfig
1 [user]
2   name = Suravi Sahu
3   email = suravisahu05@gmail.com
4 [core]
5   editor = notepad++.exe -multiInst -nosession
6
```



```
❯ MINGW64 ~/C:/Users/KIIT0001/Desktop/GitDemo2
KIIT0001@KIIT00001 MINGW64 ~
$ git config --global -e

KIIT0001@KIIT00001 MINGW64 ~
$ cd ~/Desktop

KIIT0001@KIIT00001 MINGW64 ~/Desktop
$ git init GitDemo2
Initialized empty Git repository in C:/Users/KIIT0001/Desktop/GitDemo2/.git/

KIIT0001@KIIT00001 MINGW64 ~/Desktop
$ cd GitDemo2

KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo2 (master)
$ ls -al
total 16
drwxr-xr-x 1 KIIT0001 197121 0 Jul 27 01:32 ./
drwxr-xr-x 1 KIIT0001 197121 0 Jul 27 01:32 ../
drwxr-xr-x 1 KIIT0001 197121 0 Jul 27 01:32 .git/

KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo2 (master)
$ echo "Welcome to the version control" >> welcome.txt

KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo2 (master)
$ ls -al
total 17
drwxr-xr-x 1 KIIT0001 197121 0 Jul 27 01:32 ./
drwxr-xr-x 1 KIIT0001 197121 0 Jul 27 01:32 ../
drwxr-xr-x 1 KIIT0001 197121 0 Jul 27 01:32 .git/
-rw-r--r-- 1 KIIT0001 197121 31 Jul 27 01:32 welcome.txt

KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo2 (master)
$ cat welcome.txt
Welcome to the version control

KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo2 (master)
$ git status
On branch master

No commits yet

Untracked files:
  (use "git add <file>..." to include in what will be committed)
    welcome.txt

nothing added to commit but untracked files present (use "git add" to track)

KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo2 (master)
```

```
KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo2 (master)
$ git commit
On branch master

Initial commit

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        welcome.txt

nothing added to commit but untracked files present (use "git add" to track)

KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo2 (master)
$ git status
On branch master

No commits yet

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        welcome.txt

nothing added to commit but untracked files present (use "git add" to track)

KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo2 (master)
$ git remote add origin https://gitlab.com/suravi-learning/gitdemo1.git

KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo2 (master)
$ git pull origin main --allow-unrelated-histories
remote: Enumerating objects: 8, done.
remote: Counting objects: 100% (8/8), done.
remote: Compressing objects: 100% (5/5), done.
remote: Total 8 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
Unpacking objects: 100% (8/8), 3.21 KiB | 56.00 KiB/s, done.
From https://gitlab.com/suravi-learning/gitdemo1
 * branch            main       -> FETCH_HEAD
 * [new branch]      main       -> origin/main
git push git push git push
KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo2 (master)
$ git push origin main
error: src refspec main does not match any
error: failed to push some refs to 'https://gitlab.com/suravi-learning/gitdemo1.git'

KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo2 (master)
$ git add welcome.txt
warning: in the working copy of 'welcome.txt', LF will be replaced by CRLF the next time Git touches it
```

```
MINGW64:/c/Users/KIIT0001/Desktop/GitDemo2
* branch          main      -> FETCH_HEAD
* [new branch]    main      -> origin/main
git push git push git push
KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo2 (master)
$ git push origin main
error: src refspec main does not match any
error: failed to push some refs to 'https://gitlab.com/suravi-learning/gitdemo1.git'

KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo2 (master)
$ git add welcome.txt
warning: in the working copy of 'welcome.txt', LF will be replaced by CRLF the next time Git touches it

KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo2 (master)
$ git commit
Aborting commit due to empty commit message.

KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo2 (master)
$ git status
On branch master
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        new file:   welcome.txt

KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo2 (master)
$ git push origin master:main
error: src refspec master:main does not match any
error: failed to push some refs to 'https://gitlab.com/suravi-learning/gitdemo1.git'

KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo2 (master)
$ git commit
[master 5870b1f] Add welcome.txt
1 file changed, 1 insertion(+)
create mode 100644 welcome.txt

KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo2 (master)
$ git push origin master:main
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 12 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 347 bytes | 347.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://gitlab.com/suravi-learning/gitdemo1.git
  1703ba4..5870b1f  master -> main

KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo2 (master)
$ |
```