

```

KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo2 (master)
$ git branch GitNewBranch

KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo2 (master)
$ git branch -a
  GitNewBranch
* master
  remotes/origin/main

KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo2 (master)
$ git checkout GitNewBranch
Switched to branch 'GitNewBranch'

KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo2 (GitNewBranch)
$ echo "This is a feature file" >> feature.txt

KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo2 (GitNewBranch)
$ git add feature.txt
warning: in the working copy of 'feature.txt', LF will be replaced by CRLF the next time Git touches it

KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo2 (GitNewBranch)
$ git commit -m "Add feature.txt to GitNewBranch"
[GitNewBranch 7d3bd8c] Add feature.txt to GitNewBranch
1 file changed, 1 insertion(+)
create mode 100644 feature.txt

KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo2 (GitNewBranch)
$ git status
On branch GitNewBranch
Untracked files:
  (use "git add <file>..." to include in what will be committed)
        .gitignore

nothing added to commit but untracked files present (use "git add" to track)

KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo2 (GitNewBranch)
$ git checkout master
Switched to branch 'master'

KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo2 (master)
$ git diff master GitNewBranch
diff --git a/feature.txt b/feature.txt
new file mode 100644
index 0000000..744e74b
--- /dev/null

```

```

KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo2 (master)
$ git diff master GitNewBranch
diff --git a/feature.txt b/feature.txt
new file mode 100644
index 0000000..744e74b
--- /dev/null
+++ b/feature.txt
@@ -0,0 +1 @@
+This is a feature file

KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo2 (master)
$ git mergetool -t p4merge
No files need merging

KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo2 (master)
$ git merge GitNewBranch
Updating 5870b1f..7d3bd8c
Fast-forward
 feature.txt | 1 +
 1 file changed, 1 insertion(+)
 create mode 100644 feature.txt

KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo2 (master)
$ git log --oneline --graph --decorate
* 7d3bd8c (HEAD -> master, GitNewBranch) Add feature.txt to GitNewBranch
* 5870b1f (origin/main) Add welcome.txt
* 1703ba4 Merge branch 'main' of https://gitlab.com/suravi-learning/gitdemo1
|\
| * c0b5962 Initial commit
| * c5dba01 Add sample.txt

KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo2 (master)
$ git branch -d GitNewBranch
Deleted branch GitNewBranch (was 7d3bd8c).

KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo2 (master)
$ git status
On branch master
Untracked files:
  (use "git add <file>..." to include in what will be committed)
        .gitignore

nothing added to commit but untracked files present (use "git add" to track)

KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo2 (master)
$ |

```

```
KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo2 (master)
$ git status
On branch master
Untracked files:
  (use "git add <file>..." to include in what will be committed)
        .gitignore

nothing added to commit but untracked files present (use "git add" to track)

KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo2 (master)
$ git checkout -b GitWork
Switched to a new branch 'GitWork'

KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo2 (GitWork)
$ echo "<note>Hello from GitWork branch</note>" >> hello.xml

KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo2 (GitWork)
$ git add hello.xml
warning: in the working copy of 'hello.xml', LF will be replaced by CRLF the next time Git touches it

KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo2 (GitWork)
$ git commit -m "Add initial hello.xml on GitWork"
[GitWork e227c6f] Add initial hello.xml on GitWork
1 file changed, 1 insertion(+)
create mode 100644 hello.xml

KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo2 (GitWork)
$ echo "<note>Updated content in GitWork</note>" > hello.xml

KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo2 (GitWork)
$ git add hello.xml
warning: in the working copy of 'hello.xml', LF will be replaced by CRLF the next time Git touches it

KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo2 (GitWork)
$ git commit -m "Update hello.xml on GitWork"
[GitWork 4f20f70] Update hello.xml on GitWork
1 file changed, 1 insertion(+), 1 deletion(-)

KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo2 (GitWork)
$ git checkout master
Switched to branch 'master'

KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo2 (master)
$ echo "<note>Different content in master branch</note>" > hello.xml
```



```
KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo2 (master)
$ git add hello.xml
warning: in the working copy of 'hello.xml', LF will be replaced by CRLF the next time Git touches it
```

```
KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo2 (master)
$ git commit -m "Add conflicting hello.xml on master"
Enumerating objects: 23, done.
Counting objects: 100% (23/23), done.
Delta compression using up to 12 threads
Compressing objects: 100% (15/15), done.
Writing objects: 100% (23/23), done.
Total 23 (delta 6), reused 0 (delta 0), pack-reused 0 (from 0)
Enumerating cruft objects: 1, done.
Traversing cruft objects: 1, done.
Counting objects: 100% (1/1), done.
Writing objects: 100% (1/1), done.
Total 1 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
[master 3451585] Add conflicting hello.xml on master
1 file changed, 1 insertion(+)
create mode 100644 hello.xml
```

```
KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo2 (master)
$ git log --oneline --graph --decorate --all
* 3451585 (HEAD -> master) Add conflicting hello.xml on master
* 4f20f70 (GitWork) Update hello.xml on GitWork
* e227c6f Add initial hello.xml on GitWork
/
* 7d3bd8c Add feature.txt to GitNewBranch
* 5870b1f (origin/main) Add welcome.txt
* 1703ba4 Merge branch 'main' of https://gitlab.com/suravi-learning/gitdemo1
|
| * c0b5962 Initial commit
| * c5dba01 Add sample.txt
```

```
KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo2 (master)
$ git diff master GitWork
diff --git a/hello.xml b/hello.xml
index 17753e9..81f7e10 100644
--- a/hello.xml
+++ b/hello.xml
@@ -1,1 @@
-<note>Different content in master branch</note>
+<note>Updated content in GitWork</note>
```

```
+<note>Updated content in GitWork</note>
```

```
KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo2 (master)
```

```
$ git mergetool -t p4merge
```

```
No files need merging
```

```
KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo2 (master)
```

```
$ git merge GitWork
```

```
Auto-merging hello.xml
```

```
CONFLICT (add/add): Merge conflict in hello.xml
```

```
Automatic merge failed; fix conflicts and then commit the result.
```

```
KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo2 (master|MERGING)
```

```
$ git add hello.xml
```

```
KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo2 (master|MERGING)
```

```
$ git commit -m "Resolve merge conflict between master and GitWork"
```

```
[master 347fc23] Resolve merge conflict between master and GitWork
```

```
KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo2 (master)
```

```
$ git status
```

```
On branch master
```

```
Untracked files:
```

```
(use "git add <file>..." to include in what will be committed)
```

```
.gitignore
```

```
nothing added to commit but untracked files present (use "git add" to track)
```

```
KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo2 (master)
```

```
$ echo "*.bak" >> .gitignore
```

```
KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo2 (master)
```

```
$ git add .gitignore
```

```
warning: in the working copy of '.gitignore', LF will be replaced by CRLF the next time Git touches it
```

```
KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo2 (master)
```

```
$ git commit -m "Update .gitignore with backup files"
```

```
[master 093b3d6] Update .gitignore with backup files
```

```
1 file changed, 3 insertions(+)
```

```
create mode 100644 .gitignore
```

```
KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo2 (master)
```

```
$ git branch -a
```

```
GitWork
```

```
* master
```

```
remotes/origin/main
```

```
KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo2 (master)
$ git branch -d GitWork
Deleted branch GitWork (was 4f20f70).

KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo2 (master)
$ git log --oneline --graph --decorate
* 093b3d6 (HEAD -> master) Update .gitignore with backup files
*   347fc23 Resolve merge conflict between master and GitWork
|
| * 4f20f70 Update hello.xml on GitWork
| * e227c6f Add initial hello.xml on GitWork
| * | 3451585 Add conflicting hello.xml on master
|/
* 7d3bd8c Add feature.txt to GitNewBranch
* 5870b1f (origin/main) Add welcome.txt
*   1703ba4 Merge branch 'main' of https://gitlab.com/suravi-learning/gitdemo1
|
| * c0b5962 Initial commit
| * c5dba01 Add sample.txt
|
KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo2 (master)
$
```

```
KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo2 (master)
$ git status
On branch master
nothing to commit, working tree clean
```

```
KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo2 (master)
$ git branch -a
* master
  remotes/origin/main
```

```
KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo2 (master)
$ git pull origin master --allow-unrelated-histories
fatal: couldn't find remote ref master
git pushgit pushgit push
KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo2 (master)
$ git pull origin main --allow-unrelated-histories
From https://gitlab.com/suravi-learning/gitdemo1
* branch      main      -> FETCH_HEAD
Already up to date.
```

```
KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo2 (master)
$ git push origin master
Enumerating objects: 19, done.
Counting objects: 100% (19/19), done.
Delta compression using up to 12 threads
Compressing objects: 100% (9/9), done.
Writing objects: 100% (18/18), 1.69 KiB | 864.00 KiB/s, done.
Total 18 (delta 6), reused 11 (delta 4), pack-reused 0 (from 0)
remote:
remote: To create a merge request for master, visit:
remote:   https://gitlab.com/suravi-learning/GitDemo1/-/merge_requests/new?merge_request%5Bsource_branch%5D=master
remote:
To https://gitlab.com/suravi-learning/gitdemo1.git
* [new branch]      master -> master
```

```
KIIT0001@KIIT00001 MINGW64 ~/Desktop/GitDemo2 (master)
$
```




Search or go to... /

Your work

Home

Projects

Groups

Work items

Merge requests

To-Do List

Milestones

Snippets

Activity

Import history

Workspaces

Environments

Operations

Security

Help

Collapse sidebar

Your work / Activity

✓ You pushed to master at [suravi-learning / GitDemo1](#) 3 minutes ago

Create merge request

Activity

Time tracking report

Your activity

Your projects

Starred projects

Followed users

All

Push events

Merge events

Issue events

Comments

Wiki

Designs

Team



Suravi Sahu

@suravisahu05

3 minutes ago

→ Pushed new branch master at [suravi-learning / GitDemo1](#)



Suravi Sahu

@suravisahu05

21 hours ago

→ Pushed to branch main at [suravi-learning / GitDemo1](#)

5870b1f0 · Add welcome.txt



Suravi Sahu

@suravisahu05

23 hours ago

→ Pushed to branch main at [suravi-learning / GitDemo1](#)

<https://gitlab.com/dashboard/home>



Suravi Sahu @suravisahu05

23 hours ago

→ Pushed to branch `main` at `suravi-learning / GitDemo1`
`1703ba49` · Merge branch 'main' of <https://gitlab.com/suravi-learning/gitdemo1>
... and 1 more commit. [Compare c0b59620...1703ba49](#)



Suravi Sahu @suravisahu05

23 hours ago

→ Pushed new branch `main` at `suravi-learning / GitDemo1`



Suravi Sahu @suravisahu05

23 hours ago

🕒 Created project `suravi-learning / GitDemo1`



Suravi Sahu @suravisahu05

23 hours ago

🕒 Created project `suravi-learning / GitDemo`