

# Test Report: Basic Calculator - Prototype



Generated 2026-10-21 21:55:32

| Total | Passed | Failed | Error | Pass rate |
|---|---|---|---|---|
| 64 | 64 | 0 | 0 | 100.0% |



| | | | |
|---|---|---|---|
| **Test case name** | TC01 Add [2, 3] int=No (CALC) | **Total status** | **PASS** |
| **Test data** | **Build**: Prototype<br>**Operation**: Add<br>**First number**: 2<br>**Second number**: 3<br>**Integers only**: No<br>**Expected result**: 5<br>**Expected error**: (empty) | | |
| **Pre-condition** | Browser is open and https://testsheepnz.github.io/BasicCalculator.html is loaded with Prototype selected in the Build dropdown | | |

| No. | Test status | Test step | Picture | Expected |
|---|---|---|---|---|
| 1 | **PASS** | Select Operation 'Add', enter First number '2' and Second number '3' |  | The selected operation and the entered values are displayed in the fields<br>**Actual:** operation='Add' \| first='2' \| second='3' |
| 2 | **PASS** | Click Calculate |  | Answer field shows "5" and no error message is displayed<br>**Actual:** answer='5' \| error='' |



| Test case name | TC02 Add [-2, -3] int=No (CALC) | Total status | PASS |
|---|---|---|---|
| Test data | **Build**: Prototype<br>**Operation**: Add<br>**First number**: -2<br>**Second number**: -3<br>**Integers only**: No<br>**Expected result**: -5<br>**Expected error**: (empty) | | |
| Pre-condition | Browser is open and https://testsheepnz.github.io/BasicCalculator.html is loaded with Prototype selected in the Build dropdown | | |

| No. | Test status | Test step | Picture | Expected |
|---|---|---|---|---|
| 1 | PASS | Select Operation 'Add', enter First number '-2' and Second number '-3' |  | The selected operation and the entered values are displayed in the fields<br>**Actual:** operation='Add' \| first='-2' \| second='-3' |
| 2 | PASS | Click Calculate |  | Answer field shows "-5" and no error message is displayed<br>**Actual:** answer='-5' \| error='' |



| Test case name | TC03 Add [-5, 3] int=No (CALC) | Total status | PASS |
|---|---|---|---|
| Test data | **Build**: Prototype<br>**Operation**: Add<br>**First number**: -5<br>**Second number**: 3<br>**Integers only**: No<br>**Expected result**: -2<br>**Expected error**: (empty) | | |
| Pre-condition | Browser is open and https://testsheepnz.github.io/BasicCalculator.html is loaded with Prototype selected in the Build dropdown | | |

| No. | Test status | Test step | Picture | Expected |
|---|---|---|---|---|
| 1 | PASS | Select Operation 'Add', enter First number '-5' and Second number '3' |  | The selected operation and the entered values are displayed in the fields<br>**Actual:** operation='Add' \| first='-5' \| second='3' |
| 2 | PASS | Click Calculate |  | Answer field shows "-2" and no error message is displayed<br>**Actual:** answer='-2' \| error='' |



| Test case name | TC04 Add [0, 0] int=No (CALC) | Total status | PASS |
|---|---|---|---|
| Test data | **Build**: Prototype<br>**Operation**: Add<br>**First number**: 0<br>**Second number**: 0<br>**Integers only**: No<br>**Expected result**: 0<br>**Expected error**: (empty) | | |
| Pre-condition | Browser is open and https://testsheepnz.github.io/BasicCalculator.html is loaded with Prototype selected in the Build dropdown | | |

| No. | Test status | Test step | Picture | Expected |
|---|---|---|---|---|
| 1 | PASS | Select Operation 'Add', enter First number '0' and Second number '0' |  | The selected operation and the entered values are displayed in the fields<br>**Actual:** operation='Add' \| first='0' \| second='0' |
| 2 | PASS | Click Calculate |  | Answer field shows "0" and no error message is displayed<br>**Actual:** answer='0' \| error='' |



| Test case name | TC05 Add [7, 0] int=No (CALC) | Total status | PASS |
|---|---|---|---|
| Test data | **Build**: Prototype<br>**Operation**: Add<br>**First number**: 7<br>**Second number**: 0<br>**Integers only**: No<br>**Expected result**: 7<br>**Expected error**: (empty) | | |
| Pre-condition | Browser is open and https://testsheepnz.github.io/BasicCalculator.html is loaded with Prototype selected in the Build dropdown | | |

| No. | Test status | Test step | Picture | Expected |
|---|---|---|---|---|
| 1 | PASS | Select Operation 'Add', enter First number '7' and Second number '0' |  | The selected operation and the entered values are displayed in the fields<br>**Actual:** operation='Add' \| first='7' \| second='0' |
| 2 | PASS | Click Calculate |  | Answer field shows "7" and no error message is displayed<br>**Actual:** answer='7' \| error='' |



| Test case name | TC06 Add [1.5, 2.25] int=No (CALC) | Total status | PASS |
|---|---|---|---|
| Test data | **Build**: Prototype<br>**Operation**: Add<br>**First number**: 1.5<br>**Second number**: 2.25<br>**Integers only**: No<br>**Expected result**: 3.75<br>**Expected error**: (empty) | | |
| Pre-condition | Browser is open and https://testsheepnz.github.io/BasicCalculator.html is loaded with Prototype selected in the Build dropdown | | |

| No. | Test status | Test step | Picture | Expected |
|---|---|---|---|---|
| 1 | PASS | Select Operation 'Add', enter First number '1.5' and Second number '2.25' |  | The selected operation and the entered values are displayed in the fields<br>**Actual:** operation='Add' \| first='1.5' \| second='2.25' |
| 2 | PASS | Click Calculate |  | Answer field shows "3.75" and no error message is displayed<br>**Actual:** answer='3.75' \| error='' |



| Test case name | TC07 Add [9999999999, 1] int=No (CALC) | Total status | PASS |
|---|---|---|---|
| Test data | **Build**: Prototype<br>**Operation**: Add<br>**First number**: 9999999999<br>**Second number**: 1<br>**Integers only**: No<br>**Expected result**: 10000000000<br>**Expected error**: (empty) | | |
| Pre-condition | Browser is open and https://testsheepnz.github.io/BasicCalculator.html is loaded with Prototype selected in the Build dropdown | | |

| No. | Test status | Test step | Picture | Expected |
|---|---|---|---|---|
| 1 | PASS | Select Operation 'Add', enter First number '9999999999' and Second number '1' |  | The selected operation and the entered values are displayed in the fields<br>**Actual:** operation='Add' \| first='9999999999' \| second='1' |
| 2 | PASS | Click Calculate |  | Answer field shows "10000000000" and no error message is displayed<br>**Actual:** answer='10000000000' \| error='' |



| Test case name | TC08 Subtract [5, 3] int=No (CALC) | Total status | PASS |
|---|---|---|---|
| Test data | **Build**: Prototype<br>**Operation**: Subtract<br>**First number**: 5<br>**Second number**: 3<br>**Integers only**: No<br>**Expected result**: 2<br>**Expected error**: (empty) | | |
| Pre-condition | Browser is open and https://testsheepnz.github.io/BasicCalculator.html is loaded with Prototype selected in the Build dropdown | | |

| No. | Test status | Test step | Picture | Expected |
|---|---|---|---|---|
| 1 | PASS | Select Operation 'Subtract', enter First number '5' and Second number '3' |  | The selected operation and the entered values are displayed in the fields<br>**Actual:** operation='Subtract' \| first='5' \| second='3' |
| 2 | PASS | Click Calculate |  | Answer field shows "2" and no error message is displayed<br>**Actual:** answer='2' \| error='' |



| Test case name | TC09 Subtract [3, 5] int=No (CALC) | Total status | PASS |
|---|---|---|---|
| Test data | **Build**: Prototype<br>**Operation**: Subtract<br>**First number**: 3<br>**Second number**: 5<br>**Integers only**: No<br>**Expected result**: -2<br>**Expected error**: (empty) | | |
| Pre-condition | Browser is open and https://testsheepnz.github.io/BasicCalculator.html is loaded with Prototype selected in the Build dropdown | | |

| No. | Test status | Test step | Picture | Expected |
|---|---|---|---|---|
| 1 | PASS | Select Operation 'Subtract', enter First number '3' and Second number '5' |  | The selected operation and the entered values are displayed in the fields<br>**Actual:** operation='Subtract' \| first='3' \| second='5' |
| 2 | PASS | Click Calculate |  | Answer field shows "-2" and no error message is displayed<br>**Actual:** answer='-2' \| error='' |



| Test case name | TC10 Subtract [0, 5] int=No (CALC) | Total status | PASS |
|---|---|---|---|
| Test data | **Build**: Prototype<br>**Operation**: Subtract<br>**First number**: 0<br>**Second number**: 5<br>**Integers only**: No<br>**Expected result**: -5<br>**Expected error**: (empty) | | |
| Pre-condition | Browser is open and https://testsheepnz.github.io/BasicCalculator.html is loaded with Prototype selected in the Build dropdown | | |

| No. | Test status | Test step | Picture | Expected |
|---|---|---|---|---|
| 1 | PASS | Select Operation 'Subtract', enter First number '0' and Second number '5' |  | The selected operation and the entered values are displayed in the fields<br>**Actual:** operation='Subtract' \| first='0' \| second='5' |
| 2 | PASS | Click Calculate |  | Answer field shows "-5" and no error message is displayed<br>**Actual:** answer='-5' \| error='' |



| Test case name | TC11 Subtract [-1.5, 2.5] int=No (CALC) | Total status | PASS |
|---|---|---|---|
| Test data | **Build**: Prototype<br>**Operation**: Subtract<br>**First number**: -1.5<br>**Second number**: 2.5<br>**Integers only**: No<br>**Expected result**: -4<br>**Expected error**: (empty) | | |
| Pre-condition | Browser is open and https://testsheepnz.github.io/BasicCalculator.html is loaded with Prototype selected in the Build dropdown | | |

| No. | Test status | Test step | Picture | Expected |
|---|---|---|---|---|
| 1 | PASS | Select Operation 'Subtract', enter First number '-1.5' and Second number '2.5' |  | The selected operation and the entered values are displayed in the fields<br>**Actual:** operation='Subtract' \| first='-1.5' \| second='2.5' |
| 2 | PASS | Click Calculate |  | Answer field shows "-4" and no error message is displayed<br>**Actual:** answer='-4' \| error='' |



| Test case name | TC12 Subtract [4, 4] int=No (CALC) | Total status | PASS |
|---|---|---|---|
| Test data | **Build**: Prototype<br>**Operation**: Subtract<br>**First number**: 4<br>**Second number**: 4<br>**Integers only**: No<br>**Expected result**: 0<br>**Expected error**: (empty) | | |
| Pre-condition | Browser is open and https://testsheepnz.github.io/BasicCalculator.html is loaded with Prototype selected in the Build dropdown | | |

| No. | Test status | Test step | Picture | Expected |
|---|---|---|---|---|
| 1 | PASS | Select Operation 'Subtract', enter First number '4' and Second number '4' |  | The selected operation and the entered values are displayed in the fields<br>**Actual:** operation='Subtract' \| first='4' \| second='4' |
| 2 | PASS | Click Calculate |  | Answer field shows "0" and no error message is displayed<br>**Actual:** answer='0' \| error='' |



| Test case name | TC13 Multiply [4, 3] int=No (CALC) | Total status | PASS |
|---|---|---|---|
| Test data | **Build**: Prototype<br>**Operation**: Multiply<br>**First number**: 4<br>**Second number**: 3<br>**Integers only**: No<br>**Expected result**: 12<br>**Expected error**: (empty) | | |
| Pre-condition | Browser is open and https://testsheepnz.github.io/BasicCalculator.html is loaded with Prototype selected in the Build dropdown | | |

| No. | Test status | Test step | Picture | Expected |
|---|---|---|---|---|
| 1 | PASS | Select Operation 'Multiply', enter First number '4' and Second number '3' |  | The selected operation and the entered values are displayed in the fields<br>**Actual:** operation='Multiply' \| first='4' \| second='3' |
| 2 | PASS | Click Calculate |  | Answer field shows "12" and no error message is displayed<br>**Actual:** answer='12' \| error='' |



| Test case name | TC14 Multiply [-3, 4] int=No (CALC) | Total status | PASS |
|---|---|---|---|
| Test data | **Build**: Prototype<br>**Operation**: Multiply<br>**First number**: -3<br>**Second number**: 4<br>**Integers only**: No<br>**Expected result**: -12<br>**Expected error**: (empty) | | |
| Pre-condition | Browser is open and https://testsheepnz.github.io/BasicCalculator.html is loaded with Prototype selected in the Build dropdown | | |

| No. | Test status | Test step | Picture | Expected |
|---|---|---|---|---|
| 1 | PASS | Select Operation 'Multiply', enter First number '-3' and Second number '4' |  | The selected operation and the entered values are displayed in the fields<br>**Actual:** operation='Multiply' \| first='-3' \| second='4' |
| 2 | PASS | Click Calculate |  | Answer field shows "-12" and no error message is displayed<br>**Actual:** answer='-12' \| error='' |



| Test case name | TC15 Multiply [-3, -4] int=No (CALC) | Total status | PASS |
|---|---|---|---|
| Test data | **Build**: Prototype<br>**Operation**: Multiply<br>**First number**: -3<br>**Second number**: -4<br>**Integers only**: No<br>**Expected result**: 12<br>**Expected error**: (empty) | | |
| Pre-condition | Browser is open and https://testsheepnz.github.io/BasicCalculator.html is loaded with Prototype selected in the Build dropdown | | |

| No. | Test status | Test step | Picture | Expected |
|---|---|---|---|---|
| 1 | PASS | Select Operation 'Multiply', enter First number '-3' and Second number '-4' |  | The selected operation and the entered values are displayed in the fields<br>**Actual:** operation='Multiply' \| first='-3' \| second='-4' |
| 2 | PASS | Click Calculate |  | Answer field shows "12" and no error message is displayed<br>**Actual:** answer='12' \| error='' |



| Test case name | TC16 Multiply [0, 5] int=No (CALC) | Total status | PASS |
|---|---|---|---|
| Test data | **Build**: Prototype<br>**Operation**: Multiply<br>**First number**: 0<br>**Second number**: 5<br>**Integers only**: No<br>**Expected result**: 0<br>**Expected error**: (empty) | | |
| Pre-condition | Browser is open and https://testsheepnz.github.io/BasicCalculator.html is loaded with Prototype selected in the Build dropdown | | |

| No. | Test status | Test step | Picture | Expected |
|---|---|---|---|---|
| 1 | PASS | Select Operation 'Multiply', enter First number '0' and Second number '5' |  | The selected operation and the entered values are displayed in the fields<br>**Actual:** operation='Multiply' \| first='0' \| second='5' |
| 2 | PASS | Click Calculate |  | Answer field shows "0" and no error message is displayed<br>**Actual:** answer='0' \| error='' |



| Test case name | TC17 Multiply [1.5, 2] int=No (CALC) | Total status | PASS |
|---|---|---|---|
| Test data | **Build**: Prototype<br>**Operation**: Multiply<br>**First number**: 1.5<br>**Second number**: 2<br>**Integers only**: No<br>**Expected result**: 3<br>**Expected error**: (empty) | | |
| Pre-condition | Browser is open and https://testsheepnz.github.io/BasicCalculator.html is loaded with Prototype selected in the Build dropdown | | |

| No. | Test status | Test step | Picture | Expected |
|---|---|---|---|---|
| 1 | PASS | Select Operation 'Multiply', enter First number '1.5' and Second number '2' |  | The selected operation and the entered values are displayed in the fields<br>**Actual:** operation='Multiply' \| first='1.5' \| second='2' |
| 2 | PASS | Click Calculate |  | Answer field shows "3" and no error message is displayed<br>**Actual:** answer='3' \| error='' |



| Test case name | TC18 Multiply [99999, 99999] int=No (CALC) | Total status | PASS |
|---|---|---|---|
| Test data | **Build**: Prototype<br>**Operation**: Multiply<br>**First number**: 99999<br>**Second number**: 99999<br>**Integers only**: No<br>**Expected result**: 9999800001<br>**Expected error**: (empty) | | |
| Pre-condition | Browser is open and https://testsheepnz.github.io/BasicCalculator.html is loaded with Prototype selected in the Build dropdown | | |

| No. | Test status | Test step | Picture | Expected |
|---|---|---|---|---|
| 1 | PASS | Select Operation 'Multiply', enter First number '99999' and Second number '99999' |  | The selected operation and the entered values are displayed in the fields<br>**Actual:** operation='Multiply' \| first='99999' \| second='99999' |
| 2 | PASS | Click Calculate |  | Answer field shows "9999800001" and no error message is displayed<br>**Actual:** answer='9999800001' \| error='' |



| Test case name | TC19 Multiply [0.5, 0.5] int=No (CALC) | Total status | PASS |
|---|---|---|---|
| Test data | **Build**: Prototype<br>**Operation**: Multiply<br>**First number**: 0.5<br>**Second number**: 0.5<br>**Integers only**: No<br>**Expected result**: 0.25<br>**Expected error**: (empty) | | |
| Pre-condition | Browser is open and https://testsheepnz.github.io/BasicCalculator.html is loaded with Prototype selected in the Build dropdown | | |

| No. | Test status | Test step | Picture | Expected |
|---|---|---|---|---|
| 1 | PASS | Select Operation 'Multiply', enter First number '0.5' and Second number '0.5' |  | The selected operation and the entered values are displayed in the fields<br>**Actual:** operation='Multiply' \| first='0.5' \| second='0.5' |
| 2 | PASS | Click Calculate |  | Answer field shows "0.25" and no error message is displayed<br>**Actual:** answer='0.25' \| error='' |



| Test case name | TC20 Divide [10, 4] int=No (CALC) | Total status | PASS |
|---|---|---|---|
| Test data | **Build**: Prototype<br>**Operation**: Divide<br>**First number**: 10<br>**Second number**: 4<br>**Integers only**: No<br>**Expected result**: 2.5<br>**Expected error**: (empty) | | |
| Pre-condition | Browser is open and https://testsheepnz.github.io/BasicCalculator.html is loaded with Prototype selected in the Build dropdown | | |

| No. | Test status | Test step | Picture | Expected |
|---|---|---|---|---|
| 1 | PASS | Select Operation 'Divide', enter First number '10' and Second number '4' |  | The selected operation and the entered values are displayed in the fields<br>**Actual:** operation='Divide' \| first='10' \| second='4' |
| 2 | PASS | Click Calculate |  | Answer field shows "2.5" and no error message is displayed<br>**Actual:** answer='2.5' \| error='' |



| Test case name | TC21 Divide [4, 10] int=No (CALC) | Total status | PASS |
|---|---|---|---|
| Test data | **Build**: Prototype<br>**Operation**: Divide<br>**First number**: 4<br>**Second number**: 10<br>**Integers only**: No<br>**Expected result**: 0.4<br>**Expected error**: (empty) | | |
| Pre-condition | Browser is open and https://testsheepnz.github.io/BasicCalculator.html is loaded with Prototype selected in the Build dropdown | | |

| No. | Test status | Test step | Picture | Expected |
|---|---|---|---|---|
| 1 | PASS | Select Operation 'Divide', enter First number '4' and Second number '10' |  | The selected operation and the entered values are displayed in the fields<br>**Actual:** operation='Divide' \| first='4' \| second='10' |
| 2 | PASS | Click Calculate |  | Answer field shows "0.4" and no error message is displayed<br>**Actual:** answer='0.4' \| error='' |



| Test case name | TC22 Divide [0, 5] int=No (CALC) | Total status | PASS |
|---|---|---|---|
| Test data | **Build**: Prototype<br>**Operation**: Divide<br>**First number**: 0<br>**Second number**: 5<br>**Integers only**: No<br>**Expected result**: 0<br>**Expected error**: (empty) | | |
| Pre-condition | Browser is open and https://testsheepnz.github.io/BasicCalculator.html is loaded with Prototype selected in the Build dropdown | | |

| No. | Test status | Test step | Picture | Expected |
|---|---|---|---|---|
| 1 | PASS | Select Operation 'Divide', enter First number '0' and Second number '5' |  | The selected operation and the entered values are displayed in the fields<br>**Actual:** operation='Divide' \| first='0' \| second='5' |
| 2 | PASS | Click Calculate |  | Answer field shows "0" and no error message is displayed<br>**Actual:** answer='0' \| error='' |



| Test case name | TC23 Divide [-7, 2] int=No (CALC) | Total status | PASS |
|---|---|---|---|
| Test data | **Build**: Prototype<br>**Operation**: Divide<br>**First number**: -7<br>**Second number**: 2<br>**Integers only**: No<br>**Expected result**: -3.5<br>**Expected error**: (empty) | | |
| Pre-condition | Browser is open and https://testsheepnz.github.io/BasicCalculator.html is loaded with Prototype selected in the Build dropdown | | |

| No. | Test status | Test step | Picture | Expected |
|---|---|---|---|---|
| 1 | PASS | Select Operation 'Divide', enter First number '-7' and Second number '2' |  | The selected operation and the entered values are displayed in the fields<br>**Actual:** operation='Divide' \| first='-7' \| second='2' |
| 2 | PASS | Click Calculate |  | Answer field shows "-3.5" and no error message is displayed<br>**Actual:** answer='-3.5' \| error='' |



| Test case name | TC24 Divide [8, 2] int=No (CALC) | Total status | PASS |
|---|---|---|---|
| Test data | **Build**: Prototype<br>**Operation**: Divide<br>**First number**: 8<br>**Second number**: 2<br>**Integers only**: No<br>**Expected result**: 4<br>**Expected error**: (empty) | | |
| Pre-condition | Browser is open and https://testsheepnz.github.io/BasicCalculator.html is loaded with Prototype selected in the Build dropdown | | |

| No. | Test status | Test step | Picture | Expected |
|---|---|---|---|---|
| 1 | PASS | Select Operation 'Divide', enter First number '8' and Second number '2' |  | The selected operation and the entered values are displayed in the fields<br>**Actual:** operation='Divide' \| first='8' \| second='2' |
| 2 | PASS | Click Calculate |  | Answer field shows "4" and no error message is displayed<br>**Actual:** answer='4' \| error='' |



| Test case name | TC25 Divide [5, 0] int=No (CALC) | Total status | PASS |
|---|---|---|---|
| Test data | **Build**: Prototype<br>**Operation**: Divide<br>**First number**: 5<br>**Second number**: 0<br>**Integers only**: No<br>**Expected result**: (empty)<br>**Expected error**: Divide by zero error! | | |
| Pre-condition | Browser is open and https://testsheepnz.github.io/BasicCalculator.html is loaded with Prototype selected in the Build dropdown | | |

| No. | Test status | Test step | Picture | Expected |
|---|---|---|---|---|
| 1 | PASS | Select Operation 'Divide', enter First number '5' and Second number '0' |  | The selected operation and the entered values are displayed in the fields<br>**Actual:** operation='Divide' \| first='5' \| second='0' |
| 2 | PASS | Click Calculate |  | Error message "Divide by zero error!" is displayed and the Answer field is empty<br>**Actual:** answer='' \| error='Divide by zero error!' |



| Test case name | TC26 Divide [0, 0] int=No (CALC) | Total status | PASS |
|---|---|---|---|
| Test data | **Build**: Prototype<br>**Operation**: Divide<br>**First number**: 0<br>**Second number**: 0<br>**Integers only**: No<br>**Expected result**: (empty)<br>**Expected error**: Divide by zero error! | | |
| Pre-condition | Browser is open and https://testsheepnz.github.io/BasicCalculator.html is loaded with Prototype selected in the Build dropdown | | |

| No. | Test status | Test step | Picture | Expected |
|---|---|---|---|---|
| 1 | PASS | Select Operation 'Divide', enter First number '0' and Second number '0' |  | The selected operation and the entered values are displayed in the fields<br>**Actual:** operation='Divide' \| first='0' \| second='0' |
| 2 | PASS | Click Calculate |  | Error message "Divide by zero error!" is displayed and the Answer field is empty<br>**Actual:** answer='' \| error='Divide by zero error!' |



| Test case name | TC27 Concatenate [abc, def] int=No (CALC) | Total status | PASS |
|---|---|---|---|
| Test data | **Build**: Prototype<br>**Operation**: Concatenate<br>**First number**: abc<br>**Second number**: def<br>**Integers only**: No<br>**Expected result**: abcdef<br>**Expected error**: (empty) | | |
| Pre-condition | Browser is open and https://testsheepnz.github.io/BasicCalculator.html is loaded with Prototype selected in the Build dropdown | | |

| No. | Test status | Test step | Picture | Expected |
|---|---|---|---|---|
| 1 | PASS | Select Operation 'Concatenate', enter First number 'abc' and Second number 'def' |  | The selected operation and the entered values are displayed in the fields<br>**Actual:** operation='Concatenate' \| first='abc' \| second='def' |
| 2 | PASS | Click Calculate |  | Answer field shows "abcdef" and no error message is displayed<br>**Actual:** answer='abcdef' \| error='' |



| Test case name | TC28 Concatenate [1, 2] int=No (CALC) | Total status | PASS |
|---|---|---|---|
| Test data | **Build**: Prototype<br>**Operation**: Concatenate<br>**First number**: 1<br>**Second number**: 2<br>**Integers only**: No<br>**Expected result**: 12<br>**Expected error**: (empty) | | |
| Pre-condition | Browser is open and https://testsheepnz.github.io/BasicCalculator.html is loaded with Prototype selected in the Build dropdown | | |

| No. | Test status | Test step | Picture | Expected |
|---|---|---|---|---|
| 1 | PASS | Select Operation 'Concatenate', enter First number '1' and Second number '2' |  | The selected operation and the entered values are displayed in the fields<br>**Actual:** operation='Concatenate' \| first='1' \| second='2' |
| 2 | PASS | Click Calculate |  | Answer field shows "12" and no error message is displayed<br>**Actual:** answer='12' \| error='' |



| Test case name | TC29 Concatenate [-1, 0.5] int=No (CALC) | Total status | PASS |
|---|---|---|---|
| Test data | **Build**: Prototype<br>**Operation**: Concatenate<br>**First number**: -1<br>**Second number**: 0.5<br>**Integers only**: No<br>**Expected result**: -10.5<br>**Expected error**: (empty) | | |
| Pre-condition | Browser is open and https://testsheepnz.github.io/BasicCalculator.html is loaded with Prototype selected in the Build dropdown | | |

| No. | Test status | Test step | Picture | Expected |
|---|---|---|---|---|
| 1 | PASS | Select Operation 'Concatenate', enter First number '-1' and Second number '0.5' |  | The selected operation and the entered values are displayed in the fields<br>**Actual:** operation='Concatenate' \| first='-1' \| second='0.5' |
| 2 | PASS | Click Calculate |  | Answer field shows "-10.5" and no error message is displayed<br>**Actual:** answer='-10.5' \| error='' |



| Test case name | TC30 Concatenate [(empty), abc] int=No (CALC) | Total status | PASS |
|---|---|---|---|
| Test data | **Build**: Prototype<br>**Operation**: Concatenate<br>**First number**: (empty)<br>**Second number**: abc<br>**Integers only**: No<br>**Expected result**: abc<br>**Expected error**: (empty) | | |
| Pre-condition | Browser is open and https://testsheepnz.github.io/BasicCalculator.html is loaded with Prototype selected in the Build dropdown | | |

| No. | Test status | Test step | Picture | Expected |
|---|---|---|---|---|
| 1 | PASS | Select Operation 'Concatenate', enter First number '' and Second number 'abc' |  | The selected operation and the entered values are displayed in the fields<br>**Actual:** operation='Concatenate' \| first='' \| second='abc' |
| 2 | PASS | Click Calculate |  | Answer field shows "abc" and no error message is displayed<br>**Actual:** answer='abc' \| error='' |



| Test case name | TC31 Concatenate [@#$, 12] int=No (CALC) | Total status | PASS |
|---|---|---|---|
| Test data | **Build**: Prototype<br>**Operation**: Concatenate<br>**First number**: @#$<br>**Second number**: 12<br>**Integers only**: No<br>**Expected result**: @#$12<br>**Expected error**: (empty) | | |
| Pre-condition | Browser is open and https://testsheepnz.github.io/BasicCalculator.html is loaded with Prototype selected in the Build dropdown | | |

| No. | Test status | Test step | Picture | Expected |
|---|---|---|---|---|
| 1 | PASS | Select Operation 'Concatenate', enter First number '@#$' and Second number '12' |  | The selected operation and the entered values are displayed in the fields<br>**Actual:** operation='Concatenate' \| first='@#$' \| second='12' |
| 2 | PASS | Click Calculate |  | Answer field shows "@#$12" and no error message is displayed<br>**Actual:** answer='@#$12' \| error='' |



| Test case name | TC32 Add [1.5, 2.25] int=Yes (CALC) | Total status | PASS |
|---|---|---|---|
| Test data | **Build**: Prototype<br>**Operation**: Add<br>**First number**: 1.5<br>**Second number**: 2.25<br>**Integers only**: Yes<br>**Expected result**: 3<br>**Expected error**: (empty) | | |
| Pre-condition | Browser is open and https://testsheepnz.github.io/BasicCalculator.html is loaded with Prototype selected in the Build dropdown | | |

| No. | Test status | Test step | Picture | Expected |
|---|---|---|---|---|
| 1 | PASS | Select Operation 'Add', enter First number '1.5' and Second number '2.25' and tick 'Integers only' |  | The selected operation and the entered values are displayed in the fields<br>**Actual:** operation='Add' \| first='1.5' \| second='2.25' |
| 2 | PASS | Click Calculate |  | Answer field shows "3" and no error message is displayed<br>**Actual:** answer='3' \| error='' |



| Test case name | TC33 Add [1.7, 1.2] int=Yes (CALC) | Total status | PASS |
|---|---|---|---|
| Test data | **Build**: Prototype<br>**Operation**: Add<br>**First number**: 1.7<br>**Second number**: 1.2<br>**Integers only**: Yes<br>**Expected result**: 2<br>**Expected error**: (empty) | | |
| Pre-condition | Browser is open and https://testsheepnz.github.io/BasicCalculator.html is loaded with Prototype selected in the Build dropdown | | |

| No. | Test status | Test step | Picture | Expected |
|---|---|---|---|---|
| 1 | PASS | Select Operation 'Add', enter First number '1.7' and Second number '1.2' and tick 'Integers only' |  | The selected operation and the entered values are displayed in the fields<br>**Actual:** operation='Add' \| first='1.7' \| second='1.2' |
| 2 | PASS | Click Calculate |  | Answer field shows "2" and no error message is displayed<br>**Actual:** answer='2' \| error='' |



| Test case name | TC34 Add [-1.5, -1.5] int=Yes (CALC) | Total status | PASS |
|---|---|---|---|
| Test data | **Build**: Prototype<br>**Operation**: Add<br>**First number**: -1.5<br>**Second number**: -1.5<br>**Integers only**: Yes<br>**Expected result**: -3<br>**Expected error**: (empty) | | |
| Pre-condition | Browser is open and https://testsheepnz.github.io/BasicCalculator.html is loaded with Prototype selected in the Build dropdown | | |

| No. | Test status | Test step | Picture | Expected |
|---|---|---|---|---|
| 1 | PASS | Select Operation 'Add', enter First number '-1.5' and Second number '-1.5' and tick 'Integers only' |  | The selected operation and the entered values are displayed in the fields<br>**Actual:** operation='Add' \| first='-1.5' \| second='-1.5' |
| 2 | PASS | Click Calculate |  | Answer field shows "-3" and no error message is displayed<br>**Actual:** answer='-3' \| error='' |



| Test case name | TC35 Subtract [1.5, 4] int=Yes (CALC) | Total status | PASS |
|---|---|---|---|
| Test data | **Build**: Prototype<br>**Operation**: Subtract<br>**First number**: 1.5<br>**Second number**: 4<br>**Integers only**: Yes<br>**Expected result**: -2<br>**Expected error**: (empty) | | |
| Pre-condition | Browser is open and https://testsheepnz.github.io/BasicCalculator.html is loaded with Prototype selected in the Build dropdown | | |

| No. | Test status | Test step | Picture | Expected |
|---|---|---|---|---|
| 1 | PASS | Select Operation 'Subtract', enter First number '1.5' and Second number '4' and tick 'Integers only' |  | The selected operation and the entered values are displayed in the fields<br>**Actual:** operation='Subtract' \| first='1.5' \| second='4' |
| 2 | PASS | Click Calculate |  | Answer field shows "-2" and no error message is displayed<br>**Actual:** answer='-2' \| error='' |



| Test case name | TC36 Multiply [1.5, 2] int=Yes (CALC) | Total status | PASS |
|---|---|---|---|
| Test data | **Build**: Prototype<br>**Operation**: Multiply<br>**First number**: 1.5<br>**Second number**: 2<br>**Integers only**: Yes<br>**Expected result**: 3<br>**Expected error**: (empty) | | |
| Pre-condition | Browser is open and https://testsheepnz.github.io/BasicCalculator.html is loaded with Prototype selected in the Build dropdown | | |

| No. | Test status | Test step | Picture | Expected |
|---|---|---|---|---|
| 1 | PASS | Select Operation 'Multiply', enter First number '1.5' and Second number '2' and tick 'Integers only' |  | The selected operation and the entered values are displayed in the fields<br>**Actual:** operation='Multiply' \| first='1.5' \| second='2' |
| 2 | PASS | Click Calculate |  | Answer field shows "3" and no error message is displayed<br>**Actual:** answer='3' \| error='' |



| Test case name | TC37 Divide [10, 4] int=Yes (CALC) | Total status | PASS |
|---|---|---|---|
| Test data | **Build**: Prototype<br>**Operation**: Divide<br>**First number**: 10<br>**Second number**: 4<br>**Integers only**: Yes<br>**Expected result**: 2<br>**Expected error**: (empty) | | |
| Pre-condition | Browser is open and https://testsheepnz.github.io/BasicCalculator.html is loaded with Prototype selected in the Build dropdown | | |

| No. | Test status | Test step | Picture | Expected |
|---|---|---|---|---|
| 1 | PASS | Select Operation 'Divide', enter First number '10' and Second number '4' and tick 'Integers only' |  | The selected operation and the entered values are displayed in the fields<br>**Actual:** operation='Divide' \| first='10' \| second='4' |
| 2 | PASS | Click Calculate |  | Answer field shows "2" and no error message is displayed<br>**Actual:** answer='2' \| error='' |



| Test case name | TC38 Divide [-7, 2] int=Yes (CALC) | Total status | PASS |
|---|---|---|---|
| Test data | **Build**: Prototype<br>**Operation**: Divide<br>**First number**: -7<br>**Second number**: 2<br>**Integers only**: Yes<br>**Expected result**: -3<br>**Expected error**: (empty) | | |
| Pre-condition | Browser is open and https://testsheepnz.github.io/BasicCalculator.html is loaded with Prototype selected in the Build dropdown | | |

| No. | Test status | Test step | Picture | Expected |
|---|---|---|---|---|
| 1 | PASS | Select Operation 'Divide', enter First number '-7' and Second number '2' and tick 'Integers only' |  | The selected operation and the entered values are displayed in the fields<br>**Actual:** operation='Divide' \| first='-7' \| second='2' |
| 2 | PASS | Click Calculate |  | Answer field shows "-3" and no error message is displayed<br>**Actual:** answer='-3' \| error='' |



| Test case name | TC39 Divide [7, 2] int=Yes (CALC) | Total status | PASS |
|---|---|---|---|
| Test data | **Build**: Prototype<br>**Operation**: Divide<br>**First number**: 7<br>**Second number**: 2<br>**Integers only**: Yes<br>**Expected result**: 3<br>**Expected error**: (empty) | | |
| Pre-condition | Browser is open and https://testsheepnz.github.io/BasicCalculator.html is loaded with Prototype selected in the Build dropdown | | |

| No. | Test status | Test step | Picture | Expected |
|---|---|---|---|---|
| 1 | PASS | Select Operation 'Divide', enter First number '7' and Second number '2' and tick 'Integers only' |  | The selected operation and the entered values are displayed in the fields<br>**Actual:** operation='Divide' \| first='7' \| second='2' |
| 2 | PASS | Click Calculate |  | Answer field shows "3" and no error message is displayed<br>**Actual:** answer='3' \| error='' |



| Test case name | TC40 Add [0.5, 0.4] int=Yes (CALC) | Total status | PASS |
|---|---|---|---|
| Test data | **Build**: Prototype<br>**Operation**: Add<br>**First number**: 0.5<br>**Second number**: 0.4<br>**Integers only**: Yes<br>**Expected result**: 0<br>**Expected error**: (empty) | | |
| Pre-condition | Browser is open and https://testsheepnz.github.io/BasicCalculator.html is loaded with Prototype selected in the Build dropdown | | |

| No. | Test status | Test step | Picture | Expected |
|---|---|---|---|---|
| 1 | PASS | Select Operation 'Add', enter First number '0.5' and Second number '0.4' and tick 'Integers only' |  | The selected operation and the entered values are displayed in the fields<br>**Actual:** operation='Add' \| first='0.5' \| second='0.4' |
| 2 | PASS | Click Calculate |  | Answer field shows "0" and no error message is displayed<br>**Actual:** answer='0' \| error='' |



| Test case name | TC41 Subtract [5, 3] int=Yes (CALC) | Total status | PASS |
|---|---|---|---|
| Test data | **Build**: Prototype<br>**Operation**: Subtract<br>**First number**: 5<br>**Second number**: 3<br>**Integers only**: Yes<br>**Expected result**: 2<br>**Expected error**: (empty) | | |
| Pre-condition | Browser is open and https://testsheepnz.github.io/BasicCalculator.html is loaded with Prototype selected in the Build dropdown | | |

| No. | Test status | Test step | Picture | Expected |
|---|---|---|---|---|
| 1 | PASS | Select Operation 'Subtract', enter First number '5' and Second number '3' and tick 'Integers only' |  | The selected operation and the entered values are displayed in the fields<br>**Actual:** operation='Subtract' \| first='5' \| second='3' |
| 2 | PASS | Click Calculate |  | Answer field shows "2" and no error message is displayed<br>**Actual:** answer='2' \| error='' |



| Test case name | TC42 Divide [5, 0] int=Yes (CALC) | Total status | PASS |
|---|---|---|---|
| Test data | **Build**: Prototype<br>**Operation**: Divide<br>**First number**: 5<br>**Second number**: 0<br>**Integers only**: Yes<br>**Expected result**: (empty)<br>**Expected error**: Divide by zero error! | | |
| Pre-condition | Browser is open and https://testsheepnz.github.io/BasicCalculator.html is loaded with Prototype selected in the Build dropdown | | |

| No. | Test status | Test step | Picture | Expected |
|---|---|---|---|---|
| 1 | PASS | Select Operation 'Divide', enter First number '5' and Second number '0' and tick 'Integers only' |  | The selected operation and the entered values are displayed in the fields<br>**Actual:** operation='Divide' \| first='5' \| second='0' |
| 2 | PASS | Click Calculate |  | Error message "Divide by zero error!" is displayed and the Answer field is empty<br>**Actual:** answer='' \| error='Divide by zero error!' |



| Test case name | TC43 Add [abc, 1] int=No (CALC) | Total status | PASS |
|---|---|---|---|
| Test data | **Build**: Prototype<br>**Operation**: Add<br>**First number**: abc<br>**Second number**: 1<br>**Integers only**: No<br>**Expected result**: (empty)<br>**Expected error**: Number 1 is not a number | | |
| Pre-condition | Browser is open and https://testsheepnz.github.io/BasicCalculator.html is loaded with Prototype selected in the Build dropdown | | |

| No. | Test status | Test step | Picture | Expected |
|---|---|---|---|---|
| 1 | PASS | Select Operation 'Add', enter First number 'abc' and Second number '1' |  | The selected operation and the entered values are displayed in the fields<br>**Actual:** operation='Add' \| first='abc' \| second='1' |
| 2 | PASS | Click Calculate |  | Error message "Number 1 is not a number" is displayed and the Answer field is empty<br>**Actual:** answer='' \| error='Number 1 is not a number' |



| Test case name | TC44 Add [1, abc] int=No (CALC) | Total status | PASS |
|---|---|---|---|
| Test data | **Build**: Prototype<br>**Operation**: Add<br>**First number**: 1<br>**Second number**: abc<br>**Integers only**: No<br>**Expected result**: (empty)<br>**Expected error**: Number 2 is not a number | | |
| Pre-condition | Browser is open and https://testsheepnz.github.io/BasicCalculator.html is loaded with Prototype selected in the Build dropdown | | |

| No. | Test status | Test step | Picture | Expected |
|---|---|---|---|---|
| 1 | PASS | Select Operation 'Add', enter First number '1' and Second number 'abc' |  | The selected operation and the entered values are displayed in the fields<br>**Actual:** operation='Add' \| first='1' \| second='abc' |
| 2 | PASS | Click Calculate |  | Error message "Number 2 is not a number" is displayed and the Answer field is empty<br>**Actual:** answer='' \| error='Number 2 is not a number' |



| Test case name | TC45 Add [abc, xyz] int=No (CALC) | Total status | PASS |
|---|---|---|---|
| Test data | **Build**: Prototype<br>**Operation**: Add<br>**First number**: abc<br>**Second number**: xyz<br>**Integers only**: No<br>**Expected result**: (empty)<br>**Expected error**: Number 1 is not a number | | |
| Pre-condition | Browser is open and https://testsheepnz.github.io/BasicCalculator.html is loaded with Prototype selected in the Build dropdown | | |

| No. | Test status | Test step | Picture | Expected |
|---|---|---|---|---|
| 1 | PASS | Select Operation 'Add', enter First number 'abc' and Second number 'xyz' |  | The selected operation and the entered values are displayed in the fields<br>**Actual:** operation='Add' \| first='abc' \| second='xyz' |
| 2 | PASS | Click Calculate |  | Error message "Number 1 is not a number" is displayed and the Answer field is empty<br>**Actual:** answer='' \| error='Number 1 is not a number' |



| Test case name | TC46 Subtract [1,5, 2] int=No (CALC) | Total status | PASS |
|---|---|---|---|
| Test data | **Build**: Prototype<br>**Operation**: Subtract<br>**First number**: 1,5<br>**Second number**: 2<br>**Integers only**: No<br>**Expected result**: (empty)<br>**Expected error**: Number 1 is not a number | | |
| Pre-condition | Browser is open and https://testsheepnz.github.io/BasicCalculator.html is loaded with Prototype selected in the Build dropdown | | |

| No. | Test status | Test step | Picture | Expected |
|---|---|---|---|---|
| 1 | PASS | Select Operation 'Subtract', enter First number '1,5' and Second number '2' |  | The selected operation and the entered values are displayed in the fields<br>**Actual:** operation='Subtract' \| first='1,5' \| second='2' |
| 2 | PASS | Click Calculate |  | Error message "Number 1 is not a number" is displayed and the Answer field is empty<br>**Actual:** answer='' \| error='Number 1 is not a number' |



| Test case name | TC47 Multiply [3, @#] int=No (CALC) | Total status | PASS |
|---|---|---|---|
| Test data | **Build**: Prototype<br>**Operation**: Multiply<br>**First number**: 3<br>**Second number**: @#<br>**Integers only**: No<br>**Expected result**: (empty)<br>**Expected error**: Number 2 is not a number | | |
| Pre-condition | Browser is open and https://testsheepnz.github.io/BasicCalculator.html is loaded with Prototype selected in the Build dropdown | | |

| No. | Test status | Test step | Picture | Expected |
|---|---|---|---|---|
| 1 | PASS | Select Operation 'Multiply', enter First number '3' and Second number '@#' |  | The selected operation and the entered values are displayed in the fields<br>**Actual:** operation='Multiply' \| first='3' \| second='@#' |
| 2 | PASS | Click Calculate |  | Error message "Number 2 is not a number" is displayed and the Answer field is empty<br>**Actual:** answer='' \| error='Number 2 is not a number' |



| Test case name | TC48 Divide [abc, 2] int=No (CALC) | Total status | PASS |
|---|---|---|---|
| Test data | **Build**: Prototype<br>**Operation**: Divide<br>**First number**: abc<br>**Second number**: 2<br>**Integers only**: No<br>**Expected result**: (empty)<br>**Expected error**: Number 1 is not a number | | |
| Pre-condition | Browser is open and https://testsheepnz.github.io/BasicCalculator.html is loaded with Prototype selected in the Build dropdown | | |

| No. | Test status | Test step | Picture | Expected |
|---|---|---|---|---|
| 1 | PASS | Select Operation 'Divide', enter First number 'abc' and Second number '2' |  | The selected operation and the entered values are displayed in the fields<br>**Actual:** operation='Divide' \| first='abc' \| second='2' |
| 2 | PASS | Click Calculate |  | Error message "Number 1 is not a number" is displayed and the Answer field is empty<br>**Actual:** answer='' \| error='Number 1 is not a number' |



| Test case name | TC49 Add [--5, 1] int=No (CALC) | Total status | PASS |
|---|---|---|---|
| Test data | **Build**: Prototype<br>**Operation**: Add<br>**First number**: --5<br>**Second number**: 1<br>**Integers only**: No<br>**Expected result**: (empty)<br>**Expected error**: Number 1 is not a number | | |
| Pre-condition | Browser is open and https://testsheepnz.github.io/BasicCalculator.html is loaded with Prototype selected in the Build dropdown | | |

| No. | Test status | Test step | Picture | Expected |
|---|---|---|---|---|
| 1 | PASS | Select Operation 'Add', enter First number '--5' and Second number '1' |  | The selected operation and the entered values are displayed in the fields<br>**Actual:** operation='Add' \| first='--5' \| second='1' |
| 2 | PASS | Click Calculate |  | Error message "Number 1 is not a number" is displayed and the Answer field is empty<br>**Actual:** answer='' \| error='Number 1 is not a number' |



| Test case name | TC50 Subtract [1, 1 2] int=No (CALC) | Total status | PASS |
|---|---|---|---|
| Test data | **Build**: Prototype<br>**Operation**: Subtract<br>**First number**: 1<br>**Second number**: 1 2<br>**Integers only**: No<br>**Expected result**: (empty)<br>**Expected error**: Number 2 is not a number | | |
| Pre-condition | Browser is open and https://testsheepnz.github.io/BasicCalculator.html is loaded with Prototype selected in the Build dropdown | | |

| No. | Test status | Test step | Picture | Expected |
|---|---|---|---|---|
| 1 | PASS | Select Operation 'Subtract', enter First number '1' and Second number '1 2' |  | The selected operation and the entered values are displayed in the fields<br>**Actual:** operation='Subtract' \| first='1' \| second='1 2' |
| 2 | PASS | Click Calculate |  | Error message "Number 2 is not a number" is displayed and the Answer field is empty<br>**Actual:** answer='' \| error='Number 2 is not a number' |




| Test case name | TC51 Add [(empty), 5] int=No (CALC) | Total status | PASS |
|---|---|---|---|
| Test data | **Build**: Prototype<br>**Operation**: Add<br>**First number**: (empty)<br>**Second number**: 5<br>**Integers only**: No<br>**Expected result**: 5<br>**Expected error**: (empty) | | |
| Pre-condition | Browser is open and https://testsheepnz.github.io/BasicCalculator.html is loaded with Prototype selected in the Build dropdown | | |

| No. | Test status | Test step | Picture | Expected |
|---|---|---|---|---|
| 1 | PASS | Select Operation 'Add', enter First number '' and Second number '5' |  | The selected operation and the entered values are displayed in the fields<br>**Actual:** operation='Add' \| first='' \| second='5' |
| 2 | PASS | Click Calculate |  | Answer field shows "5" and no error message is displayed<br>**Actual:** answer='5' \| error='' |




| Test case name | TC52 Add [(empty), (empty)] int=No (CALC) | Total status | PASS |
|---|---|---|---|
| Test data | **Build**: Prototype<br>**Operation**: Add<br>**First number**: (empty)<br>**Second number**: (empty)<br>**Integers only**: No<br>**Expected result**: 0<br>**Expected error**: (empty) | | |
| Pre-condition | Browser is open and https://testsheepnz.github.io/BasicCalculator.html is loaded with Prototype selected in the Build dropdown | | |

| No. | Test status | Test step | Picture | Expected |
|---|---|---|---|---|
| 1 | PASS | Select Operation 'Add', enter First number '' and Second number '' |  | The selected operation and the entered values are displayed in the fields<br>**Actual:** operation='Add' \| first='' \| second='' |
| 2 | PASS | Click Calculate |  | Answer field shows "0" and no error message is displayed<br>**Actual:** answer='0' \| error='' |




| Test case name | TC53 Add [2, 3] int=No (CLEAR) | Total status | PASS |
|---|---|---|---|
| Test data | **Build**: Prototype<br>**Operation**: Add<br>**First number**: 2<br>**Second number**: 3<br>**Integers only**: No<br>**Expected result**: (empty)<br>**Expected error**: (empty) | | |
| Pre-condition | Browser is open and https://testsheepnz.github.io/BasicCalculator.html is loaded with Prototype selected in the Build dropdown | | |

| No. | Test status | Test step | Picture | Expected |
|---|---|---|---|---|
| 1 | PASS | Select Operation 'Add', enter First number '2' and Second number '3' |  | The selected operation and the entered values are displayed in the fields<br>**Actual:** operation='Add' \| first='2' \| second='3' |
| 2 | PASS | Click Calculate |  | An answer or an error message is displayed<br>**Actual:** answer='5' \| error='' |
| 3 | PASS | Click Clear |  | Answer field and error message are empty and 'Integers only' is not ticked<br>**Actual:** answer='' \| error='' \| integers_checked=False |




| Test case name | TC54 Add [1.5, 2.25] int=Yes (CLEAR) | Total status | PASS |
|---|---|---|---|
| Test data | **Build**: Prototype<br>**Operation**: Add<br>**First number**: 1.5<br>**Second number**: 2.25<br>**Integers only**: Yes<br>**Expected result**: (empty)<br>**Expected error**: (empty) | | |
| Pre-condition | Browser is open and https://testsheepnz.github.io/BasicCalculator.html is loaded with Prototype selected in the Build dropdown | | |

| No. | Test status | Test step | Picture | Expected |
|---|---|---|---|---|
| 1 | PASS | Select Operation 'Add', enter First number '1.5' and Second number '2.25' and tick 'Integers only' |  | The selected operation and the entered values are displayed in the fields<br>**Actual:** operation='Add' \| first='1.5' \| second='2.25' |
| 2 | PASS | Click Calculate |  | An answer or an error message is displayed<br>**Actual:** answer='3' \| error='' |
| 3 | PASS | Click Clear |  | Answer field and error message are empty and 'Integers only' is not ticked<br>**Actual:** answer='' \| error='' \| integers_checked=False |




| Test case name | TC55 Add [abc, 1] int=No (CLEAR) | Total status | PASS |
|---|---|---|---|
| Test data | **Build**: Prototype<br>**Operation**: Add<br>**First number**: abc<br>**Second number**: 1<br>**Integers only**: No<br>**Expected result**: (empty)<br>**Expected error**: (empty) | | |
| Pre-condition | Browser is open and https://testsheepnz.github.io/BasicCalculator.html is loaded with Prototype selected in the Build dropdown | | |

| No. | Test status | Test step | Picture | Expected |
|---|---|---|---|---|
| 1 | PASS | Select Operation 'Add', enter First number 'abc' and Second number '1' |  | The selected operation and the entered values are displayed in the fields<br>**Actual:** operation='Add' \| first='abc' \| second='1' |
| 2 | PASS | Click Calculate |  | An answer or an error message is displayed<br>**Actual:** answer='' \| error='Number 1 is not a number' |
| 3 | PASS | Click Clear |  | Answer field and error message are empty and 'Integers only' is not ticked<br>**Actual:** answer='' \| error='' \| integers_checked=False |




| Test case name | TC56 Concatenate [abc, def] int=No (CLEAR) | Total status | PASS |
|---|---|---|---|
| Test data | **Build**: Prototype<br>**Operation**: Concatenate<br>**First number**: abc<br>**Second number**: def<br>**Integers only**: No<br>**Expected result**: (empty)<br>**Expected error**: (empty) | | |
| Pre-condition | Browser is open and https://testsheepnz.github.io/BasicCalculator.html is loaded with Prototype selected in the Build dropdown | | |

| No. | Test status | Test step | Picture | Expected |
|---|---|---|---|---|
| 1 | PASS | Select Operation 'Concatenate', enter First number 'abc' and Second number 'def' |  | The selected operation and the entered values are displayed in the fields<br>**Actual:** operation='Concatenate' \| first='abc' \| second='def' |
| 2 | PASS | Click Calculate |  | An answer or an error message is displayed<br>**Actual:** answer='abcdef' \| error='' |
| 3 | PASS | Click Clear |  | Answer field and error message are empty and 'Integers only' is not ticked<br>**Actual:** answer='' \| error='' \| integers_checked=False |




| Test case name | TC57 Divide [10, 4] int=No (CLEAR) | Total status | PASS |
|---|---|---|---|
| Test data | **Build**: Prototype<br>**Operation**: Divide<br>**First number**: 10<br>**Second number**: 4<br>**Integers only**: No<br>**Expected result**: (empty)<br>**Expected error**: (empty) | | |
| Pre-condition | Browser is open and https://testsheepnz.github.io/BasicCalculator.html is loaded with Prototype selected in the Build dropdown | | |

| No. | Test status | Test step | Picture | Expected |
|---|---|---|---|---|
| 1 | PASS | Select Operation 'Divide', enter First number '10' and Second number '4' |  | The selected operation and the entered values are displayed in the fields<br>**Actual:** operation='Divide' \| first='10' \| second='4' |
| 2 | PASS | Click Calculate |  | An answer or an error message is displayed<br>**Actual:** answer='2.5' \| error='' |
| 3 | PASS | Click Clear |  | Answer field and error message are empty and 'Integers only' is not ticked<br>**Actual:** answer='' \| error='' \| integers_checked=False |




| Test case name | TC58 Add [1.5, 2.25] int=No (INT_TOGGLE) | Total status | PASS |
|---|---|---|---|
| Test data | **Build**: Prototype<br>**Operation**: Add<br>**First number**: 1.5<br>**Second number**: 2.25<br>**Integers only**: No<br>**Expected result**: 3<br>**Expected error**: (empty) | | |
| Pre-condition | Browser is open and https://testsheepnz.github.io/BasicCalculator.html is loaded with Prototype selected in the Build dropdown | | |

| No. | Test status | Test step | Picture | Expected |
|---|---|---|---|---|
| 1 | PASS | Select Operation 'Add', enter First number '1.5' and Second number '2.25' |  | The selected operation and the entered values are displayed in the fields<br>**Actual:** operation='Add' \| first='1.5' \| second='2.25' |
| 2 | PASS | Click Calculate |  | An answer or an error message is displayed<br>**Actual:** answer='3.75' \| error='' |
| 3 | PASS | Tick 'Integers only' after the calculation |  | Answer field shows "3" and no error message is displayed<br>**Actual:** answer='3' \| error='' |


| Test case name | TC59 Divide [-7, 2] int=No (INT_TOGGLE) | Total status | PASS |
|---|---|---|---|
| Test data | **Build**: Prototype<br>**Operation**: Divide<br>**First number**: -7<br>**Second number**: 2<br>**Integers only**: No<br>**Expected result**: -3<br>**Expected error**: (empty) | | |
| Pre-condition | Browser is open and https://testsheepnz.github.io/BasicCalculator.html is loaded with Prototype selected in the Build dropdown | | |

| No. | Test status | Test step | Picture | Expected |
|---|---|---|---|---|
| 1 | PASS | Select Operation 'Divide', enter First number '-7' and Second number '2' |  | The selected operation and the entered values are displayed in the fields<br>**Actual:** operation='Divide' \| first='-7' \| second='2' |
| 2 | PASS | Click Calculate |  | An answer or an error message is displayed<br>**Actual:** answer='-3.5' \| error='' |
| 3 | PASS | Tick 'Integers only' after the calculation |  | Answer field shows "-3" and no error message is displayed<br>**Actual:** answer='-3' \| error='' |


| Test case name | TC60 Multiply [4, 3] int=No (INT_TOGGLE) | Total status | PASS |
|---|---|---|---|
| Test data | **Build**: Prototype<br>**Operation**: Multiply<br>**First number**: 4<br>**Second number**: 3<br>**Integers only**: No<br>**Expected result**: 12<br>**Expected error**: (empty) | | |
| Pre-condition | Browser is open and https://testsheepnz.github.io/BasicCalculator.html is loaded with Prototype selected in the Build dropdown | | |

| No. | Test status | Test step | Picture | Expected |
|---|---|---|---|---|
| 1 | PASS | Select Operation 'Multiply', enter First number '4' and Second number '3' |  | The selected operation and the entered values are displayed in the fields<br>**Actual:** operation='Multiply' \| first='4' \| second='3' |
| 2 | PASS | Click Calculate |  | An answer or an error message is displayed<br>**Actual:** answer='12' \| error='' |
| 3 | PASS | Tick 'Integers only' after the calculation |  | Answer field shows "12" and no error message is displayed<br>**Actual:** answer='12' \| error='' |


| Test case name | TC61 Concatenate [(empty), (empty)] int=No (INT_STATE) | Total status | PASS |
|---|---|---|---|
| Test data | **Build**: Prototype<br>**Operation**: Concatenate<br>**Expected checkbox state**: disabled | | |
| Pre-condition | Browser is open and https://testsheepnz.github.io/BasicCalculator.html is loaded with Prototype selected in the Build dropdown | | |

| No. | Test status | Test step | Picture | Expected |
|---|---|---|---|---|
| 1 | PASS | Select Operation 'Concatenate' |  | 'Integers only' checkbox is disabled<br>**Actual:** integers_checkbox=disabled |


| Test case name | TC62 Add [(empty), (empty)] int=No (INT_STATE) | Total status | PASS |
|---|---|---|---|
| Test data | **Build**: Prototype<br>**Operation**: Add<br>**Expected checkbox state**: enabled | | |
| Pre-condition | Browser is open and https://testsheepnz.github.io/BasicCalculator.html is loaded with Prototype selected in the Build dropdown | | |

| No. | Test status | Test step | Picture | Expected |
|---|---|---|---|---|
| 1 | PASS | Select Operation 'Add' |  | 'Integers only' checkbox is enabled<br>**Actual:** integers_checkbox=enabled |

| Test case name | TC63 Divide [(empty), (empty)] int=No (INT_STATE) | Total status | PASS |
|---|---|---|---|
| Test data | **Build**: Prototype<br>**Operation**: Divide<br>**Expected checkbox state**: enabled | | |
| Pre-condition | Browser is open and https://testsheepnz.github.io/BasicCalculator.html is loaded with Prototype selected in the Build dropdown | | |

| No. | Test status | Test step | Picture | Expected |
|---|---|---|---|---|
| 1 | PASS | Select Operation 'Divide' |  | 'Integers only' checkbox is enabled<br>**Actual:** integers_checkbox=enabled |

| Test case name | TC64 Add [(empty), (empty)] int=No (CLEAR_STATE) | Total status | PASS |
|---|---|---|---|
| Test data | **Build**: Prototype<br>**Expected Clear button state**: enabled | | |
| Pre-condition | Browser is open and https://testsheepnz.github.io/BasicCalculator.html is loaded with Prototype selected in the Build dropdown | | |

| No. | Test status | Test step | Picture | Expected |
|---|---|---|---|---|
| 1 | PASS | Look at the Clear button on the freshly opened page |  | Clear button is enabled<br>**Actual:** clear_button=enabled |