

Test Report: Basic Calculator - Build 7



Generated 2026-10-21 21:41:33

Total	Passed	Failed	Error	Pass rate
64	23	41	0	35.9%



Test case name	TC01 Add [2, 3] int=No (CALC)	**Total status**	**FAIL**
Test data	**Build**: Build 7 **Operation**: Add **First number**: 2 **Second number**: 3 **Integers only**: No **Expected result**: 5 **Expected error**: (empty)		
Pre-condition	Browser is open and https://testsheepnz.github.io/BasicCalculator.html is loaded with Build 7 selected in the Build dropdown		

No.	Test status	Test step	Picture	Expected
1	**PASS**	Select Operation 'Add', enter First number '2' and Second number '3'		The selected operation and the entered values are displayed in the fields **Actual:** operation='Add' | first='2' | second='3'
2	**FAIL**	Click Calculate		Answer field shows "5" and no error message is displayed **Actual:** answer='3' | error=''



Test case name	TC02 Add [-2, -3] int=No (CALC)	Total status	FAIL
Test data	**Build**: Build 7 **Operation**: Add **First number**: -2 **Second number**: -3 **Integers only**: No **Expected result**: -5 **Expected error**: (empty)		
Pre-condition	Browser is open and https://testsheepnz.github.io/BasicCalculator.html is loaded with Build 7 selected in the Build dropdown		

No.	Test status	Test step	Picture	Expected
1	PASS	Select Operation 'Add', enter First number '-2' and Second number '-3'		The selected operation and the entered values are displayed in the fields **Actual:** operation='Add' | first='-2' | second='-3'
2	FAIL	Click Calculate		Answer field shows "-5" and no error message is displayed **Actual:** answer='-3' | error=''



Test case name	TC03 Add [-5, 3] int=No (CALC)	Total status	FAIL
Test data	**Build**: Build 7 **Operation**: Add **First number**: -5 **Second number**: 3 **Integers only**: No **Expected result**: -2 **Expected error**: (empty)		
Pre-condition	Browser is open and https://testsheepnz.github.io/BasicCalculator.html is loaded with Build 7 selected in the Build dropdown		

No.	Test status	Test step	Picture	Expected
1	PASS	Select Operation 'Add', enter First number '-5' and Second number '3'		The selected operation and the entered values are displayed in the fields **Actual:** operation='Add' | first='-5' | second='3'
2	FAIL	Click Calculate		Answer field shows "-2" and no error message is displayed **Actual:** answer='3' | error=''



Test case name	TC04 Add [0, 0] int=No (CALC)	Total status	PASS
Test data	**Build**: Build 7 **Operation**: Add **First number**: 0 **Second number**: 0 **Integers only**: No **Expected result**: 0 **Expected error**: (empty)		
Pre-condition	Browser is open and https://testsheepnz.github.io/BasicCalculator.html is loaded with Build 7 selected in the Build dropdown		

No.	Test status	Test step	Picture	Expected
1	PASS	Select Operation 'Add', enter First number '0' and Second number '0'		The selected operation and the entered values are displayed in the fields **Actual:** operation='Add' | first='0' | second='0'
2	PASS	Click Calculate		Answer field shows "0" and no error message is displayed **Actual:** answer='0' | error=''



Test case name	TC05 Add [7, 0] int=No (CALC)	Total status	FAIL
Test data	**Build**: Build 7 **Operation**: Add **First number**: 7 **Second number**: 0 **Integers only**: No **Expected result**: 7 **Expected error**: (empty)		
Pre-condition	Browser is open and https://testsheepnz.github.io/BasicCalculator.html is loaded with Build 7 selected in the Build dropdown		

No.	Test status	Test step	Picture	Expected
1	PASS	Select Operation 'Add', enter First number '7' and Second number '0'		The selected operation and the entered values are displayed in the fields **Actual:** operation='Add' | first='7' | second='0'
2	FAIL	Click Calculate		Answer field shows "7" and no error message is displayed **Actual:** answer='0' | error=''



Test case name	TC06 Add [1.5, 2.25] int=No (CALC)	Total status	FAIL
Test data	**Build**: Build 7 **Operation**: Add **First number**: 1.5 **Second number**: 2.25 **Integers only**: No **Expected result**: 3.75 **Expected error**: (empty)		
Pre-condition	Browser is open and https://testsheepnz.github.io/BasicCalculator.html is loaded with Build 7 selected in the Build dropdown		

No.	Test status	Test step	Picture	Expected
1	PASS	Select Operation 'Add', enter First number '1.5' and Second number '2.25'		The selected operation and the entered values are displayed in the fields **Actual:** operation='Add' | first='1.5' | second='2.25'
2	FAIL	Click Calculate		Answer field shows "3.75" and no error message is displayed **Actual:** answer='2.25' | error=''



Test case name	TC07 Add [9999999999, 1] int=No (CALC)	Total status	FAIL
Test data	**Build**: Build 7 **Operation**: Add **First number**: 9999999999 **Second number**: 1 **Integers only**: No **Expected result**: 10000000000 **Expected error**: (empty)		
Pre-condition	Browser is open and https://testsheepnz.github.io/BasicCalculator.html is loaded with Build 7 selected in the Build dropdown		

No.	Test status	Test step	Picture	Expected
1	PASS	Select Operation 'Add', enter First number '9999999999' and Second number '1'		The selected operation and the entered values are displayed in the fields **Actual:** operation='Add' | first='9999999999' | second='1'
2	FAIL	Click Calculate		Answer field shows "10000000000" and no error message is displayed **Actual:** answer='1' | error=''



Test case name	TC08 Subtract [5, 3] int=No (CALC)	Total status	FAIL
Test data	**Build**: Build 7 **Operation**: Subtract **First number**: 5 **Second number**: 3 **Integers only**: No **Expected result**: 2 **Expected error**: (empty)		
Pre-condition	Browser is open and https://testsheepnz.github.io/BasicCalculator.html is loaded with Build 7 selected in the Build dropdown		

No.	Test status	Test step	Picture	Expected
1	PASS	Select Operation 'Subtract', enter First number '5' and Second number '3'		The selected operation and the entered values are displayed in the fields **Actual:** operation='Subtract' | first='5' | second='3'
2	FAIL	Click Calculate		Answer field shows "2" and no error message is displayed **Actual:** answer='-3' | error=''



Test case name	TC09 Subtract [3, 5] int=No (CALC)	Total status	FAIL
Test data	**Build**: Build 7 **Operation**: Subtract **First number**: 3 **Second number**: 5 **Integers only**: No **Expected result**: -2 **Expected error**: (empty)		
Pre-condition	Browser is open and https://testsheepnz.github.io/BasicCalculator.html is loaded with Build 7 selected in the Build dropdown		

No.	Test status	Test step	Picture	Expected
1	PASS	Select Operation 'Subtract', enter First number '3' and Second number '5'		The selected operation and the entered values are displayed in the fields **Actual:** operation='Subtract' | first='3' | second='5'
2	FAIL	Click Calculate		Answer field shows "-2" and no error message is displayed **Actual:** answer='-5' | error=''



Test case name	TC10 Subtract [0, 5] int=No (CALC)	Total status	PASS
Test data	**Build**: Build 7 **Operation**: Subtract **First number**: 0 **Second number**: 5 **Integers only**: No **Expected result**: -5 **Expected error**: (empty)		
Pre-condition	Browser is open and https://testsheepnz.github.io/BasicCalculator.html is loaded with Build 7 selected in the Build dropdown		

No.	Test status	Test step	Picture	Expected
1	PASS	Select Operation 'Subtract', enter First number '0' and Second number '5'		The selected operation and the entered values are displayed in the fields **Actual:** operation='Subtract' | first='0' | second='5'
2	PASS	Click Calculate		Answer field shows "-5" and no error message is displayed **Actual:** answer='-5' | error=''



Test case name	TC11 Subtract [-1.5, 2.5] int=No (CALC)	Total status	FAIL
Test data	**Build**: Build 7 **Operation**: Subtract **First number**: -1.5 **Second number**: 2.5 **Integers only**: No **Expected result**: -4 **Expected error**: (empty)		
Pre-condition	Browser is open and https://testsheepnz.github.io/BasicCalculator.html is loaded with Build 7 selected in the Build dropdown		

No.	Test status	Test step	Picture	Expected
1	PASS	Select Operation 'Subtract', enter First number '-1.5' and Second number '2.5'		The selected operation and the entered values are displayed in the fields **Actual:** operation='Subtract' | first='-1.5' | second='2.5'
2	FAIL	Click Calculate		Answer field shows "-4" and no error message is displayed **Actual:** answer='-2.5' | error=''



Test case name	TC12 Subtract [4, 4] int=No (CALC)	Total status	FAIL
Test data	**Build**: Build 7 **Operation**: Subtract **First number**: 4 **Second number**: 4 **Integers only**: No **Expected result**: 0 **Expected error**: (empty)		
Pre-condition	Browser is open and https://testsheepnz.github.io/BasicCalculator.html is loaded with Build 7 selected in the Build dropdown		

No.	Test status	Test step	Picture	Expected
1	PASS	Select Operation 'Subtract', enter First number '4' and Second number '4'		The selected operation and the entered values are displayed in the fields **Actual:** operation='Subtract' | first='4' | second='4'
2	FAIL	Click Calculate		Answer field shows "0" and no error message is displayed **Actual:** answer='-4' | error=''



Test case name	TC13 Multiply [4, 3] int=No (CALC)	Total status	FAIL
Test data	**Build**: Build 7 **Operation**: Multiply **First number**: 4 **Second number**: 3 **Integers only**: No **Expected result**: 12 **Expected error**: (empty)		
Pre-condition	Browser is open and https://testsheepnz.github.io/BasicCalculator.html is loaded with Build 7 selected in the Build dropdown		

No.	Test status	Test step	Picture	Expected
1	PASS	Select Operation 'Multiply', enter First number '4' and Second number '3'		The selected operation and the entered values are displayed in the fields **Actual:** operation='Multiply' | first='4' | second='3'
2	FAIL	Click Calculate		Answer field shows "12" and no error message is displayed **Actual:** answer='0' | error=''



Test case name	TC14 Multiply [-3, 4] int=No (CALC)	Total status	FAIL
Test data	**Build**: Build 7 **Operation**: Multiply **First number**: -3 **Second number**: 4 **Integers only**: No **Expected result**: -12 **Expected error**: (empty)		
Pre-condition	Browser is open and https://testsheepnz.github.io/BasicCalculator.html is loaded with Build 7 selected in the Build dropdown		

No.	Test status	Test step	Picture	Expected
1	PASS	Select Operation 'Multiply', enter First number '-3' and Second number '4'		The selected operation and the entered values are displayed in the fields **Actual:** operation='Multiply' | first='-3' | second='4'
2	FAIL	Click Calculate		Answer field shows "-12" and no error message is displayed **Actual:** answer='0' | error=''


Test case name	TC15 Multiply [-3, -4] int=No (CALC)	Total status	FAIL
Test data	**Build**: Build 7 **Operation**: Multiply **First number**: -3 **Second number**: -4 **Integers only**: No **Expected result**: 12 **Expected error**: (empty)		
Pre-condition	Browser is open and https://testsheepnz.github.io/BasicCalculator.html is loaded with Build 7 selected in the Build dropdown		

No.	Test status	Test step	Picture	Expected
1	PASS	Select Operation 'Multiply', enter First number '-3' and Second number '-4'		The selected operation and the entered values are displayed in the fields **Actual:** operation='Multiply' | first='-3' | second='-4'
2	FAIL	Click Calculate		Answer field shows "12" and no error message is displayed **Actual:** answer='0' | error=''



Test case name	TC16 Multiply [0, 5] int=No (CALC)	Total status	PASS
Test data	**Build**: Build 7 **Operation**: Multiply **First number**: 0 **Second number**: 5 **Integers only**: No **Expected result**: 0 **Expected error**: (empty)		
Pre-condition	Browser is open and https://testsheepnz.github.io/BasicCalculator.html is loaded with Build 7 selected in the Build dropdown		

No.	Test status	Test step	Picture	Expected
1	PASS	Select Operation 'Multiply', enter First number '0' and Second number '5'		The selected operation and the entered values are displayed in the fields **Actual:** operation='Multiply' | first='0' | second='5'
2	PASS	Click Calculate		Answer field shows "0" and no error message is displayed **Actual:** answer='0' | error=''


Test case name	TC17 Multiply [1.5, 2] int=No (CALC)	Total status	FAIL
Test data	**Build**: Build 7 **Operation**: Multiply **First number**: 1.5 **Second number**: 2 **Integers only**: No **Expected result**: 3 **Expected error**: (empty)		
Pre-condition	Browser is open and https://testsheepnz.github.io/BasicCalculator.html is loaded with Build 7 selected in the Build dropdown		

No.	Test status	Test step	Picture	Expected
1	PASS	Select Operation 'Multiply', enter First number '1.5' and Second number '2'		The selected operation and the entered values are displayed in the fields **Actual:** operation='Multiply' | first='1.5' | second='2'
2	FAIL	Click Calculate		Answer field shows "3" and no error message is displayed **Actual:** answer='0' | error=''



Test case name	TC18 Multiply [99999, 99999] int=No (CALC)	Total status	FAIL
Test data	**Build**: Build 7 **Operation**: Multiply **First number**: 99999 **Second number**: 99999 **Integers only**: No **Expected result**: 9999800001 **Expected error**: (empty)		
Pre-condition	Browser is open and https://testsheepnz.github.io/BasicCalculator.html is loaded with Build 7 selected in the Build dropdown		

No.	Test status	Test step	Picture	Expected
1	PASS	Select Operation 'Multiply', enter First number '99999' and Second number '99999'		The selected operation and the entered values are displayed in the fields **Actual:** operation='Multiply' | first='99999' | second='99999'
2	FAIL	Click Calculate		Answer field shows "9999800001" and no error message is displayed **Actual:** answer='0' | error=''



Test case name	TC19 Multiply [0.5, 0.5] int=No (CALC)	Total status	FAIL
Test data	**Build**: Build 7 **Operation**: Multiply **First number**: 0.5 **Second number**: 0.5 **Integers only**: No **Expected result**: 0.25 **Expected error**: (empty)		
Pre-condition	Browser is open and https://testsheepnz.github.io/BasicCalculator.html is loaded with Build 7 selected in the Build dropdown		

No.	Test status	Test step	Picture	Expected
1	PASS	Select Operation 'Multiply', enter First number '0.5' and Second number '0.5'		The selected operation and the entered values are displayed in the fields **Actual:** operation='Multiply' | first='0.5' | second='0.5'
2	FAIL	Click Calculate		Answer field shows "0.25" and no error message is displayed **Actual:** answer='0' | error=''



Test case name	TC20 Divide [10, 4] int=No (CALC)	Total status	FAIL
Test data	**Build**: Build 7 **Operation**: Divide **First number**: 10 **Second number**: 4 **Integers only**: No **Expected result**: 2.5 **Expected error**: (empty)		
Pre-condition	Browser is open and https://testsheepnz.github.io/BasicCalculator.html is loaded with Build 7 selected in the Build dropdown		

No.	Test status	Test step	Picture	Expected
1	PASS	Select Operation 'Divide', enter First number '10' and Second number '4'		The selected operation and the entered values are displayed in the fields **Actual:** operation='Divide' | first='10' | second='4'
2	FAIL	Click Calculate		Answer field shows "2.5" and no error message is displayed **Actual:** answer='0' | error=''



Test case name	TC21 Divide [4, 10] int=No (CALC)	Total status	FAIL
Test data	**Build**: Build 7 **Operation**: Divide **First number**: 4 **Second number**: 10 **Integers only**: No **Expected result**: 0.4 **Expected error**: (empty)		
Pre-condition	Browser is open and https://testsheepnz.github.io/BasicCalculator.html is loaded with Build 7 selected in the Build dropdown		

No.	Test status	Test step	Picture	Expected
1	PASS	Select Operation 'Divide', enter First number '4' and Second number '10'		The selected operation and the entered values are displayed in the fields **Actual:** operation='Divide' | first='4' | second='10'
2	FAIL	Click Calculate		Answer field shows "0.4" and no error message is displayed **Actual:** answer='0' | error=''



Test case name	TC22 Divide [0, 5] int=No (CALC)	Total status	PASS
Test data	**Build**: Build 7 **Operation**: Divide **First number**: 0 **Second number**: 5 **Integers only**: No **Expected result**: 0 **Expected error**: (empty)		
Pre-condition	Browser is open and https://testsheepnz.github.io/BasicCalculator.html is loaded with Build 7 selected in the Build dropdown		

No.	Test status	Test step	Picture	Expected
1	PASS	Select Operation 'Divide', enter First number '0' and Second number '5'		The selected operation and the entered values are displayed in the fields **Actual:** operation='Divide' | first='0' | second='5'
2	PASS	Click Calculate		Answer field shows "0" and no error message is displayed **Actual:** answer='0' | error=''



Test case name	TC23 Divide [-7, 2] int=No (CALC)	Total status	FAIL
Test data	**Build**: Build 7 **Operation**: Divide **First number**: -7 **Second number**: 2 **Integers only**: No **Expected result**: -3.5 **Expected error**: (empty)		
Pre-condition	Browser is open and https://testsheepnz.github.io/BasicCalculator.html is loaded with Build 7 selected in the Build dropdown		

No.	Test status	Test step	Picture	Expected
1	PASS	Select Operation 'Divide', enter First number '-7' and Second number '2'		The selected operation and the entered values are displayed in the fields **Actual:** operation='Divide' | first='-7' | second='2'
2	FAIL	Click Calculate		Answer field shows "-3.5" and no error message is displayed **Actual:** answer='0' | error=''



Test case name	TC24 Divide [8, 2] int=No (CALC)	Total status	FAIL
Test data	**Build**: Build 7 **Operation**: Divide **First number**: 8 **Second number**: 2 **Integers only**: No **Expected result**: 4 **Expected error**: (empty)		
Pre-condition	Browser is open and https://testsheepnz.github.io/BasicCalculator.html is loaded with Build 7 selected in the Build dropdown		

No.	Test status	Test step	Picture	Expected
1	PASS	Select Operation 'Divide', enter First number '8' and Second number '2'		The selected operation and the entered values are displayed in the fields **Actual:** operation='Divide' | first='8' | second='2'
2	FAIL	Click Calculate		Answer field shows "4" and no error message is displayed **Actual:** answer='0' | error=''



Test case name	TC25 Divide [5, 0] int=No (CALC)	Total status	PASS
Test data	**Build**: Build 7 **Operation**: Divide **First number**: 5 **Second number**: 0 **Integers only**: No **Expected result**: (empty) **Expected error**: Divide by zero error!		
Pre-condition	Browser is open and https://testsheepnz.github.io/BasicCalculator.html is loaded with Build 7 selected in the Build dropdown		

No.	Test status	Test step	Picture	Expected
1	PASS	Select Operation 'Divide', enter First number '5' and Second number '0'		The selected operation and the entered values are displayed in the fields **Actual:** operation='Divide' | first='5' | second='0'
2	PASS	Click Calculate		Error message "Divide by zero error!" is displayed and the Answer field is empty **Actual:** answer='' | error='Divide by zero error!'



Test case name	TC26 Divide [0, 0] int=No (CALC)	Total status	PASS
Test data	**Build**: Build 7 **Operation**: Divide **First number**: 0 **Second number**: 0 **Integers only**: No **Expected result**: (empty) **Expected error**: Divide by zero error!		
Pre-condition	Browser is open and https://testsheepnz.github.io/BasicCalculator.html is loaded with Build 7 selected in the Build dropdown		

No.	Test status	Test step	Picture	Expected
1	PASS	Select Operation 'Divide', enter First number '0' and Second number '0'		The selected operation and the entered values are displayed in the fields **Actual:** operation='Divide' | first='0' | second='0'
2	PASS	Click Calculate		Error message "Divide by zero error!" is displayed and the Answer field is empty **Actual:** answer='' | error='Divide by zero error!'



Test case name	TC27 Concatenate [abc, def] int=No (CALC)	Total status	FAIL
Test data	**Build**: Build 7 **Operation**: Concatenate **First number**: abc **Second number**: def **Integers only**: No **Expected result**: abcdef **Expected error**: (empty)		
Pre-condition	Browser is open and https://testsheepnz.github.io/BasicCalculator.html is loaded with Build 7 selected in the Build dropdown		

No.	Test status	Test step	Picture	Expected
1	PASS	Select Operation 'Concatenate', enter First number 'abc' and Second number 'def'		The selected operation and the entered values are displayed in the fields **Actual:** operation='Concatenate' | first='abc' | second='def'
2	FAIL	Click Calculate		Answer field shows "abcdef" and no error message is displayed **Actual:** answer='def' | error=''



Test case name	TC28 Concatenate [1, 2] int=No (CALC)	Total status	FAIL
Test data	**Build**: Build 7 **Operation**: Concatenate **First number**: 1 **Second number**: 2 **Integers only**: No **Expected result**: 12 **Expected error**: (empty)		
Pre-condition	Browser is open and https://testsheepnz.github.io/BasicCalculator.html is loaded with Build 7 selected in the Build dropdown		

No.	Test status	Test step	Picture	Expected
1	PASS	Select Operation 'Concatenate', enter First number '1' and Second number '2'		The selected operation and the entered values are displayed in the fields **Actual:** operation='Concatenate' | first='1' | second='2'
2	FAIL	Click Calculate		Answer field shows "12" and no error message is displayed **Actual:** answer='2' | error=''


Test case name	TC29 Concatenate [-1, 0.5] int=No (CALC)	Total status	FAIL
Test data	**Build**: Build 7 **Operation**: Concatenate **First number**: -1 **Second number**: 0.5 **Integers only**: No **Expected result**: -10.5 **Expected error**: (empty)		
Pre-condition	Browser is open and https://testsheepnz.github.io/BasicCalculator.html is loaded with Build 7 selected in the Build dropdown		

No.	Test status	Test step	Picture	Expected
1	PASS	Select Operation 'Concatenate', enter First number '-1' and Second number '0.5'		The selected operation and the entered values are displayed in the fields **Actual:** operation='Concatenate' | first='-1' | second='0.5'
2	FAIL	Click Calculate		Answer field shows "-10.5" and no error message is displayed **Actual:** answer='0.5' | error=''



Test case name	TC30 Concatenate [(empty), abc] int=No (CALC)	Total status	PASS
Test data	**Build**: Build 7 **Operation**: Concatenate **First number**: (empty) **Second number**: abc **Integers only**: No **Expected result**: abc **Expected error**: (empty)		
Pre-condition	Browser is open and https://testsheepnz.github.io/BasicCalculator.html is loaded with Build 7 selected in the Build dropdown		

No.	Test status	Test step	Picture	Expected
1	PASS	Select Operation 'Concatenate', enter First number '' and Second number 'abc'		The selected operation and the entered values are displayed in the fields **Actual:** operation='Concatenate' | first='' | second='abc'
2	PASS	Click Calculate		Answer field shows "abc" and no error message is displayed **Actual:** answer='abc' | error=''



Test case name	TC31 Concatenate [@#$, 12] int=No (CALC)	Total status	FAIL
Test data	**Build**: Build 7 **Operation**: Concatenate **First number**: @#$ **Second number**: 12 **Integers only**: No **Expected result**: @#$12 **Expected error**: (empty)		
Pre-condition	Browser is open and https://testsheepnz.github.io/BasicCalculator.html is loaded with Build 7 selected in the Build dropdown		

No.	Test status	Test step	Picture	Expected
1	PASS	Select Operation 'Concatenate', enter First number '@#$' and Second number '12'		The selected operation and the entered values are displayed in the fields **Actual:** operation='Concatenate' | first='@#$' | second='12'
2	FAIL	Click Calculate		Answer field shows "@#$12" and no error message is displayed **Actual:** answer='12' | error=''



Test case name	TC32 Add [1.5, 2.25] int=Yes (CALC)	Total status	FAIL
Test data	**Build**: Build 7 **Operation**: Add **First number**: 1.5 **Second number**: 2.25 **Integers only**: Yes **Expected result**: 3 **Expected error**: (empty)		
Pre-condition	Browser is open and https://testsheepnz.github.io/BasicCalculator.html is loaded with Build 7 selected in the Build dropdown		

No.	Test status	Test step	Picture	Expected
1	PASS	Select Operation 'Add', enter First number '1.5' and Second number '2.25' and tick 'Integers only'		The selected operation and the entered values are displayed in the fields **Actual:** operation='Add' | first='1.5' | second='2.25'
2	FAIL	Click Calculate		Answer field shows "3" and no error message is displayed **Actual:** answer='2' | error=''



Test case name	TC33 Add [1.7, 1.2] int=Yes (CALC)	Total status	FAIL
Test data	**Build**: Build 7 **Operation**: Add **First number**: 1.7 **Second number**: 1.2 **Integers only**: Yes **Expected result**: 2 **Expected error**: (empty)		
Pre-condition	Browser is open and https://testsheepnz.github.io/BasicCalculator.html is loaded with Build 7 selected in the Build dropdown		

No.	Test status	Test step	Picture	Expected
1	PASS	Select Operation 'Add', enter First number '1.7' and Second number '1.2' and tick 'Integers only'		The selected operation and the entered values are displayed in the fields **Actual:** operation='Add' | first='1.7' | second='1.2'
2	FAIL	Click Calculate		Answer field shows "2" and no error message is displayed **Actual:** answer='1' | error=''



Test case name	TC34 Add [-1.5, -1.5] int=Yes (CALC)	Total status	FAIL
Test data	**Build**: Build 7 **Operation**: Add **First number**: -1.5 **Second number**: -1.5 **Integers only**: Yes **Expected result**: -3 **Expected error**: (empty)		
Pre-condition	Browser is open and https://testsheepnz.github.io/BasicCalculator.html is loaded with Build 7 selected in the Build dropdown		

No.	Test status	Test step	Picture	Expected
1	PASS	Select Operation 'Add', enter First number '-1.5' and Second number '-1.5' and tick 'Integers only'		The selected operation and the entered values are displayed in the fields **Actual:** operation='Add' | first='-1.5' | second='-1.5'
2	FAIL	Click Calculate		Answer field shows "-3" and no error message is displayed **Actual:** answer='-1' | error=''



Test case name	TC35 Subtract [1.5, 4] int=Yes (CALC)	Total status	FAIL
Test data	**Build**: Build 7 **Operation**: Subtract **First number**: 1.5 **Second number**: 4 **Integers only**: Yes **Expected result**: -2 **Expected error**: (empty)		
Pre-condition	Browser is open and https://testsheepnz.github.io/BasicCalculator.html is loaded with Build 7 selected in the Build dropdown		

No.	Test status	Test step	Picture	Expected
1	PASS	Select Operation 'Subtract', enter First number '1.5' and Second number '4' and tick 'Integers only'		The selected operation and the entered values are displayed in the fields **Actual:** operation='Subtract' | first='1.5' | second='4'
2	FAIL	Click Calculate		Answer field shows "-2" and no error message is displayed **Actual:** answer='-4' | error=''



Test case name	TC36 Multiply [1.5, 2] int=Yes (CALC)	Total status	FAIL
Test data	**Build**: Build 7 **Operation**: Multiply **First number**: 1.5 **Second number**: 2 **Integers only**: Yes **Expected result**: 3 **Expected error**: (empty)		
Pre-condition	Browser is open and https://testsheepnz.github.io/BasicCalculator.html is loaded with Build 7 selected in the Build dropdown		

No.	Test status	Test step	Picture	Expected
1	PASS	Select Operation 'Multiply', enter First number '1.5' and Second number '2' and tick 'Integers only'		The selected operation and the entered values are displayed in the fields **Actual:** operation='Multiply' | first='1.5' | second='2'
2	FAIL	Click Calculate		Answer field shows "3" and no error message is displayed **Actual:** answer='0' | error=''



Test case name	TC37 Divide [10, 4] int=Yes (CALC)	Total status	FAIL
Test data	**Build**: Build 7 **Operation**: Divide **First number**: 10 **Second number**: 4 **Integers only**: Yes **Expected result**: 2 **Expected error**: (empty)		
Pre-condition	Browser is open and https://testsheepnz.github.io/BasicCalculator.html is loaded with Build 7 selected in the Build dropdown		

No.	Test status	Test step	Picture	Expected
1	PASS	Select Operation 'Divide', enter First number '10' and Second number '4' and tick 'Integers only'		The selected operation and the entered values are displayed in the fields **Actual:** operation='Divide' | first='10' | second='4'
2	FAIL	Click Calculate		Answer field shows "2" and no error message is displayed **Actual:** answer='0' | error=''



Test case name	TC38 Divide [-7, 2] int=Yes (CALC)	Total status	FAIL
Test data	**Build**: Build 7 **Operation**: Divide **First number**: -7 **Second number**: 2 **Integers only**: Yes **Expected result**: -3 **Expected error**: (empty)		
Pre-condition	Browser is open and https://testsheepnz.github.io/BasicCalculator.html is loaded with Build 7 selected in the Build dropdown		

No.	Test status	Test step	Picture	Expected
1	PASS	Select Operation 'Divide', enter First number '-7' and Second number '2' and tick 'Integers only'		The selected operation and the entered values are displayed in the fields **Actual:** operation='Divide' | first='-7' | second='2'
2	FAIL	Click Calculate		Answer field shows "-3" and no error message is displayed **Actual:** answer='0' | error=''



Test case name	TC39 Divide [7, 2] int=Yes (CALC)	Total status	FAIL
Test data	**Build**: Build 7 **Operation**: Divide **First number**: 7 **Second number**: 2 **Integers only**: Yes **Expected result**: 3 **Expected error**: (empty)		
Pre-condition	Browser is open and https://testsheepnz.github.io/BasicCalculator.html is loaded with Build 7 selected in the Build dropdown		

No.	Test status	Test step	Picture	Expected
1	PASS	Select Operation 'Divide', enter First number '7' and Second number '2' and tick 'Integers only'		The selected operation and the entered values are displayed in the fields **Actual:** operation='Divide' | first='7' | second='2'
2	FAIL	Click Calculate		Answer field shows "3" and no error message is displayed **Actual:** answer='0' | error=''



Test case name	TC40 Add [0.5, 0.4] int=Yes (CALC)	Total status	PASS
Test data	**Build**: Build 7 **Operation**: Add **First number**: 0.5 **Second number**: 0.4 **Integers only**: Yes **Expected result**: 0 **Expected error**: (empty)		
Pre-condition	Browser is open and https://testsheepnz.github.io/BasicCalculator.html is loaded with Build 7 selected in the Build dropdown		

No.	Test status	Test step	Picture	Expected
1	PASS	Select Operation 'Add', enter First number '0.5' and Second number '0.4' and tick 'Integers only'		The selected operation and the entered values are displayed in the fields **Actual:** operation='Add' | first='0.5' | second='0.4'
2	PASS	Click Calculate		Answer field shows "0" and no error message is displayed **Actual:** answer='0' | error=''



Test case name	TC41 Subtract [5, 3] int=Yes (CALC)	Total status	FAIL
Test data	**Build**: Build 7 **Operation**: Subtract **First number**: 5 **Second number**: 3 **Integers only**: Yes **Expected result**: 2 **Expected error**: (empty)		
Pre-condition	Browser is open and https://testsheepnz.github.io/BasicCalculator.html is loaded with Build 7 selected in the Build dropdown		

No.	Test status	Test step	Picture	Expected
1	PASS	Select Operation 'Subtract', enter First number '5' and Second number '3' and tick 'Integers only'		The selected operation and the entered values are displayed in the fields **Actual:** operation='Subtract' | first='5' | second='3'
2	FAIL	Click Calculate		Answer field shows "2" and no error message is displayed **Actual:** answer='-3' | error=''



Test case name	TC42 Divide [5, 0] int=Yes (CALC)	Total status	PASS
Test data	**Build**: Build 7 **Operation**: Divide **First number**: 5 **Second number**: 0 **Integers only**: Yes **Expected result**: (empty) **Expected error**: Divide by zero error!		
Pre-condition	Browser is open and https://testsheepnz.github.io/BasicCalculator.html is loaded with Build 7 selected in the Build dropdown		

No.	Test status	Test step	Picture	Expected
1	PASS	Select Operation 'Divide', enter First number '5' and Second number '0' and tick 'Integers only'		The selected operation and the entered values are displayed in the fields **Actual:** operation='Divide' | first='5' | second='0'
2	PASS	Click Calculate		Error message "Divide by zero error!" is displayed and the Answer field is empty **Actual:** answer='' | error='Divide by zero error!'



Test case name	TC43 Add [abc, 1] int=No (CALC)	Total status	FAIL
Test data	**Build**: Build 7 **Operation**: Add **First number**: abc **Second number**: 1 **Integers only**: No **Expected result**: (empty) **Expected error**: Number 1 is not a number		
Pre-condition	Browser is open and https://testsheepnz.github.io/BasicCalculator.html is loaded with Build 7 selected in the Build dropdown		

No.	Test status	Test step	Picture	Expected
1	PASS	Select Operation 'Add', enter First number 'abc' and Second number '1'		The selected operation and the entered values are displayed in the fields **Actual:** operation='Add' | first='abc' | second='1'
2	FAIL	Click Calculate		Error message "Number 1 is not a number" is displayed and the Answer field is empty **Actual:** answer='1' | error=''



Test case name	TC44 Add [1, abc] int=No (CALC)	Total status	PASS
Test data	**Build**: Build 7 **Operation**: Add **First number**: 1 **Second number**: abc **Integers only**: No **Expected result**: (empty) **Expected error**: Number 2 is not a number		
Pre-condition	Browser is open and https://testsheepnz.github.io/BasicCalculator.html is loaded with Build 7 selected in the Build dropdown		

No.	Test status	Test step	Picture	Expected
1	PASS	Select Operation 'Add', enter First number '1' and Second number 'abc'		The selected operation and the entered values are displayed in the fields **Actual:** operation='Add' | first='1' | second='abc'
2	PASS	Click Calculate		Error message "Number 2 is not a number" is displayed and the Answer field is empty **Actual:** answer='' | error='Number 2 is not a number'



Test case name	TC45 Add [abc, xyz] int=No (CALC)	Total status	FAIL
Test data	**Build**: Build 7 **Operation**: Add **First number**: abc **Second number**: xyz **Integers only**: No **Expected result**: (empty) **Expected error**: Number 1 is not a number		
Pre-condition	Browser is open and https://testsheepnz.github.io/BasicCalculator.html is loaded with Build 7 selected in the Build dropdown		

No.	Test status	Test step	Picture	Expected
1	PASS	Select Operation 'Add', enter First number 'abc' and Second number 'xyz'		The selected operation and the entered values are displayed in the fields **Actual:** operation='Add' | first='abc' | second='xyz'
2	FAIL	Click Calculate		Error message "Number 1 is not a number" is displayed and the Answer field is empty **Actual:** answer='' | error='Number 2 is not a number'



Test case name	TC46 Subtract [1,5, 2] int=No (CALC)	Total status	FAIL
Test data	**Build**: Build 7 **Operation**: Subtract **First number**: 1,5 **Second number**: 2 **Integers only**: No **Expected result**: (empty) **Expected error**: Number 1 is not a number		
Pre-condition	Browser is open and https://testsheepnz.github.io/BasicCalculator.html is loaded with Build 7 selected in the Build dropdown		

No.	Test status	Test step	Picture	Expected
1	PASS	Select Operation 'Subtract', enter First number '1,5' and Second number '2'		The selected operation and the entered values are displayed in the fields **Actual:** operation='Subtract' | first='1,5' | second='2'
2	FAIL	Click Calculate		Error message "Number 1 is not a number" is displayed and the Answer field is empty **Actual:** answer='-2' | error=''



Test case name	TC47 Multiply [3, @#] int=No (CALC)	Total status	PASS
Test data	**Build**: Build 7 **Operation**: Multiply **First number**: 3 **Second number**: @# **Integers only**: No **Expected result**: (empty) **Expected error**: Number 2 is not a number		
Pre-condition	Browser is open and https://testsheepnz.github.io/BasicCalculator.html is loaded with Build 7 selected in the Build dropdown		

No.	Test status	Test step	Picture	Expected
1	PASS	Select Operation 'Multiply', enter First number '3' and Second number '@#'		The selected operation and the entered values are displayed in the fields **Actual:** operation='Multiply' | first='3' | second='@#'
2	PASS	Click Calculate		Error message "Number 2 is not a number" is displayed and the Answer field is empty **Actual:** answer='' | error='Number 2 is not a number'



Test case name	TC48 Divide [abc, 2] int=No (CALC)	Total status	FAIL
Test data	**Build**: Build 7 **Operation**: Divide **First number**: abc **Second number**: 2 **Integers only**: No **Expected result**: (empty) **Expected error**: Number 1 is not a number		
Pre-condition	Browser is open and https://testsheepnz.github.io/BasicCalculator.html is loaded with Build 7 selected in the Build dropdown		

No.	Test status	Test step	Picture	Expected
1	PASS	Select Operation 'Divide', enter First number 'abc' and Second number '2'		The selected operation and the entered values are displayed in the fields **Actual:** operation='Divide' | first='abc' | second='2'
2	FAIL	Click Calculate		Error message "Number 1 is not a number" is displayed and the Answer field is empty **Actual:** answer='0' | error=''



Test case name	TC49 Add [--5, 1] int=No (CALC)	Total status	FAIL
Test data	**Build**: Build 7 **Operation**: Add **First number**: --5 **Second number**: 1 **Integers only**: No **Expected result**: (empty) **Expected error**: Number 1 is not a number		
Pre-condition	Browser is open and https://testsheepnz.github.io/BasicCalculator.html is loaded with Build 7 selected in the Build dropdown		

No.	Test status	Test step	Picture	Expected
1	PASS	Select Operation 'Add', enter First number '--5' and Second number '1'		The selected operation and the entered values are displayed in the fields **Actual:** operation='Add' | first='--5' | second='1'
2	FAIL	Click Calculate		Error message "Number 1 is not a number" is displayed and the Answer field is empty **Actual:** answer='1' | error=''



Test case name	TC50 Subtract [1, 1 2] int=No (CALC)	Total status	PASS
Test data	**Build**: Build 7 **Operation**: Subtract **First number**: 1 **Second number**: 1 2 **Integers only**: No **Expected result**: (empty) **Expected error**: Number 2 is not a number		
Pre-condition	Browser is open and https://testsheepnz.github.io/BasicCalculator.html is loaded with Build 7 selected in the Build dropdown		

No.	Test status	Test step	Picture	Expected
1	PASS	Select Operation 'Subtract', enter First number '1' and Second number '1 2'		The selected operation and the entered values are displayed in the fields **Actual:** operation='Subtract' | first='1' | second='1 2'
2	PASS	Click Calculate		Error message "Number 2 is not a number" is displayed and the Answer field is empty **Actual:** answer='' | error='Number 2 is not a number'




Test case name	TC51 Add [(empty), 5] int=No (CALC)	Total status	PASS
Test data	**Build**: Build 7 **Operation**: Add **First number**: (empty) **Second number**: 5 **Integers only**: No **Expected result**: 5 **Expected error**: (empty)		
Pre-condition	Browser is open and https://testsheepnz.github.io/BasicCalculator.html is loaded with Build 7 selected in the Build dropdown		

No.	Test status	Test step	Picture	Expected
1	PASS	Select Operation 'Add', enter First number '' and Second number '5'		The selected operation and the entered values are displayed in the fields **Actual:** operation='Add' | first='' | second='5'
2	PASS	Click Calculate		Answer field shows "5" and no error message is displayed **Actual:** answer='5' | error=''




Test case name	TC52 Add [(empty), (empty)] int=No (CALC)	Total status	PASS
Test data	**Build**: Build 7 **Operation**: Add **First number**: (empty) **Second number**: (empty) **Integers only**: No **Expected result**: 0 **Expected error**: (empty)		
Pre-condition	Browser is open and https://testsheepnz.github.io/BasicCalculator.html is loaded with Build 7 selected in the Build dropdown		

No.	Test status	Test step	Picture	Expected
1	PASS	Select Operation 'Add', enter First number '' and Second number ''		The selected operation and the entered values are displayed in the fields **Actual:** operation='Add' | first='' | second=''
2	PASS	Click Calculate		Answer field shows "0" and no error message is displayed **Actual:** answer='0' | error=''




Test case name	TC53 Add [2, 3] int=No (CLEAR)	Total status	PASS
Test data	**Build**: Build 7 **Operation**: Add **First number**: 2 **Second number**: 3 **Integers only**: No **Expected result**: (empty) **Expected error**: (empty)		
Pre-condition	Browser is open and https://testsheepnz.github.io/BasicCalculator.html is loaded with Build 7 selected in the Build dropdown		

No.	Test status	Test step	Picture	Expected
1	PASS	Select Operation 'Add', enter First number '2' and Second number '3'		The selected operation and the entered values are displayed in the fields **Actual:** operation='Add' | first='2' | second='3'
2	PASS	Click Calculate		An answer or an error message is displayed **Actual:** answer='3' | error=''
3	PASS	Click Clear		Answer field and error message are empty and 'Integers only' is not ticked **Actual:** answer='' | error='' | integers_checked=False




Test case name	TC54 Add [1.5, 2.25] int=Yes (CLEAR)	Total status	PASS
Test data	**Build**: Build 7 **Operation**: Add **First number**: 1.5 **Second number**: 2.25 **Integers only**: Yes **Expected result**: (empty) **Expected error**: (empty)		
Pre-condition	Browser is open and https://testsheepnz.github.io/BasicCalculator.html is loaded with Build 7 selected in the Build dropdown		

No.	Test status	Test step	Picture	Expected
1	PASS	Select Operation 'Add', enter First number '1.5' and Second number '2.25' and tick 'Integers only'		The selected operation and the entered values are displayed in the fields **Actual:** operation='Add' | first='1.5' | second='2.25'
2	PASS	Click Calculate		An answer or an error message is displayed **Actual:** answer='2' | error=''
3	PASS	Click Clear		Answer field and error message are empty and 'Integers only' is not ticked **Actual:** answer='' | error='' | integers_checked=False



Test case name	TC55 Add [abc, 1] int=No (CLEAR)	Total status	PASS
Test data	**Build**: Build 7 **Operation**: Add **First number**: abc **Second number**: 1 **Integers only**: No **Expected result**: (empty) **Expected error**: (empty)		
Pre-condition	Browser is open and https://testsheepnz.github.io/BasicCalculator.html is loaded with Build 7 selected in the Build dropdown		

No.	Test status	Test step	Picture	Expected
1	PASS	Select Operation 'Add', enter First number 'abc' and Second number '1'		The selected operation and the entered values are displayed in the fields **Actual:** operation='Add' | first='abc' | second='1'
2	PASS	Click Calculate		An answer or an error message is displayed **Actual:** answer='1' | error=''
3	PASS	Click Clear		Answer field and error message are empty and 'Integers only' is not ticked **Actual:** answer='' | error='' | integers_checked=False




Test case name	TC56 Concatenate [abc, def] int=No (CLEAR)	Total status	PASS
Test data	**Build**: Build 7 **Operation**: Concatenate **First number**: abc **Second number**: def **Integers only**: No **Expected result**: (empty) **Expected error**: (empty)		
Pre-condition	Browser is open and https://testsheepnz.github.io/BasicCalculator.html is loaded with Build 7 selected in the Build dropdown		

No.	Test status	Test step	Picture	Expected
1	PASS	Select Operation 'Concatenate', enter First number 'abc' and Second number 'def'		The selected operation and the entered values are displayed in the fields **Actual:** operation='Concatenate' | first='abc' | second='def'
2	PASS	Click Calculate		An answer or an error message is displayed **Actual:** answer='def' | error=''
3	PASS	Click Clear		Answer field and error message are empty and 'Integers only' is not ticked **Actual:** answer='' | error='' | integers_checked=False




Test case name	TC57 Divide [10, 4] int=No (CLEAR)	Total status	PASS
Test data	**Build**: Build 7 **Operation**: Divide **First number**: 10 **Second number**: 4 **Integers only**: No **Expected result**: (empty) **Expected error**: (empty)		
Pre-condition	Browser is open and https://testsheepnz.github.io/BasicCalculator.html is loaded with Build 7 selected in the Build dropdown		

No.	Test status	Test step	Picture	Expected
1	PASS	Select Operation 'Divide', enter First number '10' and Second number '4'		The selected operation and the entered values are displayed in the fields **Actual:** operation='Divide' | first='10' | second='4'
2	PASS	Click Calculate		An answer or an error message is displayed **Actual:** answer='0' | error=''
3	PASS	Click Clear		Answer field and error message are empty and 'Integers only' is not ticked **Actual:** answer='' | error='' | integers_checked=False




Test case name	TC58 Add [1.5, 2.25] int=No (INT_TOGGLE)	Total status	FAIL
Test data	**Build**: Build 7 **Operation**: Add **First number**: 1.5 **Second number**: 2.25 **Integers only**: No **Expected result**: 3 **Expected error**: (empty)		
Pre-condition	Browser is open and https://testsheepnz.github.io/BasicCalculator.html is loaded with Build 7 selected in the Build dropdown		

No.	Test status	Test step	Picture	Expected
1	PASS	Select Operation 'Add', enter First number '1.5' and Second number '2.25'		The selected operation and the entered values are displayed in the fields **Actual:** operation='Add' | first='1.5' | second='2.25'
2	PASS	Click Calculate		An answer or an error message is displayed **Actual:** answer='2.25' | error=''
3	FAIL	Tick 'Integers only' after the calculation		Answer field shows "3" and no error message is displayed **Actual:** answer='2' | error=''


Test case name	TC59 Divide [-7, 2] int=No (INT_TOGGLE)	Total status	FAIL
Test data	**Build**: Build 7 **Operation**: Divide **First number**: -7 **Second number**: 2 **Integers only**: No **Expected result**: -3 **Expected error**: (empty)		
Pre-condition	Browser is open and https://testsheepnz.github.io/BasicCalculator.html is loaded with Build 7 selected in the Build dropdown		

No.	Test status	Test step	Picture	Expected
1	PASS	Select Operation 'Divide', enter First number '-7' and Second number '2'		The selected operation and the entered values are displayed in the fields **Actual:** operation='Divide' | first='-7' | second='2'
2	PASS	Click Calculate		An answer or an error message is displayed **Actual:** answer='0' | error=''
3	FAIL	Tick 'Integers only' after the calculation		Answer field shows "-3" and no error message is displayed **Actual:** answer='0' | error=''


Test case name	TC60 Multiply [4, 3] int=No (INT_TOGGLE)	Total status	FAIL
Test data	**Build**: Build 7 **Operation**: Multiply **First number**: 4 **Second number**: 3 **Integers only**: No **Expected result**: 12 **Expected error**: (empty)		
Pre-condition	Browser is open and https://testsheepnz.github.io/BasicCalculator.html is loaded with Build 7 selected in the Build dropdown		

No.	Test status	Test step	Picture	Expected
1	PASS	Select Operation 'Multiply', enter First number '4' and Second number '3'		The selected operation and the entered values are displayed in the fields **Actual:** operation='Multiply' | first='4' | second='3'
2	PASS	Click Calculate		An answer or an error message is displayed **Actual:** answer='0' | error=''
3	FAIL	Tick 'Integers only' after the calculation		Answer field shows "12" and no error message is displayed **Actual:** answer='0' | error=''


Test case name	TC61 Concatenate [(empty), (empty)] int=No (INT_STATE)	Total status	PASS
Test data	**Build**: Build 7 **Operation**: Concatenate **Expected checkbox state**: disabled		
Pre-condition	Browser is open and https://testsheepnz.github.io/BasicCalculator.html is loaded with Build 7 selected in the Build dropdown		

No.	Test status	Test step	Picture	Expected
1	PASS	Select Operation 'Concatenate'		'Integers only' checkbox is disabled **Actual:** integers_checkbox=disabled


Test case name	TC62 Add [(empty), (empty)] int=No (INT_STATE)	Total status	PASS
Test data	**Build**: Build 7 **Operation**: Add **Expected checkbox state**: enabled		
Pre-condition	Browser is open and https://testsheepnz.github.io/BasicCalculator.html is loaded with Build 7 selected in the Build dropdown		

No.	Test status	Test step	Picture	Expected
1	PASS	Select Operation 'Add'		'Integers only' checkbox is enabled **Actual:** integers_checkbox=enabled

Test case name	TC63 Divide [(empty), (empty)] int=No (INT_STATE)	Total status	PASS
Test data	**Build**: Build 7 **Operation**: Divide **Expected checkbox state**: enabled		
Pre-condition	Browser is open and https://testsheepnz.github.io/BasicCalculator.html is loaded with Build 7 selected in the Build dropdown		

No.	Test status	Test step	Picture	Expected
1	PASS	Select Operation 'Divide'		'Integers only' checkbox is enabled **Actual:** integers_checkbox=enabled

Test case name	TC64 Add [(empty), (empty)] int=No (CLEAR_STATE)	Total status	PASS
Test data	**Build**: Build 7 **Expected Clear button state**: enabled		
Pre-condition	Browser is open and https://testsheepnz.github.io/BasicCalculator.html is loaded with Build 7 selected in the Build dropdown		

No.	Test status	Test step	Picture	Expected
1	PASS	Look at the Clear button on the freshly opened page		Clear button is enabled **Actual:** clear_button=enabled