







```
suraz@Laptop:~$ nslookup kiit.ac.in
               192.168.214.108
Server:
Address:
                192.168.214.108#53
Non-authoritative answer:
Name: kiit.ac.in
Address: 172.67.147.28
Name: kiit.ac.in
Address: 104.21.79.189
Name: kiit.ac.in
Address: 2606:4700:3035::ac43:931c
Name: kiit.ac.in
Address: 2606:4700:3035::6815:4fbd
suraz@Laptop:~$ nslookup -type=ns kiit.ac.in
               192.168.214.108
                192.168.214.108#53
Address:
Non-authoritative answer:
             nameserver = ken.ns.cloudflare.com.
kiit.ac.in
                nameserver = zara.ns.cloudflare.com.
kiit.ac.in
Authoritative answers can be found from:
suraz@Laptop:~$ nslookup -type=mx kiit.ac.in
                192.168.214.108
Server:
Address:
                192.168.214.108#53
Non-authoritative answer:
               mail exchanger = 5 alt1.aspmx.l.google.com.
kiit.ac.in
               mail exchanger = 1 aspmx.l.google.com.
mail exchanger = 5 alt2.aspmx.l.google.com.
mail exchanger = 10 alt3.aspmx.l.google.com.
kiit.ac.in
kiit.ac.in
kiit.ac.in
kiit.ac.in
                mail exchanger = 10 alt4.aspmx.l.google.com.
Authoritative answers can be found from:
suraz@Laptop:~$ nslookup -type=soa kiit.ac.in
                192.168.214.108
Address:
                192.168.214.108#53
Non-authoritative answer:
kiit.ac.in
        origin = ken.ns.cloudflare.com
        mail addr = dns.cloudflare.com
        serial = 2284218706
        refresh = 10000
        retry = 2400
        expire = 604800
        minimum = 3600
Authoritative answers can be found from:
suraz@Laptop:~$ nslookup -type=any kiit.ac.in
                 192.168.214.108
Server:
Address:
                192.168.214.108#53
Non-authoritative answer:
                hinfo = "RFC8482" ""
kiit.ac.in
Authoritative answers can be found from:
suraz@Laptop:~$ date
Tue Aug 2 21:45:23 IST 2022
```