Dr. Mahalingam College of Engineering and Technology, Pollachi-642003

Department of Information Technology

Academic Year: 2025 - 2026

TRL and SDG Certificate

Project Title : SCHOOL MANAGEMENT SYSTEM

Course Code & Name : 23ITI402 Database Management Systems

Department and Semester: Information Technology & IV SEM

Technology Readiness Level (TRL) of the Project : _____

Sustainability Development Goals (SDG)-Goal Name : _____

S.No.	Names and Roll Numbers of Student	Signature of the Student
1.	N. SUREKA - 727624BIT100	

Preparation (25 marks)	
Interpretation (30 marks)	
Output & Result (15 marks)	
Viva (5 marks)	
Total (75 marks)	
Signature of the faculty incharge	

OBJECTIVE OF THE PROJECT:

The main objective of this project is to develop a School Management System using Java, JDBC, and MySQL to efficiently manage and organize school-related data. The system is designed to handle three main entities: students, teachers, and courses. It provides both console-based and graphical user interface (GUI) options to perform operations easily and effectively.

One of the key objectives is to implement CRUD (Create, Read, Update, Delete) operations for all three tables. This enables users to add new records, view existing data, update information, and delete unwanted entries. By automating these processes, the system reduces manual work and minimizes errors in data handling.

Another objective is to establish a connection between the Java application and the MySQL database using JDBC. This ensures real-time data access, storage, and updates. The use of a centralized database improves data consistency, security, and reliability.

The project also aims to provide a user-friendly interface using Java Swing. With features like tables, buttons, and input dialogs, users can interact with the system easily without requiring advanced technical knowledge.

Additionally, the system improves data accessibility by allowing quick retrieval of student, teacher, and course information. It supports better organization and management of academic data.

In conclusion, the objective of this project is to create a simple, efficient, and reliable system that digitizes school operations, improves accuracy, saves time, and provides an easy platform for managing educational information.

IMPLEMENTATION:

DATABASE SQL CODE:

```
Use school_management_system;
Show tables;
```

STUDENTS TABLE:

```
CREATE TABLE students (
    student_id INT PRIMARY KEY,
    name VARCHAR(100) NOT NULL,
    class VARCHAR(50),
    mark INT
);
```

TEACHERS TABLE:

```
CREATE TABLE teachers (
    teacher_id INT PRIMARY KEY,
    name VARCHAR(100) NOT NULL,
    subject VARCHAR(100),
    salary DECIMAL(10,2)
);
```

COURSES TABLE:

```
CREATE TABLE courses (
```

```
    course_id INT PRIMARY KEY,
    course_name VARCHAR(100) NOT NULL,
    duration VARCHAR(50),
    fees DECIMAL(10,2)
);
```

JAVA CODE:

```
package School_managment_system;

import java.sql.*;
import java.util.Scanner;

public class School_managment_system {

    static final String DB_URL =
"jdbc:mysql://localhost:3306/school_management_system1?useSSL=false&serverTim
ezone=UTC";
    static final String USER = "root";
    static final String PASS = "dbms";

    public static void main(String[] args) {
        Scanner sc = new Scanner(System.in);

        try (Connection conn = DriverManager.getConnection(DB_URL, USER, PASS))
{
```

```
        while (true) {
            System.out.println("\n===== SCHOOL MANAGEMENT SYSTEM
=====");
            System.out.println("1. View Students");
            System.out.println("2. View Teachers");
            System.out.println("3. View Courses");
            System.out.println("4. Add Student");
            System.out.println("5. Update Student");
            System.out.println("6. Delete Student");
            System.out.println("7. Add Teacher");
            System.out.println("8. Update Teacher");
            System.out.println("9. Delete Teacher");
            System.out.println("10. Add Course");
            System.out.println("11. Update Course");
            System.out.println("12. Delete Course");
            System.out.println("13. Exit");

            int ch = sc.nextInt();

            switch (ch) {
                case 1: viewStudents(conn); break;
                case 2: viewTeachers(conn); break;
                case 3: viewCourses(conn); break;
                case 4: addStudent(conn, sc); break;
                case 5: updateStudent(conn, sc); break;
                case 6: deleteStudent(conn, sc); break;
```

```
                case 7: addTeacher(conn, sc); break;
                case 8: updateTeacher(conn, sc); break;
                case 9: deleteTeacher(conn, sc); break;
                case 10: addCourse(conn, sc); break;
                case 11: updateCourse(conn, sc); break;
                case 12: deleteCourse(conn, sc); break;
                case 13: return;
            }
        }

    } catch (Exception e) {
        e.printStackTrace();
    }
}

// -------- STUDENTS --------
static void viewStudents(Connection c) throws Exception {
    ResultSet rs = c.createStatement().executeQuery("SELECT * FROM students");
    while (rs.next())
        System.out.println(rs.getInt(1)+" | "+rs.getString(2)+" | "+rs.getString(3)+" |
"+rs.getInt(4));
}

static void addStudent(Connection c, Scanner sc) throws Exception {
    System.out.print("ID: "); int id = sc.nextInt();
    System.out.print("Name: "); String name = sc.next();
```

```
    System.out.print("Class: "); String cls = sc.next();
    System.out.print("Mark: "); int mark = sc.nextInt();

    PreparedStatement ps = c.prepareStatement(
            "INSERT INTO students VALUES (?, ?, ?, ?)");
    ps.setInt(1, id);
    ps.setString(2, name);
    ps.setString(3, cls);
    ps.setInt(4, mark);
    ps.executeUpdate();
}

static void updateStudent(Connection c, Scanner sc) throws Exception {
    System.out.print("ID: "); int id = sc.nextInt();
    System.out.print("New Mark: "); int mark = sc.nextInt();

    PreparedStatement ps = c.prepareStatement(
            "UPDATE students SET mark=? WHERE student_id=?");
    ps.setInt(1, mark);
    ps.setInt(2, id);
    ps.executeUpdate();
}

static void deleteStudent(Connection c, Scanner sc) throws Exception {
    System.out.print("ID: "); int id = sc.nextInt();
```

```
        PreparedStatement ps = c.prepareStatement(
                "DELETE FROM students WHERE student_id=?");
        ps.setInt(1, id);
        ps.executeUpdate();
    }

    // -------- TEACHERS --------
    static void viewTeachers(Connection c) throws Exception {
        ResultSet rs = c.createStatement().executeQuery("SELECT * FROM teachers");
        while (rs.next())
            System.out.println(rs.getInt(1)+" | "+rs.getString(2)+" | "+rs.getString(3)+" |
"+rs.getDouble(4));
    }

    static void addTeacher(Connection c, Scanner sc) throws Exception {
        System.out.print("ID: "); int id = sc.nextInt();
        System.out.print("Name: "); String name = sc.next();
        System.out.print("Subject: "); String sub = sc.next();
        System.out.print("Salary: "); double sal = sc.nextDouble();

        PreparedStatement ps = c.prepareStatement(
                "INSERT INTO teachers VALUES (?, ?, ?, ?)");
        ps.setInt(1, id);
        ps.setString(2, name);
        ps.setString(3, sub);
        ps.setDouble(4, sal);
```

```
    ps.executeUpdate();
}

static void updateTeacher(Connection c, Scanner sc) throws Exception {
    System.out.print("ID: "); int id = sc.nextInt();
    System.out.print("New Salary: "); double sal = sc.nextDouble();

    PreparedStatement ps = c.prepareStatement(
            "UPDATE teachers SET salary=? WHERE teacher_id=?");
    ps.setDouble(1, sal);
    ps.setInt(2, id);
    ps.executeUpdate();
}

static void deleteTeacher(Connection c, Scanner sc) throws Exception {
    System.out.print("ID: "); int id = sc.nextInt();

    PreparedStatement ps = c.prepareStatement(
            "DELETE FROM teachers WHERE teacher_id=?");
    ps.setInt(1, id);
    ps.executeUpdate();
}

// -------- COURSES --------
static void viewCourses(Connection c) throws Exception {
    ResultSet rs = c.createStatement().executeQuery("SELECT * FROM courses");
```

```
        while (rs.next())
            System.out.println(rs.getInt(1)+" | "+rs.getString(2)+" | "+rs.getString(3)+" |
"+rs.getDouble(4));
    }

    static void addCourse(Connection c, Scanner sc) throws Exception {
        System.out.print("ID: "); int id = sc.nextInt();
        System.out.print("Course Name: "); String name = sc.next();
        System.out.print("Duration: "); String dur = sc.next();
        System.out.print("Fees: "); double fees = sc.nextDouble();

        PreparedStatement ps = c.prepareStatement(
                "INSERT INTO courses VALUES (?, ?, ?, ?)");
        ps.setInt(1, id);
        ps.setString(2, name);
        ps.setString(3, dur);
        ps.setDouble(4, fees);
        ps.executeUpdate();
    }

    static void updateCourse(Connection c, Scanner sc) throws Exception {
        System.out.print("ID: "); int id = sc.nextInt();
        System.out.print("New Fees: "); double fees = sc.nextDouble();

        PreparedStatement ps = c.prepareStatement(
                "UPDATE courses SET fees=? WHERE course_id=?");
```

```
        ps.setDouble(1, fees);
        ps.setInt(2, id);
        ps.executeUpdate();
    }

    static void deleteCourse(Connection c, Scanner sc) throws Exception {
        System.out.print("ID: "); int id = sc.nextInt();

        PreparedStatement ps = c.prepareStatement(
                "DELETE FROM courses WHERE course_id=?");
        ps.setInt(1, id);
        ps.executeUpdate();
    }
}
```

JAVA SwingGUI:

```
import javax.swing.*;
import javax.swing.table.DefaultTableModel;
import java.awt.*;
import java.sql.*;

public class FullCRUDSchoolGUI {
```

```
    static final String DB_URL =
"jdbc:mysql://localhost:3306/school_management_system1?useSSL=false&allowPubl
icKeyRetrieval=true&serverTimezone=UTC";

    static final String USER = "root";

    static final String PASS = "dbms";


    JFrame frame;


    public FullCRUDSchoolGUI() {

        frame = new JFrame("School Management System");

        frame.setSize(900, 500);


        JTabbedPane tabs = new JTabbedPane();

        tabs.add("Students", studentPanel());

        tabs.add("Teachers", teacherPanel());

        tabs.add("Courses", coursePanel());


        frame.add(tabs);

        frame.setVisible(true);

        frame.setDefaultCloseOperation(JFrame.EXIT_ON_CLOSE);

    }


    // ================= STUDENTS =================

    JPanel studentPanel() {

        JPanel panel = new JPanel(new BorderLayout());

        DefaultTableModel model = new DefaultTableModel(
```

```
            new String[]{"ID","Name","Class","Mark"},0);
        JTable table = new JTable(model);

        JButton load=new JButton("Load");
        JButton add=new JButton("Add");
        JButton update=new JButton("Update");
        JButton delete=new JButton("Delete");

        JPanel btn=new JPanel();
        btn.add(load);btn.add(add);btn.add(update);btn.add(delete);

        load.addActionListener(e->{
            model.setRowCount(0);
            try(Connection c=DriverManager.getConnection(DB_URL,USER,PASS)){
                ResultSet rs=c.createStatement().executeQuery("SELECT * FROM
students");
                while(rs.next())
                    model.addRow(new
Object[]{rs.getInt(1),rs.getString(2),rs.getString(3),rs.getInt(4)});
            }catch(Exception ex){ex.printStackTrace();}
        });

        add.addActionListener(e->{
            try(Connection c=DriverManager.getConnection(DB_URL,USER,PASS)){
                PreparedStatement ps=c.prepareStatement(
                        "INSERT INTO students VALUES (?,?,?,?)");
```

```
        ps.setInt(1,Integer.parseInt(JOptionPane.showInputDialog("ID")));
        ps.setString(2,JOptionPane.showInputDialog("Name"));
        ps.setString(3,JOptionPane.showInputDialog("Class"));
        ps.setInt(4,Integer.parseInt(JOptionPane.showInputDialog("Mark")));
        ps.executeUpdate();
    }catch(Exception ex){ex.printStackTrace();}
});

// ✅ UPDATE WITH SINGLE FORM
update.addActionListener(e->{
    int r = table.getSelectedRow();
    if(r == -1) return;

    int id = (int) model.getValueAt(r,0);

    JTextField nameField = new JTextField(model.getValueAt(r,1).toString());
    JTextField classField = new JTextField(model.getValueAt(r,2).toString());
    JTextField markField = new JTextField(model.getValueAt(r,3).toString());

    JPanel form = new JPanel(new GridLayout(3,2));
    form.add(new JLabel("Name:"));
    form.add(nameField);
    form.add(new JLabel("Class:"));
    form.add(classField);
    form.add(new JLabel("Mark:"));
    form.add(markField);
```

```
            int result = JOptionPane.showConfirmDialog(null, form,
                    "Update Student", JOptionPane.OK_CANCEL_OPTION);

            if(result == JOptionPane.OK_OPTION){
                try(Connection c =
DriverManager.getConnection(DB_URL,USER,PASS)){
                    PreparedStatement ps = c.prepareStatement(
                            "UPDATE students SET name=?, class=?, mark=? WHERE
student_id=?");

                    ps.setString(1, nameField.getText());
                    ps.setString(2, classField.getText());
                    ps.setInt(3, Integer.parseInt(markField.getText()));
                    ps.setInt(4, id);

                    ps.executeUpdate();
                }catch(Exception ex){ex.printStackTrace();}
            }
        });

        delete.addActionListener(e->{
            int r=table.getSelectedRow(); if(r==-1)return;
            int id=(int)model.getValueAt(r,0);

            try(Connection c=DriverManager.getConnection(DB_URL,USER,PASS)){
```

```
            PreparedStatement ps=c.prepareStatement(
                    "DELETE FROM students WHERE student_id=?");
            ps.setInt(1,id);
            ps.executeUpdate();
        }catch(Exception ex){ex.printStackTrace();}
    });

    panel.add(new JScrollPane(table));
    panel.add(btn,BorderLayout.SOUTH);
    return panel;
}

// ================= TEACHERS =================
JPanel teacherPanel() {
    JPanel panel=new JPanel(new BorderLayout());
    DefaultTableModel model=new DefaultTableModel(
            new String[]{"ID","Name","Subject","Salary"},0);
    JTable table=new JTable(model);

    JButton load=new JButton("Load");
    JButton add=new JButton("Add");
    JButton update=new JButton("Update");
    JButton delete=new JButton("Delete");

    JPanel btn=new JPanel();
    btn.add(load);btn.add(add);btn.add(update);btn.add(delete);
```

```
        load.addActionListener(e->{
            model.setRowCount(0);
            try(Connection c=DriverManager.getConnection(DB_URL,USER,PASS)){
                ResultSet rs=c.createStatement().executeQuery("SELECT * FROM
teachers");
                while(rs.next())
                    model.addRow(new
Object[]{rs.getInt(1),rs.getString(2),rs.getString(3),rs.getDouble(4)});
            }catch(Exception ex){ex.printStackTrace();}
        });

        add.addActionListener(e->{
            try(Connection c=DriverManager.getConnection(DB_URL,USER,PASS)){
                PreparedStatement ps=c.prepareStatement(
                        "INSERT INTO teachers VALUES (?,?,?,?)");
                ps.setInt(1,Integer.parseInt(JOptionPane.showInputDialog("ID")));
                ps.setString(2,JOptionPane.showInputDialog("Name"));
                ps.setString(3,JOptionPane.showInputDialog("Subject"));

ps.setDouble(4,Double.parseDouble(JOptionPane.showInputDialog("Salary")));
                ps.executeUpdate();
            }catch(Exception ex){ex.printStackTrace();}
        });

        // ✅ UPDATE FORM
        update.addActionListener(e->{
```

```
        int r = table.getSelectedRow();
        if(r == -1) return;

        int id = (int) model.getValueAt(r,0);

        JTextField nameField = new JTextField(model.getValueAt(r,1).toString());
        JTextField subjectField = new JTextField(model.getValueAt(r,2).toString());
        JTextField salaryField = new JTextField(model.getValueAt(r,3).toString());

        JPanel form = new JPanel(new GridLayout(3,2));
        form.add(new JLabel("Name:"));
        form.add(nameField);
        form.add(new JLabel("Subject:"));
        form.add(subjectField);
        form.add(new JLabel("Salary:"));
        form.add(salaryField);

        int result = JOptionPane.showConfirmDialog(null, form,
                "Update Teacher", JOptionPane.OK_CANCEL_OPTION);

        if(result == JOptionPane.OK_OPTION){
            try(Connection c =
DriverManager.getConnection(DB_URL,USER,PASS)){
                PreparedStatement ps = c.prepareStatement(
                        "UPDATE teachers SET name=?, subject=?, salary=? WHERE
teacher_id=?");
```

```
            ps.setString(1, nameField.getText());
            ps.setString(2, subjectField.getText());
            ps.setDouble(3, Double.parseDouble(salaryField.getText()));
            ps.setInt(4, id);

            ps.executeUpdate();
        }catch(Exception ex){ex.printStackTrace();}
    }
});

delete.addActionListener(e->{
    int r=table.getSelectedRow(); if(r==-1)return;
    int id=(int)model.getValueAt(r,0);

    try(Connection c=DriverManager.getConnection(DB_URL,USER,PASS)){
        PreparedStatement ps=c.prepareStatement(
                "DELETE FROM teachers WHERE teacher_id=?");
        ps.setInt(1,id);
        ps.executeUpdate();
    }catch(Exception ex){ex.printStackTrace();}
});

panel.add(new JScrollPane(table));
panel.add(btn,BorderLayout.SOUTH);
return panel;
```

```
    }

    // ================= COURSES =================
    JPanel coursePanel() {
        JPanel panel=new JPanel(new BorderLayout());
        DefaultTableModel model=new DefaultTableModel(
                new String[]{"ID","Course Name","Duration","Fees"},0);
        JTable table=new JTable(model);

        JButton load=new JButton("Load");
        JButton add=new JButton("Add");
        JButton update=new JButton("Update");
        JButton delete=new JButton("Delete");

        JPanel btn=new JPanel();
        btn.add(load);btn.add(add);btn.add(update);btn.add(delete);

        load.addActionListener(e->{
            model.setRowCount(0);
            try(Connection c=DriverManager.getConnection(DB_URL,USER,PASS)){
                ResultSet rs=c.createStatement().executeQuery("SELECT * FROM
courses");
                while(rs.next())
                    model.addRow(new
Object[]{rs.getInt(1),rs.getString(2),rs.getString(3),rs.getDouble(4)});
            }catch(Exception ex){ex.printStackTrace();}
```

```
        });

        add.addActionListener(e->{
            try(Connection c=DriverManager.getConnection(DB_URL,USER,PASS)){
                PreparedStatement ps=c.prepareStatement(
                        "INSERT INTO courses VALUES (?,?,?,?)");
                ps.setInt(1,Integer.parseInt(JOptionPane.showInputDialog("ID")));
                ps.setString(2,JOptionPane.showInputDialog("Course Name"));
                ps.setString(3,JOptionPane.showInputDialog("Duration"));

ps.setDouble(4,Double.parseDouble(JOptionPane.showInputDialog("Fees")));
                ps.executeUpdate();
            }catch(Exception ex){ex.printStackTrace();}
        });

        // ✅ UPDATE FORM
        update.addActionListener(e->{
            int r = table.getSelectedRow();
            if(r == -1) return;

            int id = (int) model.getValueAt(r,0);

            JTextField nameField = new JTextField(model.getValueAt(r,1).toString());
            JTextField durationField = new JTextField(model.getValueAt(r,2).toString());
            JTextField feesField = new JTextField(model.getValueAt(r,3).toString());
```

```
        JPanel form = new JPanel(new GridLayout(3,2));
        form.add(new JLabel("Course Name:"));
        form.add(nameField);
        form.add(new JLabel("Duration:"));
        form.add(durationField);
        form.add(new JLabel("Fees:"));
        form.add(feesField);

        int result = JOptionPane.showConfirmDialog(null, form,
            "Update Course", JOptionPane.OK_CANCEL_OPTION);

        if(result == JOptionPane.OK_OPTION){
          try(Connection c =
DriverManager.getConnection(DB_URL,USER,PASS)){
            PreparedStatement ps = c.prepareStatement(
                "UPDATE courses SET course_name=?, duration=?, fees=?
WHERE course_id=?");

            ps.setString(1, nameField.getText());
            ps.setString(2, durationField.getText());
            ps.setDouble(3, Double.parseDouble(feesField.getText()));
            ps.setInt(4, id);

            ps.executeUpdate();
          }catch(Exception ex){ex.printStackTrace();}
        }
```

```
        });

        delete.addActionListener(e->{
            int r=table.getSelectedRow(); if(r==-1)return;
            int id=(int)model.getValueAt(r,0);

            try(Connection c=DriverManager.getConnection(DB_URL,USER,PASS)){
                PreparedStatement ps=c.prepareStatement(
                        "DELETE FROM courses WHERE course_id=?");
                ps.setInt(1,id);
                ps.executeUpdate();
            }catch(Exception ex){ex.printStackTrace();}
        });

        panel.add(new JScrollPane(table));
        panel.add(btn,BorderLayout.SOUTH);
        return panel;
    }

    public static void main(String[] args) {
        new FullCRUDSchoolGUI();
    }
}
```

DATABASE VIEW:

STUDENT TABLE OUTPUT:

```
mysql> select * from students;
+------------+---------+-------+------+
| student_id | name    | class | mark |
+------------+---------+-------+------+
|          1 | Arun    | 10th  |   85 |
|          3 | malar   | 8th   |   89 |
|          4 | Divya   | 8th   |   88 |
|          5 | kanisha | 9th   |   79 |
|          6 | sureka  | 10th  |  100 |
+------------+---------+-------+------+
```

TEACHER TABLE OUTPUT:

```
mysql> select * from teachers;
+------------+-----------+---------+----------+
| teacher_id | name      | subject | salary   |
+------------+-----------+---------+----------+
|          1 | navinmani | english | 90000.00 |
|          2 | Devi      | Science | 55000.00 |
|          3 | Ravi      | English | 48000.00 |
|          4 | Anitha    | Social  | 70000.00 |
+------------+-----------+---------+----------+
```

COURSE TABLE OUTPUT:

```
mysql> select * from courses;
+-----------+-------------+----------+---------+
| course_id | course_name | duration | fees    |
+-----------+-------------+----------+---------+
|         1 | english     | 1 month  | 6999.00 |
|         2 | Physics     | 4 Months | 4000.00 |
|         3 | Grammar     | 2 Months | 2500.00 |
|         4 | History     | 3 Months | 6000.00 |
|         5 | maths       | 5 months | 5000.00 |
+-----------+-------------+----------+---------+
```

OUTPUT SCREENSHOTS:

STUDENT:

LOAD:



ID	Name	Class	Mark
1	Arun	10th	85
3	malar	8th	89
4	Divya	8th	88
5	kanisha	9th	79
6	sureka	10th	100

ADD TABLE:



ID	Name	Class	Mark
1	Arun	10th	85
3	malar	8th	89
4	Divya	8th	88
5	kanisha	9th	79
6	sureka	10th	100


School Management System
Students
Teachers
Courses
ID
Name
Class
Mark
1 Arun 10th 85
2 kamali 12th 99
3 malar 8th 89
4 Divya 8th 88
5 kanisha 9th 79
6 sureka 10th 100
Load
Add
Update
Delete

DELETE :


School Management System
Students
Teachers
Courses
ID
Name
Class
Mark
1 Arun 10th 85
2 kamali 12th 99
3 malar 8th 89
4 Divya 8th 88
5 kanisha 9th 79
6 sureka 10th 100
Load
Add
Update
Delete


School Management System
Students
Teachers
Courses
ID
Name
Class
Mark
1 Arun 10th 85
2 kamali 12th 99
3 malar 8th 89
4 Divya 8th 88
6 sureka 10th 100
Load
Add
Update
Delete

UPDATE:


School Management System
Students
Teachers
Courses
ID
Name
Class
Mark
1 Arun 10th 85
2 kamali 12th 99
3 malar 8th 89
4 Divya 8th 88
6 sureka 10th 100
Load
Add
Update
Delete
Update Student
Name: sai
Class: 9th
Mark: 95
OK
Cancel



ID	Name	Class	Mark
1	Arun	10th	85
2	kamali	12th	99
3	sai	9th	95
4	Divya	8th	88
6	sureka	10th	100

TEACHER :

LOAD:



ID	Name	Subject	Salary
1	navinmani	english	90000.0
2	Devi	Science	55000.0
3	Ravi	English	48000.0
4	Anitha	Social	70000.0

UPDATE:


School Management System
Students
Teachers
Courses
ID
Name
Subject
Salary
1 navinmani english 90000.0
2 Devi Science 55000.0
3 Ravi English 48000.0
4 Anitha Social 70000.0
Load
Add
Update
Delete
Update Teacher
Name:
Devi
Subject:
maths
Salary:
55000.0
OK
Cancel


School Management System
Students
Teachers
Courses
ID
Name
Subject
Salary
1 navinmani english 90000.0
2 Devi maths 55000.0
3 Ravi English 48000.0
4 Anitha Social 70000.0
Load
Add
Update
Delete

COURSE:

LOAD:



ID	Course Name	Duration	Fees
1	english	1 month	6999.0
2	Physics	4 Months	4000.0
3	Grammar	2 Months	2500.0
4	History	3 Months	6000.0
5	maths	5 months	5000.0

DELETE:



ID	Course Name	Duration	Fees
1	english	1 month	6999.0
2	Physics	4 Months	4000.0
4	History	3 Months	6000.0
5	maths	5 months	5000.0

RESULT:

The School Management System efficiently manages student, teacher, and course data using Java, JDBC, and MySQL for smooth database connectivity and operations. It performs CRUD operations to handle records easily, reducing manual work and minimizing data errors. The system provides a user-friendly interface that allows users to interact without difficulty. All data is stored securely in a centralized database, enabling quick and accurate retrieval of information. Overall, the system saves time and improves data management in schools.