

Expense Tracking Buddy

Name	Enrollment Number
Sanchit Agalave	ADT23SOCB0964
Vinay Dhumal	ADT23SOCB1622
Piyush Pachpande	ADT23SOCB0724
Omkar Varale	ADT23SOCB1387

default

GET/signupSignup Page

Parameters

Cancel

No parameters

ExecuteClear

Responses

Curl

```
curl -X 'GET' \
'http://127.0.0.1:8000/signup' \
-H 'accept: text/html'
```

Request URL

```
http://127.0.0.1:8000/signup
```

Server response

CodeDetails

200

Response body

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Sign Up | Expense Buddy</title>
  <script src="https://cdn.tailwindcss.com"></script>
</head>
<body class="bg-slate-50 text-slate-900 font-sans flex items-center justify-center min-h-screen p-4">
  <div class="w-full max-w-md p-8 bg-white rounded-2xl border border-slate-200 shadow-xl relative overflow-hidden">
    <div class="absolute -left-10 -bottom-10 w-40 h-40 bg-purple-50 rounded-full blur-3xl"></div>

    <div class="text-center mb-8 relative z-10">
      <h1 class="text-3xl font-extrabold bg-clip-text text-transparent bg-gradient-to-r from-indigo-600 to-purple-600 tracking-tight">Create Account</h1>
      <p class="text-slate-500 mt-2 text-sm font-medium">Start tracking your expenses today.</p>
    </div>

    <form action="/signup" method="POST" class="space-y-4 relative z-10">
      <div>
        <label class="block text-xs font-bold text-slate-500 mb-1.5 uppercase tracking-wide">Full Name</label>
        <input type="text" name="name" required class="w-full p-3 bg-slate-50 border border-slate-200 rounded-lg focus:ring-2 focus:ring-indigo-500 text-slate-900 outline-none transition on-all placeholder-slate-400" placeholder="John Doe">
      </div>
      <div>
        <label class="block text-xs font-bold text-slate-500 mb-1.5 uppercase tracking-wide">Email</label>

```

Response headers

```
content-length: 2714
content-type: text/html; charset=utf-8
date: Thu, 18 Jun 2026 04:55:14 GMT
server: uvicorn
```

Responses

CodeDescriptionLinks

200Successful ResponseNo links

Media type

text/html

Controls Accept header.

Example Value | Schema

string

POST/signupSignup Post

Parameters

CancelReset

No parameters

Request body

required

application/x-www-form-urlencoded

name * required

string

Sanchit

email * required

string

myselfaaglave27@gmail.com

password * required

string

sanchit@123

string

url: http://127.0.0.1:8000/signup

Execute

Clear

Responses

Curl

curl -X 'POST' \n'http://127.0.0.1:8000/signup' \n-H 'accept: application/json' \n-H 'Content-Type: application/x-www-form-urlencoded' \n-d 'name=Sanchit&email=myselfaaglave27x4@gmail.com&password=sanchitx40123'

Request URL

http://127.0.0.1:8000/signup

Server response

Code

Details

200

Response body

<div class=bg-red-50 border border-red-200 text-red-600 px-4 py-3 rounded-lg mb-6 text-sm text-center font-bold shadow-sm>Email already registered.</div>\n\n<form action=/signup method=POST class=space-y-4 relative z-10>\n <div>\n <label class=block text-xs font-bold text-slate-500 mb-1.5 uppercase tracking-wide>Full Name</label>\n <input type=text name=name required class=w-full p-3 bg-slate-50 border border-slate-200 rounded-lg focus:ring-2 focus:ring-indigo-500 text-slate-900 outline-none transition-all placeholder-slate-400 placeholder=John Doe>\n </div>\n <div>\n <label class=block text-xs font-bold text-slate-500 mb-1.5 uppercase tracking-wide>Email</label>\n <input type=email name=email required class=w-full p-3 bg-slate-50 border border-slate-200 rounded-lg focus:ring-2 focus:ring-indigo-500 text-slate-900 outline-none transition-all placeholder-slate-400 placeholder=you@example.com>\n </div>\n <div>\n <label class=block text-xs font-bold text-slate-500 mb-1.5 uppercase tracking-wide>Password</label>\n <input type=password name=password required class=w-full p-3 bg-slate-50 border border-slate-200 rounded-lg focus:ring-2 focus:ring-indigo-500 text-slate-900 outline-none transition-all placeholder-slate-400 placeholder=*>\n </div>\n <button type=submit class=w-full bg-gradient-to-r from-indigo-600 to-purple-600 text-white py-3 rounded-lg hover:from-indigo-700 hover:to-purple-700 font-bold shadow-md transition-on-all mt-4>Create Account</button>\n </form>\n <p class=mt-6 text-center text-sm text-slate-500 font-medium relative z-10>Already have an account? Sign in</p>\n</div>\n</body>\n</html>

Download

Response headers

content-length: 2887\ncontent-type: text/html; charset=utf-8\ndate: Thu, 18 Jun 2026 04:52:17 GMT\nserver: uvicorn

Responses

Code

Description

Links

200

Successful Response

No links

Media type

application/json

Controls

Accept header

Example Value

Schema

"string"

422

Validation Error

No links

Media type

application/json

Example Value

Schema

{\n \"detail\": [\n {\n \"loc\": [\n \"string\",\n 0\n],\n \"msg\": \"string\",\n \"type\": \"string\",\n \"input\": \"string\",\n \"ctx\": {}\n }\n]\n}

GET

/login

Login Page

Parameters

Cancel

No parameters

Execute

Clear

Responses

Curl

```
curl -X 'GET' \
'http://127.0.0.1:8000/login' \
-H 'accept: text/html'
```

Request URL

http://127.0.0.1:8000/login

Server response

Code

Details

200

Response body

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Login | ExpenseBuddy</title>
  <script src="https://cdn.tailwindcss.com"></script>
</head>
<body class="bg-slate-50 text-slate-900 font-sans flex items-center justify-center min-h-screen p-4">
  <div class="w-full max-w-md p-8 bg-white rounded-2xl border border-slate-200 shadow-xl relative overflow-hidden">
    <div class="absolute -right-10 -top-10 w-40 h-40 bg-indigo-50 rounded-full blur-3xl"></div>

    <div class="text-center mb-8 relative z-10">
      <h1 class="text-3xl font-extrabold bg-clip-text text-transparent bg-gradient-to-r from-indigo-600 to-purple-600 tracking-tight">Expense Buddy</h1>
      <p class="text-slate-500 mt-2 text-sm font-medium">Welcome back! Please enter your details.</p>
    </div>

    <form action="/login" method="POST" class="space-y-5 relative z-10">
      <div>
        <label class="block text-xs font-bold text-slate-500 mb-1.5 uppercase tracking-wide">Email</label>
        <input type="email" name="email" required class="w-full p-3 bg-slate-50 border border-slate-200 rounded-lg focus:ring-2 focus:ring-indigo-500 text-slate-900 outline-none transition-all placeholder-slate-400" placeholder="you@example.com">
      </div>
      <div>
        <label class="block text-xs font-bold text-slate-500 mb-1.5 uppercase tracking-wide">Password</label>
        <input type="password" name="password" required class="w-full p-3 bg-slate-50 border border-slate-200 rounded-lg focus:ring-2 focus:ring-indigo-500 text-slate-900 outline-none transition-all placeholder-slate-400" placeholder="Enter your password">
      </div>
      <button type="submit" class="w-full p-3 bg-indigo-600 text-white rounded-lg font-medium hover:bg-indigo-700 focus:ring-2 focus:ring-indigo-500">Login</button>
    </form>
  </div>
</body>
```

Download

Response headers

```
content-length: 2310
content-type: text/html; charset=utf-8
date: Thu, 18 Jun 2026 04:55:31 GMT
server: uvicorn
```

Responses

Code

Description

Links

200

Successful Response

No links

Media type

text/html

Controls Accept header.

Example Value

Schema

string

POST

/login

Login Post

Parameters

Cancel

Reset

No parameters

Request body

required

application/x-www-form-urlencoded

email

required

string

myselfaaglave27@gmail.com

password

required

string

sanchit@123

Execute

Clear

Responses

Curl

```
curl -X 'POST' \
'http://127.0.0.1:8000/login' \
-H 'accept: application/json' \
-H 'Content-Type: application/x-www-form-urlencoded' \
-d 'email=myselfaaglave27%40gmail.com&password=sanchit%40123'
```

Request URL

http://127.0.0.1:8000/login

Server response

Code

Details

200

Response body

```
<h1 class="text-3xl font-extrabold bg-clip-text text-transparent bg-gradient-to-r from-indigo-600 to-purple-600 tracking-tight">Expense Buddy</h1>
<p class="text-slate-500 mt-2 text-sm font-medium">Welcome back! Please enter your details.</p>
</div>

<div class="bg-red-50 border border-red-200 text-red-600 px-4 py-3 rounded-lg mb-6 text-sm text-center font-bold shadow-sm">Invalid email or password.</div>
```

```
<form action="/login" method="POST" class="space-y-5 relative z-10">
  <div>
    <label class="block text-xs font-bold text-slate-500 mb-1.5 uppercase tracking-wide">Email</label>
    <input type="email" name="email" required class="w-full p-3 bg-slate-50 border border-slate-200 rounded-lg focus:ring-2 focus:ring-indigo-500 text-slate-900 outline-none transition-all placeholder-slate-400" placeholder="you@example.com">
  </div>
  <div>
    <label class="block text-xs font-bold text-slate-500 mb-1.5 uppercase tracking-wide">Password</label>
    <input type="password" name="password" required class="w-full p-3 bg-slate-50 border border-slate-200 rounded-lg focus:ring-2 focus:ring-indigo-500 text-slate-900 outline-none transition-all placeholder-slate-400" placeholder="*****">
  </div>
  <button type="submit" class="w-full bg-gradient-to-r from-indigo-600 to-purple-600 text-white py-3 rounded-lg hover:from-indigo-700 hover:to-purple-700 font-bold shadow-md transition-on-all mt-4">Sign In</button>
</form>
<p class="mt-6 text-center text-sm text-slate-500 font-medium relative z-10">Don't have an account? <a href="/signup" class="text-indigo-600 hover:text-indigo-800 font-bold transition-colors">Sign up</a></p>
</div>
</body>
</html>
```



Download

Response headers

```
content-length: 2484
content-type: text/html; charset=utf-8
date: Thu, 18 Jun 2026 04:53:22 GMT
server: uvicorn
```

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example Value Schema "string"	No links
422	Validation Error Media type application/json Example Value Schema { "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }] }	No links

GET /logout Logout

Parameters

Cancel

No parameters

Execute

Clear

Responses

Curl

```
curl -X 'GET' \
  'http://127.0.0.1:8000/logout' \
  -H 'accept: application/json'
```

Request URL

http://127.0.0.1:8000/logout

Server response

Code Details

200

Response body

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Login | ExpenseBuddy</title>
  <script src="https://cdn.tailwindcss.com"></script>
</head>
<body class="bg-slate-50 text-slate-900 font-sans flex items-center justify-center min-h-screen p-4">
  <div class="w-full max-w-md p-8 bg-white rounded-2xl border border-slate-200 shadow-xl relative overflow-hidden">
    <div class="absolute -right-10 -top-10 w-40 h-40 bg-indigo-50 rounded-full blur-3xl"></div>

    <div class="text-center mb-8 relative z-10">
      <h1 class="text-3xl font-extrabold bg-clip-text text-transparent bg-gradient-to-r from-indigo-600 to-purple-600 tracking-tight">Expense Buddy</h1>
      <p class="text-slate-500 mt-2 text-sm font-medium">Welcome back! Please enter your details.</p>
    </div>

    <form action="/login" method="POST" class="space-y-5 relative z-10">
      <div>
        <label class="block text-xs font-bold text-slate-500 mb-1.5 uppercase tracking-wide">Email</label>
        <input type="email" name="email" required class="w-full p-3 bg-slate-50 border border-slate-200 rounded-lg focus:ring-2 focus:ring-indigo-500 text-slate-900 outline-none transition-all placeholder-slate-400" placeholder="you@example.com">
      </div>
```

</div>
<div>
 <label class="block text-xs font-bold text-slate-500 mb-1.5 uppercase tracking-wide">Password</label>
 <input type="password" name="password" required class="w-full p-3 bg-slate-50 border border-slate-200 rounded-lg focus:ring-2 focus:ring-indigo-500 text-slate-900 outline-none transition-all placeholder-slate-400 placeholder="you@example.com">
 </div>
</div>

Download

Response headers

content-length: 2310
content-type: text/html; charset=utf-8
date: Thu, 18 Jun 2026 04:57:56 GMT
server: uvicorn

Responses

Code	Description	Links
200	Successful Response	No links

Media type
application/json

Controls Accept header.

Example Value | Schema

"string"

GET / Home Page

Parameters

Cancel

No parameters

Execute Clear

Responses

Curl

curl -X 'GET' \
'http://127.0.0.1:8000/' \
-H 'accept: text/html'

Request URL

http://127.0.0.1:8000/

Server response

Code	Details
200	Response body <!DOCTYPE html> <html lang="en"> <head> <meta charset="UTF-8"> <meta name="viewport" content="width=device-width, initial-scale=1.0"> <title>Login ExpenseBuddy</title> <script src="https://cdn.tailwindcss.com"></script> </head> <body class="bg-slate-50 text-slate-900 font-sans flex items-center justify-center min-h-screen p-4"> <div class="w-full max-w-md p-8 bg-white rounded-2xl border border-slate-200 shadow-xl relative overflow-hidden"> <div class="absolute -right-10 -top-10 w-40 h-40 bg-indigo-50 rounded-full blur-3xl"></div> <div class="text-center mb-8 relative z-10"> <h1 class="text-3xl font-extrabold bg-clip-text text-transparent bg-gradient-to-r from-indigo-600 to-purple-600 tracking-tight">Expense Buddy</h1> <p class="text-slate-500 mt-2 text-sm font-medium">Welcome back! Please enter your details.</p> </div> <form action="/login" method="POST" class="space-y-5 relative z-10"> <div> <label class="block text-xs font-bold text-slate-500 mb-1.5 uppercase tracking-wide">Email</label> <input type="email" name="email" required class="w-full p-3 bg-slate-50 border border-slate-200 rounded-lg focus:ring-2 focus:ring-indigo-500 text-slate-900 outline-none transition-all placeholder-slate-400 placeholder="you@example.com"> </div> <div> <label class="block text-xs font-bold text-slate-500 mb-1.5 uppercase tracking-wide">Password</label> <input type="password" name="password" required class="w-full p-3 bg-slate-50 border border-slate-200 rounded-lg focus:ring-2 focus:ring-indigo-500 text-slate-900 outline-none transition-all placeholder-slate-400 placeholder="Please enter your password"> </div> <button type="submit" class="w-full p-3 bg-indigo-600 text-white rounded-lg font-medium tracking-wide">Log In</button> </form> <div class="text-center mt-8 text-sm font-medium"> Create a new account </div> </div> </body> </html> Response headers content-length: 2310 content-type: text/html; charset=utf-8 date: Thu, 18 Jun 2026 04:55:44 GMT server: uvicorn

Responses

Code	Description	Links
200	Successful Response	No links

Media type
text/html

Controls Accept header.

Example Value | Schema

string

GET /analytics Analytics Page

Parameters

Cancel

No parameters

Execute

Clear

Responses

Curl

```
curl -X 'GET' \
'http://127.0.0.1:8000/analytics' \
-H 'accept: text/html'
```

Request URL

http://127.0.0.1:8000/analytics

Server response

Code

Details

200

Response body

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Login | ExpenseBuddy</title>
  <script src="https://cdn.tailwindcss.com"></script>
</head>
<body class="bg-slate-50 text-slate-900 font-sans flex items-center justify-center min-h-screen p-4">
  <div class="w-full max-w-md p-8 bg-white rounded-2xl border border-slate-200 shadow-xl relative overflow-hidden">
    <div class="absolute -right-10 -top-10 w-40 h-40 bg-indigo-50 rounded-full blur-3xl"></div>

    <div class="text-center mb-8 relative z-10">
      <h1 class="text-3xl font-extrabold bg-clip-text text-transparent bg-gradient-to-r from-indigo-600 to-purple-600 tracking-tight">Expense Buddy</h1>
      <p class="text-slate-500 mt-2 text-sm font-medium">Welcome back! Please enter your details.</p>
    </div>

    <form action="/login" method="POST" class="space-y-5 relative z-10">
      <div>
        <label class="block text-xs font-bold text-slate-500 mb-1.5 uppercase tracking-wide">Email</label>
        <input type="email" name="email" required class="w-full p-3 bg-slate-50 border border-slate-200 rounded-lg focus:ring-2 focus:ring-indigo-500 text-slate-900 outline-none transition-all placeholder-slate-400" placeholder="you@example.com">
      </div>
      <div>
        <label class="block text-xs font-bold text-slate-500 mb-1.5 uppercase tracking-wide">Password</label>
        <input type="password" name="password" required class="w-full p-3 bg-slate-50 border border-slate-200 rounded-lg focus:ring-2 focus:ring-indigo-500 text-slate-900 outline-none transition-all placeholder-slate-400" placeholder="Your password">
      </div>
      <button type="submit" class="w-full p-3 bg-indigo-600 text-white rounded-lg font-medium">Log in</button>
    </form>
  </div>
</body>
</html>
```

Download

Response headers

```
content-length: 2310
content-type: text/html; charset=utf-8
date: Thu, 18 Jun 2026 04:55:51 GMT
server: uvicorn
```

Responses

Code

Description

Links

200

Successful Response

No links

Media type

text/html

Controls Accept header.

Example Value

Schema

string

POST

/set_income

Set Income

Parameters

Cancel

Reset

No parameters

Request body

required

application/x-www-form-urlencoded

amount

required

5000

Execute

Clear

Responses

Curl

```
curl -X 'POST' \
'http://127.0.0.1:8000/set_income' \
-H 'accept: application/json' \
-H 'Content-Type: application/x-www-form-urlencoded' \
-d 'amount=5000'
```

Request URL

http://127.0.0.1:8000/set_income

Server response

Code

Details

200

Response body

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Login | ExpenseBuddy</title>
  <script src="https://cdn.tailwindcss.com"></script>
</head>
<body class="bg-slate-50 text-slate-900 font-sans flex items-center justify-center min-h-screen p-4">
  <div class="w-full max-w-md p-8 bg-white rounded-2xl border border-slate-200 shadow-xl relative overflow-hidden">
    <div class="absolute -right-10 -top-10 w-40 h-40 bg-indigo-50 rounded-full blur-3xl"></div>

    <div class="text-center mb-8 relative z-10">
      <h1 class="text-3xl font-extrabold bg-clip-text text-transparent bg-gradient-to-r from-indigo-600 to-purple-600 tracking-tight">Expense Buddy</h1>
      <p class="text-slate-500 mt-2 text-sm font-medium">Welcome back! Please enter your details.</p>
    </div>

    <form action="/login" method="POST" class="space-y-5 relative z-10">
      <div>
        <label class="block text-xs font-bold text-slate-500 mb-1.5 uppercase tracking-wide">Email</label>
        <input type="email" name="email" required class="w-full p-3 bg-slate-50 border border-slate-200 rounded-lg focus:ring-2 focus:ring-indigo-500 text-slate-900 outline-none transition-all placeholder-slate-400 placeholder="you@example.com">
      </div>
      <div>
        <label class="block text-xs font-bold text-slate-500 mb-1.5 uppercase tracking-wide">Password</label>
        <input type="password" name="password" required class="w-full p-3 bg-slate-50 border border-slate-200 rounded-lg focus:ring-2 focus:ring-indigo-500 text-slate-900 outline-none transition-all placeholder-slate-400 placeholder="•••••">
      </div>
      <button type="submit" class="w-full p-3 bg-indigo-600 text-white rounded-lg font-medium tracking-tight">Log In</button>
    </form>
  </div>
</body>
</html>
```



Download

Response headers

```
content-length: 2319
content-type: text/html; charset=utf-8
date: Thu, 18 Jun 2026 04:54:22 GMT
server: uvicorn
```

Responses

Code	Description	Links
200	Successful Response	No links
Media type application/json Controls Accept header. Example Value Schema "string"		
422	Validation Error	No links
Media type application/json Example Value Schema { "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }] }		

POST /set_budget Set Budget

Parameters

Cancel

Reset

No parameters

Request body required

application/x-www-form-urlencoded

amount * required

number

5000

Execute

Clear

Responses

Curl

curl -X 'POST' \
'http://127.0.0.1:8000/set_budget' \
-H 'accept: application/json' \
-H 'Content-Type: application/x-www-form-urlencoded' \
-d 'amount=5000'

Request URL

http://127.0.0.1:8000/set_budget

Server response

Code

Details

200

Response body


```
<div class="text-center mb-8 relative z-10">
  <h1 class="text-3xl font-extrabold bg-clip-text text-transparent bg-gradient-to-r from-indigo-600 to-purple-600 tracking-tight">Expense Buddy</h1>
  <p class="text-slate-500 mt-2 text-sm font-medium">Welcome back! Please enter your details.</p>
</div>

<form action="/login" method="POST" class="space-y-5 relative z-10">
  <div>
    <label class="block text-xs font-bold text-slate-500 mb-1.5 uppercase tracking-wide">Email</label>
    <input type="email" name="email" required class="w-full p-3 bg-slate-50 border border-slate-200 rounded-lg focus:ring-2 focus:ring-indigo-500 text-slate-900 outline-none transition-all placeholder-slate-400" placeholder="you@example.com">
  </div>
  <div>
    <label class="block text-xs font-bold text-slate-500 mb-1.5 uppercase tracking-wide">Password</label>
    <input type="password" name="password" required class="w-full p-3 bg-slate-50 border border-slate-200 rounded-lg focus:ring-2 focus:ring-indigo-500 text-slate-900 outline-none transition-all placeholder-slate-400" placeholder="*****">
  </div>
  <button type="submit" class="w-full bg-gradient-to-r from-indigo-600 to-purple-600 text-white py-3 rounded-lg hover:from-indigo-700 hover:to-purple-700 font-bold shadow-md transition-on-all mt-4">Sign In</button>
</form>
<p class="mt-6 text-center text-sm text-slate-500 font-medium relative z-10">Don't have an account? <a href="/signup" class="text-indigo-600 hover:text-indigo-800 font-bold transition-colors">Sign up</a></p>
</div>
</body>
</html>
```



Download

Response headers

```
content-length: 2310
content-type: text/html; charset=utf-8
date: Thu, 18 Jun 2026 04:54:33 GMT
server: uvicorn
```

Responses

Code	Description	Links
200	Successful Response	No links
Media type application/json		
Controls Accept header.		
Example Value Schema		
"string"		
422	Validation Error	No links
Media type application/json		
Example Value Schema		
{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }] }		

POST /create Create Expense

Parameters

No parameters

Request body required

application/x-www-form-urlencoded

amount * required
number 5000

category * required
string Shopping

description * required
string Clothes

Execute

Clear

Responses

Curl

```
curl -X 'POST' \
  'http://127.0.0.1:8000/create' \
  -H 'accept: application/json' \
  -H 'Content-Type: application/x-www-form-urlencoded' \
  -d 'amount=5000&category=Shopping&description=Clothes'
```

Request URL

http://127.0.0.1:8000/create

Server response

Code Details

200

Response body

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Login | ExpenseBuddy</title>
  <script src="https://cdn.tailwindcss.com"></script>
</head>
<body class="bg-slate-50 text-slate-900 font-sans flex items-center justify-center min-h-screen p-4">
  <div class="w-full max-w-md p-8 bg-white rounded-2xl border border-slate-200 shadow-xl relative overflow-hidden">
    <div class="absolute -right-10 -top-10 w-40 h-40 bg-indigo-50 rounded-full blur-3xl"></div>
    <div class="text-center mb-8 relative z-10">
      <h1 class="text-3xl font-extrabold bg-clip-text text-transparent bg-gradient-to-r from-indigo-600 to-purple-600 tracking-tight">Expense Buddy</h1>
      <p class="text-slate-500 mt-2 text-sm font-medium">Welcome back! Please enter your details.</p>
    </div>
    <form action="/login" method="POST" class="space-y-5 relative z-10">
      <div>
        <label class="block text-xs font-bold text-slate-500 mb-1.5 uppercase tracking-wide">Email</label>
        <input type="email" name="email" required class="w-full p-3 bg-slate-50 border border-slate-200 rounded-lg focus:ring-2 focus:ring-indigo-500 text-slate-900 outline-none transition-all placeholder-slate-400" placeholder="you@example.com">
      </div>
      <div>
        <label class="block text-xs font-bold text-slate-500 mb-1.5 uppercase tracking-wide">Password</label>
        <input type="password" name="password" required class="w-full p-3 bg-slate-50 border border-slate-200 rounded-lg focus:ring-2 focus:ring-indigo-500 text-slate-900 outline-none transition-all placeholder-slate-400" placeholder="Your password">
      </div>
      <button type="submit" class="w-full p-3 bg-indigo-600 text-white rounded-lg font-medium hover:bg-indigo-700 focus:ring-2 focus:ring-indigo-500">Login</button>
    </form>
  </div>
</body>
</html>
```



Download

Response headers

```
content-length: 2310
content-type: text/html; charset=utf-8
date: Thu, 18 Jun 2026 04:54:59 GMT
server: uvicorn
```

Responses

Code	Description	Links
200	Successful Response	No links
Media type application/json Controls Accept header. Example Value Schema "string"		
422	Validation Error	No links
Media type application/json Example Value Schema { "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }] }		

GET /update/{expense_id} Update Page

Parameters

Cancel

Name	Description
expense_id * required	1
integer	
(path)	

Execute

Clear

Responses

Curl

```
curl -X 'GET' \
  'http://127.0.0.1:8000/update/1' \
  -H 'accept: text/html'
```

Request URL

http://127.0.0.1:8000/update/1

Server response

Code	Details
200	Response body
<!DOCTYPE html> <html lang="en"> <head> <meta charset="UTF-8"> <meta name="viewport" content="width=device-width, initial-scale=1.0"> <title>Login ExpenseBuddy</title> <script src="https://cdn.tailwindcss.com"></script>	

```
</head>
<body class="bg-slate-50 text-slate-900 font-sans flex items-center justify-center min-h-screen p-4">
  <div class="w-full max-w-md p-8 bg-white rounded-2xl border border-slate-200 shadow-xl relative overflow-hidden">
    <div class="absolute -right-10 -top-10 w-40 h-40 bg-indigo-50 rounded-full blur-3xl"></div>

    <div class="text-center mb-8 relative z-10">
      <h1 class="text-3xl font-extrabold bg-clip-text text-transparent bg-gradient-to-r from-indigo-600 to-purple-600 tracking-tight">Expense Buddy</h1>
      <p class="text-slate-500 mt-2 text-sm font-medium">Welcome back! Please enter your details.</p>
    </div>

    <form action="/login" method="POST" class="space-y-5 relative z-10">
      <div>
        <label class="block text-xs font-bold text-slate-500 mb-1.5 uppercase tracking-wide">Email</label>
        <input type="email" name="email" required class="w-full p-3 bg-slate-50 border border-slate-200 rounded-lg focus:ring-2 focus:ring-indigo-500 text-slate-900 outline-none transition-all placeholder-slate-400" placeholder="you@example.com">
      </div>
      <div>
        <label class="block text-xs font-bold text-slate-500 mb-1.5 uppercase tracking-wide">Password</label>
```

[Download](#)

Response headers

```
content-length: 2310
content-type: text/html; charset=utf-8
date: Thu, 18 Jun 2026 04:56:37 GMT
server: uvicorn
```

Responses

Code	Description	Links
200	Successful Response	No links
Media type text/html		
Controls Accept header.		
Example Value Schema		
string		
422	Validation Error	No links
Media type application/json		
Example Value Schema		
{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }] }		

POST /update/{expense_id} Update Expense

Parameters

[Cancel](#)[Reset](#)

Name Description

expense_id * required
integer
(path)

1

Request body * required

application/x-www-form-urlencoded

amount * required
number

6000

category * required
string

Travel

description * required
string

Buddy

[Execute](#)[Clear](#)

Responses

Curl

```
curl -X 'POST' \
  'http://127.0.0.1:8000/update/1' \
  -H 'accept: application/json' \
  -H 'Content-Type: application/x-www-form-urlencoded' \
  -d 'amount=6000&category=Travel&description=Buddy'
```

Request URL

http://127.0.0.1:8000/update/1

Server response

200

Response body

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Login | ExpenseBuddy</title>
  <script src="https://cdn.tailwindcss.com"></script>
</head>
<body class="bg-slate-50 text-slate-900 font-sans flex items-center justify-center min-h-screen p-4">
  <div class="w-full max-w-md p-8 bg-white rounded-2xl border border-slate-200 shadow-xl relative overflow-hidden">
    <div class="absolute -right-10 -top-10 w-40 h-40 bg-indigo-50 rounded-full blur-3xl"></div>

    <div class="text-center mb-8 relative z-10">
      <h1 class="text-3xl font-extrabold bg-clip-text text-transparent bg-gradient-to-r from-indigo-600 to-purple-600 tracking-tight">Expense Buddy</h1>
      <p class="text-slate-500 mt-2 text-sm font-medium">Welcome back! Please enter your details.</p>
    </div>

    <form action="/login" method="POST" class="space-y-5 relative z-10">
      <div>
        <label class="block text-xs font-bold text-slate-500 mb-1.5 uppercase tracking-wide">Email</label>
        <input type="email" name="email" required class="w-full p-3 bg-slate-50 border border-slate-200 rounded-lg focus:ring-2 focus:ring-indigo-500 text-slate-900 outline-none transition-all placeholder-slate-400 placeholder="you@example.com">
      </div>
      <div>
        <label class="block text-xs font-bold text-slate-500 mb-1.5 uppercase tracking-wide">Password</label>
```



Download

Response headers

```
content-length: 2310
content-type: text/html; charset=utf-8
date: Thu, 18 Jun 2026 04:56:23 GMT
server: uvicorn
```

Responses

Code	Description	Links
200	Successful Response	No links
Media type application/json Controls Accept header. Example Value Schema "string"		
422	Validation Error	No links
Media type application/json Example Value Schema { "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }] }		

GET /delete/{expense_id} Delete Expense

Parameters

Cancel

Name Description

expense_id * required

integer

(path)

1

Execute

Clear

Responses

Curl

```
curl -X 'GET' \
  'http://127.0.0.1:8000/delete/1' \
  -H 'accept: application/json'
```

Request URL

```
http://127.0.0.1:8000/delete/1
```

Server response

Code Details

200

Response body

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Login | ExpenseBuddy</title>
```

```
<script src="https://cdn.tailwindcss.com"></script>
</head>
<body class="bg-slate-50 text-slate-900 font-sans flex items-center justify-center min-h-screen p-4">
  <div class="w-full max-w-md p-8 bg-white rounded-2xl border border-slate-200 shadow-xl relative overflow-hidden">
    <div class="absolute -right-10 -top-10 w-40 h-40 bg-indigo-50 rounded-full blur-3xl"></div>

    <div class="text-center mb-8 relative z-10">
      <h1 class="text-3xl font-extrabold bg-clip-text text-transparent bg-gradient-to-r from-indigo-600 to-purple-600 tracking-tight">Expense Buddy</h1>
      <p class="text-slate-500 mt-2 text-sm font-medium">Welcome back! Please enter your details.</p>
    </div>

    <form action="/login" method="POST" class="space-y-5 relative z-10">
      <div>
        <label class="block text-xs font-bold text-slate-500 mb-1.5 uppercase tracking-wide">Email</label>
        <input type="email" name="email" required class="w-full p-3 bg-slate-50 border border-slate-200 rounded-lg focus:ring-2 focus:ring-indigo-500 text-slate-900 outline-none transition-all placeholder-slate-400" placeholder="you@example.com">
      </div>
      <div>
        <label class="block text-xs font-bold text-slate-500 mb-1.5 uppercase tracking-wide">Password</label>
```

Response headers

```
content-length: 2310
content-type: text/html; charset=utf-8
date: Thu, 18 Jun 2026 04:56:51 GMT
server: uvicorn
```

Responses

Code	Description	Links
200	Successful Response	No links
Media type application/json		
Controls Accept header		
Example Value Schema		
"string"		
422	Validation Error	No links
Media type application/json		
Example Value Schema		
{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }] }		

GET /export Export Report

Generates a downloadable CSV report of all user expenses.

Parameters

No parameters

Execute Clear

Responses

Curl

```
curl -X 'GET' \  
  'http://127.0.0.1:8000/export' \  
  -H 'accept: application/json'
```

Request URL

```
http://127.0.0.1:8000/export
```

Server response

Code	Details
200	Response body <pre><!DOCTYPE html> <html lang="en"> <head> <meta charset="UTF-8"> <meta name="viewport" content="width=device-width, initial-scale=1.0"> <title>Login ExpenseBuddy</title> <script src="https://cdn.tailwindcss.com"></script> </head> <body class="bg-slate-50 text-slate-900 font-sans flex items-center justify-center min-h-screen p-4"> <div class="w-full max-w-md p-8 bg-white rounded-2xl border border-slate-200 shadow-xl relative overflow-hidden"> <div class="absolute -right-10 -top-10 w-40 h-40 bg-indigo-50 rounded-full blur-3xl"></div> <div class="text-center mb-8 relative z-10"> <h1 class="text-3xl font-extrabold bg-clip-text text-transparent bg-gradient-to-r from-indigo-600 to-purple-600 tracking-tight">Expense Buddy</h1> <p class="text-slate-500 mt-2 text-sm font-medium">Welcome back! Please enter your details.</p> </div></pre>

```
<form action="/login" method="POST" class="space-y-5 relative z-10">
  <div>
    <label class="block text-xs font-bold text-slate-500 mb-1.5 uppercase tracking-wide">Email</label>
    <input type="email" name="email" required class="w-full p-3 bg-slate-50 border border-slate-200 rounded-lg focus:ring-2 focus:ring-indigo-500 text-slate-900 outline-none transition-all placeholder-slate-400" placeholder="you@example.com">
  </div>
  <div>
    <label class="block text-xs font-bold text-slate-500 mb-1.5 uppercase tracking-wide">Password</label>
```

 Download

Response headers

```
content-length: 2310
content-type: text/html; charset=utf-8
date: Thu, 18 Jun 2026 04:57:00 GMT
server: uvicorn
```

Responses

Code	Description	Links
200	Successful Response	No links
Media type		
application/json		
Controls Accept header.		
Example Value Schema		
"string"		

Schemas



Body_create_expense_create_post	Expand all	object
Body_login_post_login_post	Expand all	object
Body_set_budget_set_budget_post	Expand all	object
Body_set_income_set_income_post	Expand all	object
Body_signup_post_signup_post	Expand all	object
Body_update_expense_update__expense_id__post	Expand all	object
HTTPValidationError	Expand all	object
ValidationError	Expand all	object