

## Expense Tracking Buddy

**Trainer Name: Amol Shinde (Genosis Plus)**

| <b>Name</b>      | <b>Enrollment Number</b> |
|------------------|--------------------------|
| Sanchit Agalave  | ADT23SOCB0964            |
| Vinay Dhumal     | ADT23SOCB1622            |
| Piyush Pachpande | ADT23SOCB0724            |
| Omkar Varale     | ADT23SOCB1387            |

default

GET/signupSignup Page

Parameters

No parameters

ExecuteClear

Responses

Curl

curl -X 'GET' \n'http://127.0.0.1:8000/signup' \n-H 'accept: text/html'

Request URL

http://127.0.0.1:8000/signup

Server response

CodeDetails

200

Response body

<!DOCTYPE html>\n<html lang="en">\n<head>\n <meta charset="UTF-8">\n <meta name="viewport" content="width=device-width, initial-scale=1.0">\n <title>Sign Up | Expense Buddy</title>\n <script src="https://cdn.tailwindcss.com"></script>\n</head>\n<body class="bg-slate-50 text-slate-900 font-sans flex items-center justify-center min-h-screen p-4">\n <div class="w-full max-w-md p-8 bg-white rounded-2xl border border-slate-200 shadow-xl relative overflow-hidden">\n <div class="absolute -left-10 -bottom-10 w-40 h-40 bg-purple-50 rounded-full blur-3xl"></div>\n\n <div class="text-center mb-8 relative z-10">\n <h1 class="text-3xl font-extrabold bg-clip-text text-transparent bg-gradient-to-r from-indigo-600 to-purple-600 tracking-tight">Create Account</h1>\n <p class="text-slate-500 mt-2 text-sm font-medium">Start tracking your expenses today.</p>\n </div>\n\n <form action="/signup" method="POST" class="space-y-4 relative z-10">\n <div>\n <label class="block text-xs font-bold text-slate-500 mb-1.5 uppercase tracking-wide">Full Name</label>\n <input type="text" name="name" required class="w-full p-3 bg-slate-50 border border-slate-200 rounded-lg focus:ring-2 focus:ring-indigo-500 text-slate-900 outline-none transition on-all placeholder-slate-400" placeholder="John Doe">\n </div>\n <div>\n <label class="block text-xs font-bold text-slate-500 mb-1.5 uppercase tracking-wide">Email</label>\n <input type="text" name="email" required class="w-full p-3 bg-slate-50 border border-slate-200 rounded-lg focus:ring-2 focus:ring-indigo-500 text-slate-900 outline-none transition on-all placeholder-slate-400" placeholder="john.doe@example.com">\n </div>\n <div>\n <label class="block text-xs font-bold text-slate-500 mb-1.5 uppercase tracking-wide">Password</label>\n <input type="password" name="password" required class="w-full p-3 bg-slate-50 border border-slate-200 rounded-lg focus:ring-2 focus:ring-indigo-500 text-slate-900 outline-none transition on-all placeholder-slate-400" placeholder="Secure Password 123!>\n </div>\n <div>\n <label class="block text-xs font-bold text-slate-500 mb-1.5 uppercase tracking-wide">Confirm Password</label>\n <input type="password" name="confirm\_password" required class="w-full p-3 bg-slate-50 border border-slate-200 rounded-lg focus:ring-2 focus:ring-indigo-500 text-slate-900 outline-none transition on-all placeholder-slate-400" placeholder="Confirm Password 123!>\n </div>\n <button type="submit" class="w-full p-3 bg-indigo-600 text-white rounded-lg font-medium hover:bg-indigo-700 focus:ring-2 focus:ring-indigo-500">Sign Up</button>\n </form>\n </div>\n</body>\n</html>

Response headers

content-length: 2714\ncontent-type: text/html; charset=utf-8\ndate: Thu, 18 Jun 2026 04:55:14 GMT\nserver: uvicorn

Responses

| Code | Description         | Links    |
|------|---------------------|----------|
| 200  | Successful Response | No links |

Media type

text/html

Controls Accept header.

Example Value | Schema

string

POST/signupSignup Post

Parameters

No parameters

Request body required

application/x-www-form-urlencoded

name \* required

string

Sanchit

email \* required

string

myselfaaglave27@gmail.com

password \* required

string

sanchit@123

string

url: http://127.0.0.1:8000/signup

Execute

Clear

Responses

Curl

curl -X 'POST' \n'http://127.0.0.1:8000/signup' \n-H 'accept: application/json' \n-H 'Content-Type: application/x-www-form-urlencoded' \n-d 'name=Sanchit&email=myselfaaglave27x4@gmail.com&password=sanchitx40123'

Request URL

http://127.0.0.1:8000/signup

Server response

Code

Details

200

Response body

<div class="bg-red-50 border border-red-200 text-red-600 px-4 py-3 rounded-lg mb-6 text-sm text-center font-bold shadow-sm">Email already registered.</div>\n\n<form action="/signup" method="POST" class="space-y-4 relative z-10">\n <div>\n <label class="block text-xs font-bold text-slate-500 mb-1.5 uppercase tracking-wide">Full Name</label>\n <input type="text" name="name" required class="w-full p-3 bg-slate-50 border border-slate-200 rounded-lg focus:ring-2 focus:ring-indigo-500 text-slate-900 outline-none transition-all placeholder-slate-400" placeholder="John Doe">\n </div>\n <div>\n <label class="block text-xs font-bold text-slate-500 mb-1.5 uppercase tracking-wide">Email</label>\n <input type="email" name="email" required class="w-full p-3 bg-slate-50 border border-slate-200 rounded-lg focus:ring-2 focus:ring-indigo-500 text-slate-900 outline-none transition-all placeholder-slate-400" placeholder="you@example.com">\n </div>\n <div>\n <label class="block text-xs font-bold text-slate-500 mb-1.5 uppercase tracking-wide">Password</label>\n <input type="password" name="password" required class="w-full p-3 bg-slate-50 border border-slate-200 rounded-lg focus:ring-2 focus:ring-indigo-500 text-slate-900 outline-none transition-all placeholder-slate-400" placeholder="\*\*\*\*\*">\n </div>\n <button type="submit" class="w-full bg-gradient-to-r from-indigo-600 to-purple-600 text-white py-3 rounded-lg hover:from-indigo-700 hover:to-purple-700 font-bold shadow-md transition-on-all mt-4">Create Account</button>\n </form>\n <p class="mt-6 text-center text-sm text-slate-500 font-medium relative z-10">Already have an account? <a href="/login" class="text-indigo-600 hover:text-indigo-800 font-bold transition-colors">Sign in</a></p>\n</div>\n</body>\n</html>

Response headers

content-length: 2887\ncontent-type: text/html; charset=utf-8\ndate: Thu, 18 Jun 2026 04:52:17 GMT\nserver: uvicorn

Responses

Code

Description

Links

200

Successful Response

No links

Media type

application/json

Controls

Accept header

Example Value

Schema

"string"

422

Validation Error

No links

Media type

application/json

Example Value

Schema

{\n "detail": [\n {\n "loc": [\n "string",\n 0\n ],\n "msg": "string",\n "type": "string",\n "input": "string",\n "ctx": {}\n }\n ]\n}

GET

/login

Login Page

Parameters

Cancel

No parameters

Execute

Clear

Responses

Curl

```
curl -X 'GET' \
'http://127.0.0.1:8000/login' \
-H 'accept: text/html'
```

Request URL

http://127.0.0.1:8000/login

Server response

Code

Details

200

Response body

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Login | ExpenseBuddy</title>
  <script src="https://cdn.tailwindcss.com"></script>
</head>
<body class="bg-slate-50 text-slate-900 font-sans flex items-center justify-center min-h-screen p-4">
  <div class="w-full max-w-md p-8 bg-white rounded-2xl border border-slate-200 shadow-xl relative overflow-hidden">
    <div class="absolute -right-10 -top-10 w-40 h-40 bg-indigo-50 rounded-full blur-3xl"></div>

    <div class="text-center mb-8 relative z-10">
      <h1 class="text-3xl font-extrabold bg-clip-text text-transparent bg-gradient-to-r from-indigo-600 to-purple-600 tracking-tight">Expense Buddy</h1>
      <p class="text-slate-500 mt-2 text-sm font-medium">Welcome back! Please enter your details.</p>
    </div>

    <form action="/login" method="POST" class="space-y-5 relative z-10">
      <div>
        <label class="block text-xs font-bold text-slate-500 mb-1.5 uppercase tracking-wide">Email</label>
        <input type="email" name="email" required class="w-full p-3 bg-slate-50 border border-slate-200 rounded-lg focus:ring-2 focus:ring-indigo-500 text-slate-900 outline-none transition-all placeholder-slate-400" placeholder="you@example.com">
      </div>
      <div>
        <label class="block text-xs font-bold text-slate-500 mb-1.5 uppercase tracking-wide">Password</label>
```

Response headers

```
content-length: 2310
content-type: text/html; charset=utf-8
date: Thu, 18 Jun 2026 04:55:31 GMT
server: uvicorn
```

Responses

Code

Description

Links

200

Successful Response

No links

Media type

text/html

Controls Accept header.

Example Value | Schema

string

POST /login Login Post

Parameters

Cancel Reset

No parameters

Request body required

application/x-www-form-urlencoded

email \* required

string

myselfaaglave27@gmail.com

password \* required

string

sanchit@123

Execute

Clear

Responses

Curl

```
curl -X 'POST' \
'http://127.0.0.1:8000/login' \
-H 'accept: application/json' \
-H 'Content-Type: application/x-www-form-urlencoded' \
-d 'email=myselfaaglave27%40gmail.com&password=sanchit%40123'
```

Request URL

http://127.0.0.1:8000/login

Server response

Code

Details

200

Response body

```
<h1 class="text-3xl font-extrabold bg-clip-text text-transparent bg-gradient-to-r from-indigo-600 to-purple-600 tracking-tight">Expense Buddy</h1>
<p class="text-slate-500 mt-2 text-sm font-medium">Welcome back! Please enter your details.</p>
</div>

<div class="bg-red-50 border border-red-200 text-red-600 px-4 py-3 rounded-lg mb-6 text-sm text-center font-bold shadow-sm">Invalid email or password.</div>
```

```
<form action="/login" method="POST" class="space-y-5 relative z-10">
  <div>
    <label class="block text-xs font-bold text-slate-500 mb-1.5 uppercase tracking-wide">Email</label>
    <input type="email" name="email" required class="w-full p-3 bg-slate-50 border border-slate-200 rounded-lg focus:ring-2 focus:ring-indigo-500 text-slate-900 outline-none transition-all placeholder-slate-400" placeholder="you@example.com">
  </div>
  <div>
    <label class="block text-xs font-bold text-slate-500 mb-1.5 uppercase tracking-wide">Password</label>
    <input type="password" name="password" required class="w-full p-3 bg-slate-50 border border-slate-200 rounded-lg focus:ring-2 focus:ring-indigo-500 text-slate-900 outline-none transition-all placeholder-slate-400" placeholder="*****">
  </div>
  <button type="submit" class="w-full bg-gradient-to-r from-indigo-600 to-purple-600 text-white py-3 rounded-lg hover:from-indigo-700 hover:to-purple-700 font-bold shadow-md transition-on-all mt-4">Sign In</button>
</form>
<p class="mt-6 text-center text-sm text-slate-500 font-medium relative z-10">Don't have an account? <a href="/signup" class="text-indigo-600 hover:text-indigo-800 font-bold transition-colors">Sign up</a></p>
</div>
</body>
</html>
```



Download

Response headers

```
content-length: 2484
content-type: text/html; charset=utf-8
date: Thu, 18 Jun 2026 04:53:22 GMT
server: uvicorn
```

Responses

| Code | Description                                                                                                                                                                                                                                                                                                                     | Links    |
|------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| 200  | Successful Response<br><div>Media type<br/>application/json<br/>Controls Accept header.<br/>Example Value   Schema<br/>"string"</div>                                                                                                                                                                                           | No links |
| 422  | Validation Error<br><div>Media type<br/>application/json<br/>Example Value   Schema<br/>{<br/>  "detail": [<br/>    {<br/>      "loc": [<br/>        "string",<br/>        0<br/>      ],<br/>      "msg": "string",<br/>      "type": "string",<br/>      "input": "string",<br/>      "ctx": {}<br/>    }<br/>  ]<br/>}</div> | No links |

GET /logout Logout

Parameters

Cancel

No parameters

Execute

Clear

Responses

Curl

```
curl -X 'GET' \
  'http://127.0.0.1:8000/logout' \
  -H 'accept: application/json'
```

Request URL

http://127.0.0.1:8000/logout

Server response

Code Details

200

Response body

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Login | ExpenseBuddy</title>
  <script src="https://cdn.tailwindcss.com"></script>
</head>
<body class="bg-slate-50 text-slate-900 font-sans flex items-center justify-center min-h-screen p-4">
  <div class="w-full max-w-md p-8 bg-white rounded-2xl border border-slate-200 shadow-xl relative overflow-hidden">
    <div class="absolute -right-10 -top-10 w-40 h-40 bg-indigo-50 rounded-full blur-3xl"></div>

    <div class="text-center mb-8 relative z-10">
      <h1 class="text-3xl font-extrabold bg-clip-text text-transparent bg-gradient-to-r from-indigo-600 to-purple-600 tracking-tight">Expense Buddy</h1>
      <p class="text-slate-500 mt-2 text-sm font-medium">Welcome back! Please enter your details.</p>
    </div>

    <form action="/login" method="POST" class="space-y-5 relative z-10">
      <div>
        <label class="block text-xs font-bold text-slate-500 mb-1.5 uppercase tracking-wide">Email</label>
        <input type="email" name="email" required class="w-full p-3 bg-slate-50 border border-slate-200 rounded-lg focus:ring-2 focus:ring-indigo-500 text-slate-900 outline-none transition-all placeholder-slate-400" placeholder="you@example.com">
      </div>
```

 **Download**

```
content-length: 2310
content-type: text/html; charset=utf-8
date: Thu, 18 Jun 2026 04:57:56 GMT
server: uvicorn
```

| Code | Description         | Links           |
|------|---------------------|-----------------|
| 200  | Successful Response | <i>No links</i> |

application/json

Example Value | Schema

"string"

—

Cancel

Execute Clear

```
curl -X 'GET' \
  'http://127.0.0.1:8000/' \
  -H 'accept: text/html'
```

**http://127.0.0.1:8000/**

| Code | Details |
|------|---------|
|------|---------|

Response body

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Login | ExpenseBuddy</title>
  <script src="https://cdn.tailwindcss.com"></script>
</head>
<body class="bg-slate-50 text-slate-900 font-sans flex items-center justify-center min-h-screen p-4">
  <div class="w-full max-w-md p-8 bg-white rounded-2xl border border-slate-200 shadow-xl relative overflow-hidden">
    <div class="absolute -right-10 -top-10 w-40 h-40 bg-indigo-50 rounded-full blur-3xl"></div>
    <div class="text-center mb-8 relative z-10">
      <h1 class="text-3xl font-extrabold bg-clip-text text-transparent bg-gradient-to-r from-indigo-600 to-purple-600 tracking-tight">Expense Buddy</h1>
      <p class="text-slate-500 mt-2 text-sm font-medium">Welcome back! Please enter your details.</p>
    </div>
    <form action="/login" method="POST" class="space-y-5 relative z-10">
      <div>
        <label class="block text-xs font-bold text-slate-500 mb-1.5 uppercase tracking-wide">Email</label>
        <input type="email" name="email" required class="w-full p-3 bg-slate-50 border border-slate-200 rounded-lg focus:ring-2 focus:ring-indigo-500" />
      </div>
      <div>
        <label class="block text-xs font-bold text-slate-500 mb-1.5 uppercase tracking-wide">Password</label>

```

 **Download**

```
content-length: 2310
content-type: text/html; charset=utf-8
date: Thu, 18 Jun 2026 04:55:44 GMT
server: uvicorn
```

| Code | Description         | Links    |
|------|---------------------|----------|
| 200  | Successful Response | No links |

text/html

| Example Value | Schema |
|---------------|--------|
|---------------|--------|

string



Cancel

No parameters



Execute

Clear

Responses

Curl

```
curl -X 'GET' \
'http://127.0.0.1:8000/analytics' \
-H 'accept: text/html'
```

Request URL

http://127.0.0.1:8000/analytics

Server response

Code

Details

200

Response body

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Login | ExpenseBuddy</title>
  <script src="https://cdn.tailwindcss.com"></script>
</head>
<body class="bg-slate-50 text-slate-900 font-sans flex items-center justify-center min-h-screen p-4">
  <div class="w-full max-w-md p-8 bg-white rounded-2xl border border-slate-200 shadow-xl relative overflow-hidden">
    <div class="absolute -right-10 -top-10 w-40 h-40 bg-indigo-50 rounded-full blur-3xl"></div>

    <div class="text-center mb-8 relative z-10">
      <h1 class="text-3xl font-extrabold bg-clip-text text-transparent bg-gradient-to-r from-indigo-600 to-purple-600 tracking-tight">Expense Buddy</h1>
      <p class="text-slate-500 mt-2 text-sm font-medium">Welcome back! Please enter your details.</p>
    </div>

    <form action="/login" method="POST" class="space-y-5 relative z-10">
      <div>
        <label class="block text-xs font-bold text-slate-500 mb-1.5 uppercase tracking-wide">Email</label>
        <input type="email" name="email" required class="w-full p-3 bg-slate-50 border border-slate-200 rounded-lg focus:ring-2 focus:ring-indigo-500 text-slate-900 outline-none transition-all placeholder-slate-400" placeholder="you@example.com">
      </div>
      <div>
        <label class="block text-xs font-bold text-slate-500 mb-1.5 uppercase tracking-wide">Password</label>
        <input type="password" name="password" required class="w-full p-3 bg-slate-50 border border-slate-200 rounded-lg focus:ring-2 focus:ring-indigo-500 text-slate-900 outline-none transition-all placeholder-slate-400" placeholder="Enter your password">
      </div>
      <button type="submit" class="w-full p-3 bg-indigo-600 text-white rounded-lg font-medium hover:bg-indigo-700 focus:ring-2 focus:ring-indigo-500">Login</button>
    </form>
  </div>
</body>
```

Download

Response headers

```
content-length: 2310
content-type: text/html; charset=utf-8
date: Thu, 18 Jun 2026 04:55:51 GMT
server: uvicorn
```

Responses

Code

Description

Links

200

Successful Response

No links

Media type

text/html

Controls Accept header.

Example Value

Schema

string

POST

/set\_income

Set Income

Parameters

Cancel

Reset

No parameters

Request body

required

application/x-www-form-urlencoded

amount

required

5000

Execute

Clear

Responses

Curl

```
curl -X 'POST' \
'http://127.0.0.1:8000/set_income' \
-H 'accept: application/json' \
-H 'Content-Type: application/x-www-form-urlencoded' \
-d 'amount=5000'
```

Request URL

http://127.0.0.1:8000/set\_income

Server response

Code

Details

200

Response body

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Login | ExpenseBuddy</title>
  <script src="https://cdn.tailwindcss.com"></script>
</head>
<body class="bg-slate-50 text-slate-900 font-sans flex items-center justify-center min-h-screen p-4">
  <div class="w-full max-w-md p-8 bg-white rounded-2xl border border-slate-200 shadow-xl relative overflow-hidden">
    <div class="absolute -right-10 -top-10 w-40 h-40 bg-indigo-50 rounded-full blur-3xl"></div>

    <div class="text-center mb-8 relative z-10">
      <h1 class="text-3xl font-extrabold bg-clip-text text-transparent bg-gradient-to-r from-indigo-600 to-purple-600 tracking-tight">Expense Buddy</h1>
      <p class="text-slate-500 mt-2 text-sm font-medium">Welcome back! Please enter your details.</p>
    </div>

    <form action="/login" method="POST" class="space-y-5 relative z-10">
      <div>
        <label class="block text-xs font-bold text-slate-500 mb-1.5 uppercase tracking-wide">Email</label>
        <input type="email" name="email" required class="w-full p-3 bg-slate-50 border border-slate-200 rounded-lg focus:ring-2 focus:ring-indigo-500 text-slate-900 outline-none transition-all placeholder-slate-400 placeholder="you@example.com">
      </div>
      <div>
        <label class="block text-xs font-bold text-slate-500 mb-1.5 uppercase tracking-wide">Password</label>
        <input type="password" name="password" required class="w-full p-3 bg-slate-50 border border-slate-200 rounded-lg focus:ring-2 focus:ring-indigo-500 text-slate-900 outline-none transition-all placeholder-slate-400 placeholder="•••••">
      </div>
      <button type="submit" class="w-full p-3 bg-indigo-600 text-white rounded-lg font-medium tracking-wide">Log In</button>
    </form>
  </div>
</body>
</html>
```



Download

Response headers

```
content-length: 2319
content-type: text/html; charset=utf-8
date: Thu, 18 Jun 2026 04:54:22 GMT
server: uvicorn
```

Responses

| Code                                                                                                                                                                                                                                                                                                                      | Description         | Links    |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------|----------|
| 200                                                                                                                                                                                                                                                                                                                       | Successful Response | No links |
| <div>Media type<br/>application/json</div> <div>Controls Accept header.</div> <div>Example Value   Schema</div> <div>"string"</div>                                                                                                                                                                                       |                     |          |
| 422                                                                                                                                                                                                                                                                                                                       | Validation Error    | No links |
| <div>Media type<br/>application/json</div> <div>Example Value   Schema</div> <div>{<br/>  "detail": [<br/>    {<br/>      "loc": [<br/>        "string",<br/>        0<br/>      ],<br/>      "msg": "string",<br/>      "type": "string",<br/>      "input": "string",<br/>      "ctx": {}<br/>    }<br/>  ]<br/>}</div> |                     |          |

POST /set\_budget Set Budget

Parameters

Cancel

Reset

No parameters

Request body required

application/x-www-form-urlencoded

amount \* required

number

5000

Execute

Clear

Responses

Curl

curl -X 'POST' \  
'http://127.0.0.1:8000/set\_budget' \  
-H 'accept: application/json' \  
-H 'Content-Type: application/x-www-form-urlencoded' \  
-d 'amount=5000'

Request URL

http://127.0.0.1:8000/set\_budget

Server response

Code

Details

200

Response body



```
<div class="text-center mb-8 relative z-10">
  <h1 class="text-3xl font-extrabold bg-clip-text text-transparent bg-gradient-to-r from-indigo-600 to-purple-600 tracking-tight">Expense Buddy</h1>
  <p class="text-slate-500 mt-2 text-sm font-medium">Welcome back! Please enter your details.</p>
</div>

<form action="/login" method="POST" class="space-y-5 relative z-10">
  <div>
    <label class="block text-xs font-bold text-slate-500 mb-1.5 uppercase tracking-wide">Email</label>
    <input type="email" name="email" required class="w-full p-3 bg-slate-50 border border-slate-200 rounded-lg focus:ring-2 focus:ring-indigo-500 text-slate-900 outline-none transition-all placeholder-slate-400" placeholder="you@example.com">
  </div>
  <div>
    <label class="block text-xs font-bold text-slate-500 mb-1.5 uppercase tracking-wide">Password</label>
    <input type="password" name="password" required class="w-full p-3 bg-slate-50 border border-slate-200 rounded-lg focus:ring-2 focus:ring-indigo-500 text-slate-900 outline-none transition-all placeholder-slate-400" placeholder="*****">
  </div>
  <button type="submit" class="w-full bg-gradient-to-r from-indigo-600 to-purple-600 text-white py-3 rounded-lg hover:from-indigo-700 hover:to-purple-700 font-bold shadow-md transition-on-all mt-4">Sign In</button>
</form>
<p class="mt-6 text-center text-sm text-slate-500 font-medium relative z-10">Don't have an account? <a href="/signup" class="text-indigo-600 hover:text-indigo-800 font-bold transition-colors">Sign up</a></p>
</div>
</body>
</html>
```

 Download

Response headers

```
content-length: 2310
content-type: text/html; charset=utf-8
date: Thu, 18 Jun 2026 04:54:33 GMT
server: uvicorn
```

Responses

| Code                                                                                                                                                                                                                                                                                                                      | Description         | Links    |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------|----------|
| 200                                                                                                                                                                                                                                                                                                                       | Successful Response | No links |
| <div>Media type<br/>application/json</div> <div>Controls Accept header</div> <div>Example Value   Schema</div> <div>"string"</div>                                                                                                                                                                                        |                     |          |
| 422                                                                                                                                                                                                                                                                                                                       | Validation Error    | No links |
| <div>Media type<br/>application/json</div> <div>Example Value   Schema</div> <div>{<br/>  "detail": [<br/>    {<br/>      "loc": [<br/>        "string",<br/>        0<br/>      ],<br/>      "msg": "string",<br/>      "type": "string",<br/>      "input": "string",<br/>      "ctx": {}<br/>    }<br/>  ]<br/>}</div> |                     |          |

POST /create Create Expense

Parameters Cancel Reset

No parameters

Request body required application/x-www-form-urlencoded

amount \* required  
number5000

category \* required  
stringShopping

description \* required  
stringClothes

ExecuteClear

Responses

Curl

```
curl -X 'POST' \
  'http://127.0.0.1:8000/create' \
  -H 'accept: application/json' \
  -H 'Content-Type: application/x-www-form-urlencoded' \
  -d 'amount=5000&category=Shopping&description=Clothes'
```

Request URL

```
http://127.0.0.1:8000/create
```

Server response

| Code | Details |
|------|---------|
|------|---------|

200

Response body

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Login | ExpenseBuddy</title>
  <script src="https://cdn.tailwindcss.com"></script>
</head>
<body class="bg-slate-50 text-slate-900 font-sans flex items-center justify-center min-h-screen p-4">
  <div class="w-full max-w-md p-8 bg-white rounded-2xl border border-slate-200 shadow-xl relative overflow-hidden">
    <div class="absolute -right-10 -top-10 w-40 h-40 bg-indigo-50 rounded-full blur-3xl"></div>
    <div class="text-center mb-8 relative z-10">
      <h1 class="text-3xl font-extrabold bg-clip-text text-transparent bg-gradient-to-r from-indigo-600 to-purple-600 tracking-tight">Expense Buddy</h1>
      <p class="text-slate-500 mt-2 text-sm font-medium">Welcome back! Please enter your details.</p>
    </div>
    <form action="/login" method="POST" class="space-y-5 relative z-10">
      <div>
        <label class="block text-xs font-bold text-slate-500 mb-1.5 uppercase tracking-wide">Email</label>
        <input type="email" name="email" required class="w-full p-3 bg-slate-50 border border-slate-200 rounded-lg focus:ring-2 focus:ring-indigo-500 text-slate-900 outline-none transition-all placeholder-slate-400" placeholder="you@example.com">
      </div>
      <div>
        <label class="block text-xs font-bold text-slate-500 mb-1.5 uppercase tracking-wide">Password</label>
        <input type="password" name="password" required class="w-full p-3 bg-slate-50 border border-slate-200 rounded-lg focus:ring-2 focus:ring-indigo-500 text-slate-900 outline-none transition-all placeholder-slate-400" placeholder="Your password">
      </div>
      <button type="submit" class="w-full p-3 bg-indigo-600 text-white rounded-lg font-medium hover:bg-indigo-700 focus:ring-2 focus:ring-indigo-500">Login</button>
    </form>
  </div>
</body>
</html>
```



Download

Response headers

```
content-length: 2310
content-type: text/html; charset=utf-8
date: Thu, 18 Jun 2026 04:54:59 GMT
server: uvicorn
```

Responses

| Code                                                                                                                                                                                                                                                                                                                      | Description         | Links    |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------|----------|
| 200                                                                                                                                                                                                                                                                                                                       | Successful Response | No links |
| <div>Media type<br/>application/json</div> <div>Controls Accept header.</div> <div>Example Value   Schema</div> <div>"string"</div>                                                                                                                                                                                       |                     |          |
| 422                                                                                                                                                                                                                                                                                                                       | Validation Error    | No links |
| <div>Media type<br/>application/json</div> <div>Example Value   Schema</div> <div>{<br/>  "detail": [<br/>    {<br/>      "loc": [<br/>        "string",<br/>        0<br/>      ],<br/>      "msg": "string",<br/>      "type": "string",<br/>      "input": "string",<br/>      "ctx": {}<br/>    }<br/>  ]<br/>}</div> |                     |          |

GET /update/{expense\_id} Update Page

Parameters

Cancel

Name Description

expense\_id \* required  
integer  
(path)

1

Execute

Clear

Responses

Curl

```
curl -X 'GET' \
  'http://127.0.0.1:8000/update/1' \
  -H 'accept: text/html'
```

Request URL

http://127.0.0.1:8000/update/1

Server response

Code Details

200

Response body

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Login | ExpenseBuddy</title>
  <script src="https://cdn.tailwindcss.com"></script>
```

```
</head>
<body class="bg-slate-50 text-slate-900 font-sans flex items-center justify-center min-h-screen p-4">
  <div class="w-full max-w-md p-8 bg-white rounded-2xl border border-slate-200 shadow-xl relative overflow-hidden">
    <div class="absolute -right-10 -top-10 w-40 h-40 bg-indigo-50 rounded-full blur-3xl"></div>

    <div class="text-center mb-8 relative z-10">
      <h1 class="text-3xl font-extrabold bg-clip-text text-transparent bg-gradient-to-r from-indigo-600 to-purple-600 tracking-tight">Expense Buddy</h1>
      <p class="text-slate-500 mt-2 text-sm font-medium">Welcome back! Please enter your details.</p>
    </div>

    <form action="/login" method="POST" class="space-y-5 relative z-10">
      <div>
        <label class="block text-xs font-bold text-slate-500 mb-1.5 uppercase tracking-wide">Email</label>
        <input type="email" name="email" required class="w-full p-3 bg-slate-50 border border-slate-200 rounded-lg focus:ring-2 focus:ring-indigo-500 text-slate-900 outline-none transition-all placeholder-slate-400" placeholder="you@example.com">
      </div>
      <div>
        <label class="block text-xs font-bold text-slate-500 mb-1.5 uppercase tracking-wide">Password</label>
```

[Download](#)

#### Response headers

```
content-length: 2310
content-type: text/html; charset=utf-8
date: Thu, 18 Jun 2026 04:56:37 GMT
server: uvicorn
```

#### Responses

| Code                                                                                                                                                 | Description         | Links    |
|------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------|----------|
| 200                                                                                                                                                  | Successful Response | No links |
| Media type<br><div>text/html</div>                                                                                                                   |                     |          |
| Controls Accept header.                                                                                                                              |                     |          |
| Example Value   Schema                                                                                                                               |                     |          |
| string                                                                                                                                               |                     |          |
| 422                                                                                                                                                  | Validation Error    | No links |
| Media type<br><div>application/json</div>                                                                                                            |                     |          |
| Example Value   Schema                                                                                                                               |                     |          |
| {<br>"detail": [<br>{<br>"loc": [<br>"string",<br>0<br>],<br>"msg": "string",<br>"type": "string",<br>"input": "string",<br>"ctx": {}<br>}<br>]<br>} |                     |          |

**POST** /update/{expense\_id} Update Expense

#### Parameters

[Cancel](#)[Reset](#)

Name Description

**expense\_id** \* required  
integer  
(path)

1

Request body \* required

application/x-www-form-urlencoded

**amount** \* required  
number

6000

**category** \* required  
string

Travel

**description** \* required  
string

Buddy

[Execute](#)[Clear](#)

#### Responses

##### Curl

```
curl -X 'POST' \
  'http://127.0.0.1:8000/update/1' \
  -H 'accept: application/json' \
  -H 'Content-Type: application/x-www-form-urlencoded' \
  -d 'amount=6000&category=Travel&description=Buddy'
```

##### Request URL

http://127.0.0.1:8000/update/1

##### Server response

200

## Response body

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Login | ExpenseBuddy</title>
  <script src="https://cdn.tailwindcss.com"></script>
</head>
<body class="bg-slate-50 text-slate-900 font-sans flex items-center justify-center min-h-screen p-4">
  <div class="w-full max-w-md p-8 bg-white rounded-2xl border border-slate-200 shadow-xl relative overflow-hidden">
    <div class="absolute -right-10 -top-10 w-40 h-40 bg-indigo-50 rounded-full blur-3xl"></div>

    <div class="text-center mb-8 relative z-10">
      <h1 class="text-3xl font-extrabold bg-clip-text text-transparent bg-gradient-to-r from-indigo-600 to-purple-600 tracking-tight">Expense Buddy</h1>
      <p class="text-slate-500 mt-2 text-sm font-medium">Welcome back! Please enter your details.</p>
    </div>

    <form action="/login" method="POST" class="space-y-5 relative z-10">
      <div>
        <label class="block text-xs font-bold text-slate-500 mb-1.5 uppercase tracking-wide">Email</label>
        <input type="email" name="email" required class="w-full p-3 bg-slate-50 border border-slate-200 rounded-lg focus:ring-2 focus:ring-indigo-500 text-slate-900 outline-none transition-all placeholder-slate-400 placeholder="you@example.com">
      </div>
      <div>
        <label class="block text-xs font-bold text-slate-500 mb-1.5 uppercase tracking-wide">Password</label>
        <input type="password" name="password" required class="w-full p-3 bg-slate-50 border border-slate-200 rounded-lg focus:ring-2 focus:ring-indigo-500 text-slate-900 outline-none transition-all placeholder-slate-400 placeholder="your password">
      </div>
      <button type="submit" class="w-full p-3 bg-indigo-600 text-white rounded-lg font-medium focus:ring-2 focus:ring-indigo-500">Login</button>
    </form>
  </div>
</body>
```



Download

## Response headers

```
content-length: 2310
content-type: text/html; charset=utf-8
date: Thu, 18 Jun 2026 04:56:23 GMT
server: uvicorn
```

## Responses

| Code                                                                                                                                                                                                                                                                                                                      | Description         | Links    |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------|----------|
| 200                                                                                                                                                                                                                                                                                                                       | Successful Response | No links |
| <div>Media type<br/>application/json</div> <div>Controls Accept header.</div> <div>Example Value   Schema</div> <div>"string"</div>                                                                                                                                                                                       |                     |          |
| 422                                                                                                                                                                                                                                                                                                                       | Validation Error    | No links |
| <div>Media type<br/>application/json</div> <div>Example Value   Schema</div> <div>{<br/>  "detail": [<br/>    {<br/>      "loc": [<br/>        "string",<br/>        0<br/>      ],<br/>      "msg": "string",<br/>      "type": "string",<br/>      "input": "string",<br/>      "ctx": {}<br/>    }<br/>  ]<br/>}</div> |                     |          |

GET /delete/{expense\_id} Delete Expense

## Parameters

Cancel

Name Description

expense\_id \* required

integer

(path)

1

Execute

Clear

## Responses

## Curl

```
curl -X 'GET' \
  'http://127.0.0.1:8000/delete/1' \
  -H 'accept: application/json'
```



## Request URL

```
http://127.0.0.1:8000/delete/1
```

## Server response

Code Details

200

## Response body

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Login | ExpenseBuddy</title>
```

```
<script src="https://cdn.tailwindcss.com"></script>
</head>
<body class="bg-slate-50 text-slate-900 font-sans flex items-center justify-center min-h-screen p-4">
  <div class="w-full max-w-md p-8 bg-white rounded-2xl border border-slate-200 shadow-xl relative overflow-hidden">
    <div class="absolute -right-10 -top-10 w-40 h-40 bg-indigo-50 rounded-full blur-3xl"></div>

    <div class="text-center mb-8 relative z-10">
      <h1 class="text-3xl font-extrabold bg-clip-text text-transparent bg-gradient-to-r from-indigo-600 to-purple-600 tracking-tight">Expense Buddy</h1>
      <p class="text-slate-500 mt-2 text-sm font-medium">Welcome back! Please enter your details.</p>
    </div>

    <form action="/login" method="POST" class="space-y-5 relative z-10">
      <div>
        <label class="block text-xs font-bold text-slate-500 mb-1.5 uppercase tracking-wide">Email</label>
        <input type="email" name="email" required class="w-full p-3 bg-slate-50 border border-slate-200 rounded-lg focus:ring-2 focus:ring-indigo-500 text-slate-900 outline-none transition-all placeholder-slate-400" placeholder="you@example.com">
      </div>
      <div>
        <label class="block text-xs font-bold text-slate-500 mb-1.5 uppercase tracking-wide">Password</label>
```

Response headers

```
content-length: 2310
content-type: text/html; charset=utf-8
date: Thu, 18 Jun 2026 04:56:51 GMT
server: uvicorn
```

Responses

| Code | Description                                                                                                                                                                                                                                                                                                                                               | Links    |
|------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| 200  | Successful Response <div><div>Media type</div><div>application/json</div><div>Controls Accept header</div><div>Example Value   Schema</div><div>"string"</div></div>                                                                                                                                                                                      | No links |
| 422  | Validation Error <div><div>Media type</div><div>application/json</div><div>Example Value   Schema</div><div>{<br/>  "detail": [<br/>    {<br/>      "loc": [<br/>        "string",<br/>        0<br/>      ],<br/>      "msg": "string",<br/>      "type": "string",<br/>      "input": "string",<br/>      "ctx": {}<br/>    }<br/>  ]<br/>}</div></div> | No links |

GET /export Export Report

Generates a downloadable CSV report of all user expenses.

Parameters

No parameters

Execute Clear

Responses

Curl

```
curl -X 'GET' \  
  'http://127.0.0.1:8000/export' \  
  -H 'accept: application/json'
```

Request URL

```
http://127.0.0.1:8000/export
```

Server response

| Code | Details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 200  | Response body <div><pre>&lt;!DOCTYPE html&gt; &lt;html lang="en"&gt; &lt;head&gt;   &lt;meta charset="UTF-8"&gt;   &lt;meta name="viewport" content="width=device-width, initial-scale=1.0"&gt;   &lt;title&gt;Login   ExpenseBuddy&lt;/title&gt;   &lt;script src="https://cdn.tailwindcss.com"&gt;&lt;/script&gt; &lt;/head&gt; &lt;body class="bg-slate-50 text-slate-900 font-sans flex items-center justify-center min-h-screen p-4"&gt;   &lt;div class="w-full max-w-md p-8 bg-white rounded-2xl border border-slate-200 shadow-xl relative overflow-hidden"&gt;     &lt;div class="absolute -right-10 -top-10 w-40 h-40 bg-indigo-50 rounded-full blur-3xl"&gt;&lt;/div&gt;      &lt;div class="text-center mb-8 relative z-10"&gt;       &lt;h1 class="text-3xl font-extrabold bg-clip-text text-transparent bg-gradient-to-r from-indigo-600 to-purple-600 tracking-tight"&gt;Expense Buddy&lt;/h1&gt;       &lt;p class="text-slate-500 mt-2 text-sm font-medium"&gt;Welcome back! Please enter your details.&lt;/p&gt;     &lt;/div&gt;</pre></div> |

```
<form action="/login" method="POST" class="space-y-5 relative z-10">
  <div>
    <label class="block text-xs font-bold text-slate-500 mb-1.5 uppercase tracking-wide">Email</label>
    <input type="email" name="email" required class="w-full p-3 bg-slate-50 border border-slate-200 rounded-lg focus:ring-2 focus:ring-indigo-500 text-slate-900 outline-none transi
tion-all placeholder-slate-400" placeholder="you@example.com">
  </div>
  <div>
    <label class="block text-xs font-bold text-slate-500 mb-1.5 uppercase tracking-wide">Password</label>
```

 Download

Response headers

```
content-length: 2310
content-type: text/html; charset=utf-8
date: Thu, 18 Jun 2026 04:57:00 GMT
server: uvicorn
```

Responses

| Code                        | Description         | Links    |
|-----------------------------|---------------------|----------|
| 200                         | Successful Response | No links |
| Media type                  |                     |          |
| <div>application/json</div> |                     |          |
| Controls Accept header.     |                     |          |
| Example Value   Schema      |                     |          |
| "string"                    |                     |          |

Schemas



|                                              |            |        |
|----------------------------------------------|------------|--------|
| Body_create_expense_create_post              | Expand all | object |
| Body_login_post_login_post                   | Expand all | object |
| Body_set_budget_set_budget_post              | Expand all | object |
| Body_set_income_set_income_post              | Expand all | object |
| Body_signup_post_signup_post                 | Expand all | object |
| Body_update_expense_update__expense_id__post | Expand all | object |
| HTTPValidationError                          | Expand all | object |
| ValidationError                              | Expand all | object |